

ENERGY PRODUCT CATALOGUE 2018



Valleylab™ Energy
stands for confidence

CONTENTS

	GENERATORS AND HARDWARE ACCESSORIES	01
	Generators	01
	Valleylab™ FT10 Energy Platform	01
	Valleylab™ LS10 Vessel Sealing Generator	02
	Generators and Monitors	03
	Software Applications for ForceTriad™ Energy Platform	04
	Bipolar Resection	04
	The Remote Control Application	05
	Hardware Accessories	06
	Footswitches	06
	Carts and Stand	07
	Carts and Accessories	08
	LIGASURE™ TISSUE FUSION	09
	LigaSure™ Tissue Fusion Instruments, Sterile, Single Use	09
	For Open Procedures	12
	ULTRASONIC DISSECTION	15
	Sonicision™ Cordless Ultrasonic Dissection System & Accessories	15
	BIZACT™ TONSILLECTOMY DEVICE	17
	BiZact™ Tonsillectomy Device	17
	ELECTROSURGERY	18
	Valleylab™ Mode Products, Sterile, Single Use	18
	Electrosurgical Pencils, Sterile, Single Use	19
	With EDGE™ Coated Electrode	19
	With Stainless Steel Electrode	20
	With Arthroscopic Electrode	22
	Electrosurgical Pencil and Accessories	23
	Suction Coagulators, Sterile, Single Use	24
	Electrosurgical Electrodes, Sterile, Single Use	25
	EDGE™ Coated Electrodes	25
	Tungsten Microsurgical Needle Electrodes	28
	LLETZ Electrodes	29
	Stainless Steel Electrodes	31
	CleanCoat™ Laparoscopic Electrodes, Sterile, Single Use	32
	Solid Laparoscopic Electrodes	32
	Arthroscopic Electrodes	33
	Electrosurgical Electrodes, Non-Sterile, Reusable	34
	Stainless Steel Electrodes	34
	Electrode Extensions	35
	Electrosurgical Accessories, Sterile, Single Use	36
	Tip Cleaner, Holster	36

Patient Return Electrodes, Non-Sterile, Single Use	37
Corded	37
Non-Corded	38
Patient Return Electrode Cord	39
Foot Switching Bipolar Forceps, Non-Sterile, Reusable	40
Bipolar Coagulation Forceps, Non-Sterile, Reusable	42
Bipolar Coagulation Scissors, Non-Sterile, Reusable	49
Electrosurgical Accessories, Sterile, Single Use	50
Cords	50
Electrosurgical Accessories, Non-Sterile, Reusable	51
Bipolar Cords	51
Electrosurgical Accessories, Non-Sterile, Reusable, Monopolar Cords	53
Electrosurgical Accessories, Non-Sterile, Reusable	54
Adapters	54
Electrosurgical Accessories	55
E0504-2 Non-REM™ Patient Return Electrode Adapter Quick Reference Index	55
Monopolar Cord Quick Reference Index	56
Bipolar Cord Quick Reference Index	56
Laparoscopic Instruments, Sterile, Single Use	57
Opti4™ Handset and Retractable Hollow Laparoscopic Electrodes	57
Opti4™ Non-Retractable Hollow Laparoscopic Electrodes	58
Argon-Enhanced Electrosurgery	59
Force Argon™ II System and Accessories	59
Argon-Enhanced Electrosurgery, Sterile, Single Use	60
Argon Plus™ Handset	60
Argon Plus™ Electrodes	61
Smoke Evacuation Products	62
RapidVac™ Smoke Evacuation System and Accessories	62
Smoke Evacuation Products, Sterile, Single Use	63
RapidVac™ Tubing	63
Smoke Evacuation Pencils and Attachments	64
Smoke Evacuation Products	66
OptiMumm™ Smoke Evacuation Accessories	66
Smoke Evacuation Accessories	67
 ELECTROSURGICAL PENCIL QUICK REFERENCE INDEX	68
 SMOKE EVACUATION PENCIL QUICK REFERENCE INDEX	69
 INDEX	70
Catalogue Number	70
Product Name	73



The Medtronic Energy division, a world leader in radiofrequency (RF) energy-based systems, is committed to providing you with a complete line of products that contribute to the safest possible surgical environment.

We manufacture a full range of RF energy products – electrosurgical and tissue fusion generators, pencils, patient return electrodes and an entire line of accessories. Our fully integrated systems set the industry standard in patient care and purchasing efficiency.

Abbreviation legend

ASP = Aspiration holes

B = Safety Sleeve™

DA = Needle electrode

DB = 15 ft cord

FR = French

H = Holster

R = Retractable

S = Smoke attachment

Generators

VLFT10GEN

1 EACH

Valleylab™ FT10 Energy Platform

The Valleylab™ FT10 energy platform not only drives our full portfolio of energy-based devices, it makes them better than ever. Improving all our devices' performance with faster sealing and cutting times, the Valleylab™ FT10 energy platform delivers precise amounts of energy.



- Improved and enhanced LigaSure™ vessel sealing performance*
- TissueFect™ sensing technology monitors changes in tissue impedance 434,000 times a second
- Automatic instrument recognition
- Utilizes most current and all new LigaSure™ instruments
- Single, simplified touch screen
- Exclusive Valleylab™ exchange software update system
- Ethernet connection (has WiFi capabilities that are not yet enabled)
- Unique Valleylab™ mode for enhanced dissection with hemostasis
- Adaptive REM™ system
- Automatic power settings require minimal setup and minimize need for further handling during surgery
- Bipolar cable compensation reads cable length and width for consistent electrosurgical output
- Autobipolar capability
- Soft coag settings
- Weight (kg): 10,1
Width (cm): 36,8
Height (cm): 17,8
Depth (cm): 46,2

* As compared to the ForceTriad™ energy platform

NEW

VLFX8GEN

1 EACH

Valleylab™ FX8 Energy Platform

The newest addition to Valleylab™ energy is made to enhance the performance of your electrosurgical handpieces.^{1,2,†} The Valleylab™ FX8 energy platform is driven by our intelligent tissue-sensing technology. As you use your energy-powered tools, it reads tissue composition to monitor and adjust to impedance.^{3,4}



- TissueFect™ sensing technology monitors changes in tissue impedance 434,000 times a second
- Automatic instrument recognition
- Single, simplified touch screen
- Exclusive Valleylab™ exchange software update system
- Ethernet connection (has WiFi capabilities that are not yet enabled)
- Unique Valleylab™ mode for enhanced dissection with hemostasis
- Adaptive REM™ system
- Automatic power settings require minimal setup and minimize need for further handling during surgery
- Bipolar cable compensation reads cable length and width for consistent electrosurgical output
- Autobipolar capability
- Soft coag settings
- Weight (kg): 8,8
Width (cm): 33,5
Height (cm): 14,6
Depth (cm): 43,6

† Compared to the ForceTriad™ energy platform

1. Based on internal test report #RE00005401, Product validation of Valleylab™ FT10 energy platform surgeon and nurse evaluation in simulated use: 32 surgeons interviewed. January 27 to 30, 2015 and Feb. 24 to 27, 2015.

2. Based on internal report #RE00105221, Comparison testing of the Valleylab™ FT10 and ForceTriad™ generators. The Valleylab™ FT10 energy platform has identical power curves and equivalent power delivery for shared modes to the Valleylab™ FX8 energy platform. July 2017.

3. Valleylab™ FX8 energy platform part #PT00053621 [user guide]. Boulder, CO: Medtronic. June 2017.

4. Based on report #RE00034263 Rev F, Product requirements document for project Kirin. July 2017.

Generators

VLLS10GEN

1 EACH

Valleylab™ LS10 Vessel Sealing Generator

A simple, portable, 'plug and play' generator, designed to give you control, confidence and consistency in the OR.



- Single power on/off button
- Single instrument plug in port, compatible with all LigaSure™ devices
- Weighs only 5,5 kg for ease of transportation
- Automatic instrument recognition
- Seals vessels up to and including 7 mm in size, lymphatics and tissue bundles when used with a proper LigaSure™ instrument
- Produces minimal sticking, charring and thermal spread to adjacent tissue when used with a proper LigaSure™ instrument

- 95% certainty that the seals will withstand minimum 3x normal systolic blood pressure when used with a LigaSure™ instrument
- RFID (radio frequency identification) technology for automatic software upgrades
- Depth (cm): 46,2
- Improved and enhanced LigaSure™ vessel sealing performance*
- TissueFect™ sensing technology monitors changes in tissue impedance 434,000 times a second

*As compared to the ForceTriad™ energy platform

TissueFect™ Tissue Sensing Technology

The smart TissueFect™ tissue sensing technology in our Valleylab™ LS10 Generator and FT10 energy platform improves the speed and maintains consistency of hand-held devices by reading tissue composition in real time. So you can move through procedures more efficiently, for a better experience.

In the case of the Valleylab™ FT10 and FX8 energy platforms, TissueFect™ technology examines device performance 434,000 times per second, monitoring tissue impedance and allowing effective and efficient energy delivery. This technology is only available on Valleylab™ generators and drives all electro-surgical and advanced bipolar functions.

Valleylab™ Exchange Software Update System

The Valleylab™ exchange software update system enables you to perform a first-time setup or update software on Medtronic energy-based devices. This ensures that your surgeons and staff have access to the latest performance features as new features and energy delivery profiles become available for your electro-surgical generator. The Valleylab™ exchange software update system is available for the ForceTriad™, Valleylab™ FT10 and FX8 energy platforms, and the Valleylab™ LS10 generator.

Valleylab™ Mode

Valleylab™ mode provides a unique combination of monopolar hemostasis and dissection while using a lower power setting resulting in less char, less thermal spread and less arcing than a traditional coagulation mode.

Power Efficiency Rating (PER)

Measure of the ability of an electro-surgical generator to accurately deliver the selected power into a wide range of impedances.

Adaptive REM™ System

Adaptive REM™ combines the feedback circuitry of hardware monitoring with an advanced software-controlled adaptation feature. The adaptive system still maintains the 5-135 ohms limits, but also creates a window of acceptable impedances based on contact conditions of the individual patient.

Generators and Monitors

Instant Response™ Technology

This smart generator technology features an advanced feedback system that senses changes in tissue impedance and adjusts output accordingly.

The result is:

- Less thermal damage to surrounding tissue
- More consistent surgical performance
- Ability to use lower power settings
- Less electrode drag
- Less capacitive coupling



VLSURGEN

1 EACH

SurgiStat™ II Electrosurgical Generator

Designed for general electrosurgical needs in the office, clinic, or emergency room, the SurgiStat™ low-energy electrosurgical generator delivers exceptional performance, reliability, and safety in a compact, easy-to-use unit.

- Easy and quick to set up; compact and light
- Power settings can be changed while generator is active
- Universal power supply
- Memory: The SurgiStat™ powers up to the last selected modes and power settings
- Isolated RF Output
- Self-diagnostics: The SurgiStat's diagnostics continually monitor the unit to ensure proper performance
- Power Efficiency Rating (PER) of 86
- Compatible with:
 - 3-pin hand switching pencil
 - 2-pin bipolar foot switching devices
 - Standard foot switching and adapters

Software Applications for ForceTriad™ Energy Platform

Bipolar Resection

The Bipolar Resection Activation Kit enables activation of the bipolar-resection application on a single ForceTriad™ energy platform with software version 3.30 or greater.

The application is intended for use in the following procedures in a saline environment: Transurethral Resection of the Prostate (TURP), Transurethral Resection of the Bladder (TURB) and hysteroscopic resection.



FTBRKIT

1 EACH

Bipolar Resection Activation Kit for the ForceTriad™ Energy Platform

- Telephone and email contact information for EbD Technical support – to be contacted for activation of this Software application
- RS232 Cable for connecting the ForceTriad™ energy platform to the biomed PC (for Valleylab™ exchange)
- License Key Code to be provided to tech support
- CD-Rom with user guides
- Three labels to be applied to the ForceTriad™ energy platform after activation of the software application



FT6009

1 EACH

Bipolar Resection Footswitch

- Activates the bipolar resection – resection in Saline
- 4,6 m cord
- To be used with the ForceTriad™ energy platform



FT0021S

1 EACH

Storz™ Bipolar Resection Cord

- To be used with Storz™ bipolar resectoscopes
- To be used with the ForceTriad™ energy platform
- Reusable
- 4,6 m cord



FT0022W

1 EACH

Wolf Bipolar Resection Cord

- To be used with Wolf bipolar resectoscopes
- To be used with the ForceTriad™ energy platform
- Reusable
- 4,6 m cord

Software Applications for ForceTriad™ Energy Platform



STORZBRSET

1 EACH

Starter Kit for use with Storz™ Resectoscopes

Contains:

- FTBRKIT Activation Kit Bipolar Resection 1 each
- FT6009 Bipolar Resection Footswitch 1 each
- FT0021S Bipolar Resection Cord Storz™ 1 each



WOLFBRSET

1 EACH

Starter Kit for use with Wolf Resectoscopes

Contains:

- FTBRKIT Activation Kit Bipolar Resection 1 each
- FT6009 Bipolar Resection Footswitch 1 each
- FT0022W Bipolar Resection Cord Wolf 1 each
- Remote access panel assembly (panel with 2 screws)

The Remote Control Application

The Remote Control Application is add-on software that enables communication between a ForceTriad™ energy platform and a third-party remote-control system.

Once the application has been activated, an energy platform can be integrated into a system of multiple hardware components operated from a central location.

Remote-control systems are used in integrated operating rooms to control medical devices and various audio, video, and communication devices from a central communication console.

This application needs Software Version 3.4 or higher.



FTRCKIT

1 EACH

Activation Kit Remote Control for the ForceTriad™ Energy Platform

- CD with the User's Guide Supplement - remote control application
- License Key (provided on the inner box label and internal packaging)
- RS-232 cable
- Remote access panel assembly (panel with 2 screws)

Hardware Accessories

Footswitches



FT6003

1 EACH

ForceTriad™ Energy Platform Three-Pedal Footswitch

Compatible with ForceTriad™ energy platform only

- Enables foot activation of Cut, Valleylab™ mode and Coag
- Activate Valleylab™ mode and Force TriVerse™ electrosurgical device
- Enables foot activation of Cut and Coag on standard electrosurgical pencils
- 4,6 m (15 ft) cord



FT6009

1 EACH

Bipolar Resection Footswitch

Compatible with the Valleylab™ FT10 and ForceTriad™ Energy platforms

- Activates the bipolar resection – resection in saline
- 4,6 m (15 ft) cord




E6008B

1 EACH

Monopolar Footswitch

Compatible with SurgiStat™ II, Valleylab™ FT10 and all Force™ Series generators

- 4,6 m (15 ft) cord



E6008

1 EACH

Monopolar Footswitch

Compatible with SurgiStat™ II, Valleylab™ FT10 and all Force™ Series generators

- 4,6 m (15 ft) cord

All footswitches are water resistant



E6009

1 EACH

Standard Bipolar Footswitch

Compatible with Valleylab™ FT10 and FX8 energy platforms and all Force™ Series generators

- 4,6 m (15 ft) cord



LS0300 (PURPLE)

1 EACH

LigaSure™ Single Pedal Footswitch

- 4,6 m (15 ft) cord



LF0500 (ORANGE)

1 EACH

LigaSure™ Single Pedal Footswitch

Compatible with ForceTriad™ energy platform only

- 4,6 m (15 ft) cord



E6019

1 EACH

Dome Bipolar Footswitch

Compatible with Valleylab™ and FT10 and all Force™ Series generators

- 4,6 m (15 ft) cord



E6009B

1 EACH

Standard Bipolar Footswitch (version B)

Compatible with Valleylab™ FT10 and all Force™ Series generators

- 4,6 m (15 ft) cord

GENERATORS AND HARDWARE ACCESSORIES

Hardware Accessories

Carts and Stand



VLFTCRT

1 EACH

Valleylab™ FT10 Cart

The Valleylab™ FT10 cart is compatible with the Valleylab™ FT10 and FX8 energy platforms and the LS10 generator

- Cord management system
- One storage drawer
- Rust resistant
- Conductive casters (2 locking, 2 non-locking)
- Multiple shelves



FT900

1 EACH

ForceTriad™ Energy Platform Cart

Compatible with ForceTriad™ energy platform

- Cord management system
- One storage drawer
- Rust resistant
- Conductive casters (2 locking, 2 non-locking)
- Multiple shelves



FT950

1 EACH

ForceTriad™ Energy Platform Cart Front Panel

Compatible with ForceTriad™ energy platform cart

- Magnetized for easy placement or removal



E8002

1 EACH

Mounting Stand for SurgiStat™ II Generator

Compatible with SurgiStat™ series only

- Cord management hook
- Non-locking, conductive casters



FT990

1 EACH

ForceTriad™ Energy Platform Cart Drawer

Compatible with ForceTriad™ energy platform cart

- Ideal for storing user's manual or extra supplies
- Replacement drawer or optional additional drawer

Hardware Accessories Carts and Accessories



UC8009

1 EACH

Universal Mounting Cart

- Rust resistant
- Conductive casters (2 locking, 2 non-locking)
- Supplied with cord management kit



UC8010

1 EACH

Universal Mounting Cart Overshelf

Compatible with UC8009 universal cart

Ideal for a second electrosurgical generator, LigaSure™ vessel sealing system, RapidVac™ smoke evacuation system or Force Argon II™ system

- Supports 75 lbs centered on shelf
- Supplied with cord management kit



UC8012


1 EACH

Universal Mounting Cart Drawer

Compatible with UC8009 universal cart

Not compatible with UC8013 suspended shelf

Ideal for storing user's manual or extra supplies



UC8013

1 EACH

Universal Mounting Cart Suspended Shelf

Compatible with UC8009 universal cart

Not compatible with UC8012 drawer

Ideal for the RapidVac™ or OptiMumm™ smoke evacuation system or other smoke evacuation systems

- Supports 75 lbs



UC8011

1 EACH

Universal Mounting Cart Cord Management Kit

Compatible with UC8009 universal cart

- Two brackets



UC8015

1 EACH

Universal Mounting Cart Argon Gas Tank Kit

Compatible with UC8009 universal cart

- Holds 2 G-size 42 cubic ft tankss

NEW



LF1823

6 UNITS/CASE

LigaSure™ Blunt Tip Open Sealer/Divider 5 mm, nano-coated – 23 cm

Compatible with ForceTriad™, Valleylab™ FT10 and Valleylab™ LS10 generators

- HMDSO nano-coated nonstick jaws
- Sealer/divider
- 5 mm diameter; 23 cm (9 in.) length
- 180 degree shaft rotation
- Blunt jaw, double-action with contoured tips design
- Textured jaw with ceramic stops
- Hand switching or foot switching

NEW



LF1923

6 UNITS/CASE

LigaSure™ Maryland Jaw Laparoscopic Sealer/Divider 5 mm, nano-coated – 23 cm

Compatible with ForceTriad™, Valleylab™ FT10 and Valleylab™ LS10 generators

- HMDSO nano-coated nonstick jaws
- Sealer/divider
- 5 mm diameter; 23 cm (9 in.) length
- 350 degree shaft rotation
- Maryland jaws, single-action with contoured tips design
- Textured jaw with ceramic stops
- One step sealing & foot switching

LF1837

6 UNITS/CASE

LigaSure™ Blunt Tip Laparoscopic Sealer/Divider 5 mm, nano-coated – 37 cm

Compatible with ForceTriad™, Valleylab™ FT10 and Valleylab™ LS10 generators

- HMDSO nano-coated nonstick jaws
- Sealer/divider
- 5 mm diameter; 37 cm (14,6 in.) length
- 180 degree shaft rotation
- Blunt jaw, double-action with contoured tips design
- Textured jaw with ceramic stops
- Hand switching or foot switching

LF1937

6 UNITS/CASE

LigaSure™ Maryland Jaw Laparoscopic Sealer/Divider 5 mm, nano-coated – 37 cm

Compatible with ForceTriad™, Valleylab™ FT10 and Valleylab™ LS10 generators

- HMDSO nano-coated nonstick jaws
- Sealer/divider
- 5 mm diameter; 37 cm (14,6 in.) length
- 350 degree shaft rotation
- Maryland jaws, single-action with contoured tips design
- Textured jaw with ceramic stops
- One step sealing & foot switching

LF1844

6 UNITS/CASE

LigaSure™ Blunt Tip Laparoscopic Sealer/Divider 5 mm, nano-coated – 44 cm

Compatible with ForceTriad™, Valleylab™ FT10 and Valleylab™ LS10 generators

- HMDSO nano-coated nonstick jaws
- Sealer/divider
- 5 mm diameter; 44 cm (17,3 in.) length
- 180 degree shaft rotation
- Blunt jaw, double-action with contoured tips design
- Textured jaw with ceramic stops
- Hand switching or foot switching

LF1944

6 UNITS/CASE

LigaSure™ Maryland Jaw Laparoscopic Sealer/Divider 5 mm, nano-coated – 44 cm

Compatible with ForceTriad™, Valleylab™ FT10 and Valleylab™ LS10 generators

- HMDSO nano-coated nonstick jaws
- Sealer/divider
- 5 mm diameter; 44 cm (17,3 in.) length
- 350 degree shaft rotation
- Maryland jaws, single-action with contoured tips design
- Textured jaw with ceramic stops
- One step sealing & foot switching

All single use instruments and electrodes have a coded connector for instrument recognition

LigaSure™ Tissue Fusion Instruments, Sterile, Single Use



LS1020

6 UNITS/CASE

LigaSure Atlas™ 20 cm Hand Switching Instrument

Compatible with ForceTriad™, Valleylab™ FT10, Valleylab™ LS10 generators and the LigaSure™-8 vessel sealing system

- Sealer/divider
- 10 mm diameter; 20 cm (7,9 in.) length
- 359 degree shaft rotation
- Straight, blunt jaw
- Hand switching or foot switching



LS1520

6 UNITS/CASE

LigaSure™ V 20 cm Instrument

Compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Sealer/divider
- 5 mm diameter; 20 cm (7,9 in.) length
- 159 degree shaft rotation
- Dolphin-nose jaw design
- Hand switching or foot switching



LS1037

6 UNITS/CASE

LigaSure Atlas™ Hand Switching Laparoscopic Instrument

Compatible with ForceTriad™, Valleylab™ FT10, Valleylab™ LS10 generators and the LigaSure™-8 vessel sealing system

- Sealer/divider
- 10 mm diameter; 37 cm (14,6 in.) length
- 359 degree shaft rotation
- Straight, blunt jaw
- Hand switching or foot switching



LS1500

6 UNITS/CASE

LigaSure™ V Laparoscopic Instrument

Compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Sealer/divider
- 5 mm diameter; 37 cm (14,6 in.) length
- 159 degree shaft rotation
- Dolphin-nose jaw design
- Hand switching or foot switching

All single use instruments and electrodes have a coded connector for instrument recognition

NEW



LF5637

6 UNITS/CASE

**LigaSure™ 37 cm Retractable L-Hook
Laparoscopic Device**

Compatible with ForceTriad™ and Valleylab™ FT10 generators

- Sealer/divider
- 5 mm diameter; 37 cm (14,6 in.) length
- 315 degree shaft rotation
- Maryland-style jaws
- Retractable monopolar L-hook
- Hand switching

LF5644

6 UNITS/CASE

**LigaSure™ 44 cm Retractable L-Hook
Laparoscopic Device**

Compatible with ForceTriad™ and Valleylab™ FT10 generators

- Sealer/divider
- 5 mm diameter; 44 cm (17,3 in.) length
- 315 degree shaft rotation
- Maryland-style jaws
- Retractable monopolar L-hook
- Hand switching

LigaSure™ Tissue Fusion Instruments, Sterile, Single Use For Open Procedures

NEW



LF4418

6 UNITS/CASE

LigaSure™ Impact Instrument, nano-coated

Compatible with ForceTriad™, Valleylab™ FT10 and Valleylab™ LS10 generators

- HMDSO nano-coated nonstick jaws
- Sealer/divider
- Rectangular shaft; 18 cm (7,1 in.) length
- 180 degree shaft rotation
- 14 degree curved jaw
- Hand switching or foot switching



LF1212

6 UNITS/CASE

LigaSure™ Small Jaw Instrument

Compatible with ForceTriad™, Valleylab™ FT10 and Valleylab™ LS10 generators

- 16,5 mm electrode length
- 18,8 cm instrument length
- 28-degree curved jaw
- Contoured tips for blunt dissection
- Sealer/divider
- Hand or foot activation

NEW



LF2019

6 UNITS/CASE

LigaSure™ Exact Dissector, nano-coated

Compatible with Valleylab™ FT10 energy platform and Valleylab™ LS10 vessel sealing generator

- HMDSO nano-coated nonstick jaws
- Sealer/divider
- 21 cm instrument length
- Fine tapered jaws
- Hand or foot activation




LF3225

3 UNITS/CASE

LigaSure™ Curved Jaw Open Sealer/Divider Electrode Instrument

Compatible with ForceTriad™ energy platform, Valleylab™ LS10 vessel sealing generator, Valleylab™ FT10 energy platform

- Sealer/divider for open procedures Hand or foot switch activated
- 25 mm electrode length
- 25 cm instrument length
- 34 degree curved jaw
- Contoured tips for blunt dissection



LF3225C

1 UNITS/CASE

LigaSure™ Curved Jaw Open Sealer/Divider Clamp Instrument

Requires LF3225 electrode

Electrode is compatible with ForceTriad™ energy platform, Valleylab™ LS10 vessel sealing generator, Valleylab™ FT10 energy platform

- Non-sterile, reusable
- 25 cm length
- 34 degree curved jaw
- Requires LS3225 electrode

All single use instruments and electrodes have a coded connector for instrument recognition

LigaSure™ Tissue Fusion Instruments For Open Procedures



LS2070

1 EACH

LigaSure™ Std Reusable Instrument

Requires LS2071 electrode

Electrode is compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Non-sterile, reusable
- 18 cm (7,1 in.) length
- 30 degree curved jaw



LS2071

12 UNITS/CASE

LigaSure™ Std Electrode

Compatible with LS2070 instrument

Compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Sterile, single use
- Sealer
- Snap-in electrode with cord
- Foot switching only



LS2110

1 EACH

LigaSure™ Axs Reusable Instrument

Requires LS2111 electrode

Electrode is compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Non-sterile, reusable
- 27 cm (10,5 in.) length
- 60 degree angled jaw



LS2111

12 UNITS/CASE

LigaSure™ Axs Electrode

Compatible with LS2110 instrument

Compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Sterile, single use
- Sealer
- Snap-in electrode with cord
- Foot switching only

All single use instruments and electrodes have a coded connector for instrument recognition

LigaSure™ Tissue Fusion Instruments For Open Procedures



LS3090

1 EACH

LigaSure™ Max Reusable Instrument

Requires LS3092 electrode

Electrode is compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Non-sterile, reusable
- 23 cm (9 in.) length
- 30 degree curved jaw



LS3110

1 EACH

LigaSure™ Xtd Reusable Instrument

Requires LS3112 electrode

Electrode is compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Non-sterile, reusable
- 28 cm (11 in.) length
- 30 degree curved jaw



LS3092

12 UNITS/CASE

LigaSure™ Max Hand Switching

Compatible with LS3090 instrument

Compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Sterile, single use
- Sealer
- Snap-in electrode with cord
- Hand switching and foot switching activation



LS3112

12 UNITS/CASE

LigaSure™ Xtd Handswitching

Compatible with LS3110 instrument

Compatible with ForceTriad™ energy platform and LigaSure™-8 vessel sealing system

- Sterile, single use
- Sealer
- Snap-in electrode with cord
- Hand switching and foot switching activation

All single use instruments and electrodes have a coded connector for instrument recognition

Sonicision™ Cordless Ultrasonic Dissection System & Accessories



SCD391

1 EACH

Sonicision™ Cordless Ultrasonic Dissector

Supplied with 1 torque wrench

- Single patient use
- 5 mm diameter, 39 cm shaft length
- 360 degree shaft rotation
- 14,5 mm active blade
- Straight jaws
- Dual-mode energy button
- Integrated speaker (system status tones)

SCD396

6 UNITS/CASE

Sonicision™ Cordless Ultrasonic Dissector

Supplied with 1 torque wrench

- Single patient use
- 5 mm diameter, 39 cm shaft length
- 360 degree shaft rotation
- 14,5 mm active blade
- Straight jaws
- Dual-mode energy button
- Integrated speaker (system status tones)

SCD13

6 UNITS/CASE

Sonicision™ Cordless Ultrasonic Dissector

Supplied with 1 torque wrench

- Single patient use
- 5 mm diameter, 13 cm shaft length
- 360 degree shaft rotation
- 14,5 mm active blade
- Straight jaws
- Dual-mode energy button
- Integrated speaker (system status tones)

SCD26

6 UNITS/CASE

Sonicision™ Cordless Ultrasonic Dissector

Supplied with 1 torque wrench

- Single patient use
- 5 mm diameter, 26 cm shaft length
- 360 degree shaft rotation
- 14,5 mm active blade
- Straight jaws
- Dual-mode energy button
- Integrated speaker (system status tones)



SCD48

6 UNITS/CASE

Sonicision™ Cordless Ultrasonic Dissector

Supplied with 1 torque wrench

- Single patient use
- 5 mm diameter, 48 cm shaft length
- 360 degree shaft rotation
- 14,5 mm active blade
- Straight jaws
- Dual-mode energy button
- Integrated speaker (system status tones)
- Measurement markers

ULTRASONIC DISSECTION

Sonicision™ Cordless Ultrasonic Dissection System & Accessories



CBC

1 EACH

Sonicision™ Battery Charger

For use with Sonicision™ battery



SCG

1 EACH

Sonicision™ Generator

For use with Sonicision™ dissector

- Reusable for up to 100 sterilization cycles
- Integrated LED indicator



SCT12

12 UNITS/CASE

Sonicision™ Torque Wrench

For use with Sonicision™ generator

- Sterile, single use
- 12 individually wrapped units



SCB

1 EACH

Sonicision™ Battery Pack

For use with Sonicision™ dissector

- Reusable for up to 100 sterilization cycles
- Advanced lithium polymer battery



SCST1

1 EACH

Sonicision™ Sterilization Tray

For use with Sonicision™ battery and/or generator

- Reusable

BiZact™ Tonsillectomy Device

NEW

BZ4212

6 UNITS/CASE

BiZact™ Tonsillectomy Device

Compatible with ForceTriad™, Valleylab™ FT10 and Valleylab™ LS10 generators

- Sealer/divider
- For vessels and lymphatics up to 3 mm
- 12 cm shaft
- Curved jaws
- Contoured tips for blunt dissection
- Hand switching



Valleylab™ Mode Products, Sterile, Single Use

Valleylab™ Mode

A new waveform, Valleylab™ mode provides a unique combination of monopolar hemostasis and dissection while using a lower power setting resulting in less char, less thermal spread and less arcing than a traditional Coagulation mode.

**FT3000**

25 UNITS/CASE

Force TriVerse™ Electrocautery Device

Compatible with the Valleylab™ FT10 and ForceTriad™ Energy platforms

- Allows access to Valleylab™ mode
- EDGE™ coated hex-locking blade electrode
- Cut, Coag and Valleylab™ mode
- Accepts all standard 2,4 mm (3/32 in.) shaft electrodes.
- Holster
- 3 m (10 ft) cord
- Sterile-field power control
- Instrument recognition cord connector

**FT3000DB**

25 UNITS/CASE

Force TriVerse™ Electrocautery Device

Compatible with the Valleylab™ FT10 and ForceTriad™ Energy platforms

- Allows access to Valleylab™ mode
- EDGE™ coated hex-locking blade electrode
- Cut, Coag and Valleylab™ mode
- Accepts all standard 2,4 mm (3/32 in.) shaft electrodes.
- Holster
- 4,6 m (15 ft) cord
- Sterile-field power control
- Instrument recognition cord connector

**FT0510**

25 UNITS/CASE

Foot Switching Monopolar Cord Valleylab™ Mode

Compatible with the ForceTriad™ Energy platform

- Connects any surgical instrument with a 4 mm connector to the ForceTriad™ energy platform
- Delivers Valleylab™ mode
- Works with EndoShears, EndoDissectors, Roticulators, reusable lap handles
- 3 m (10 ft)

ELECTROSURGERY

Electrosurgical Pencils, Sterile, Single Use With EDGE™ Coated Electrode



E2350H

50 UNITS/CASE

Rocker Switch Pencil

- EDGE™ coated hex-locking blade electrode
- Holster
- 3 m (10 ft) cord



E2450H

50 UNITS/CASE

Button Switch Pencil

- EDGE™ coated hex-locking blade electrode
- Holster
- 3 m (10 ft) cord




E2350H-DB

50 UNITS/CASE

Rocker Switch Pencil

- EDGE™ coated hex-locking blade electrode
- Holster
- 4,6 m (15 ft) cord



E2450HS

50 UNITS/CASE

Button Switch Pencil

- EDGE™ coated hex-locking blade electrode
- AccuVac™ smoke evacuation attachment
- Holster
- 3 m (10 ft) cord



E2350HS

25 UNITS/CASE

Rocker Switch Pencil

- EDGE™ coated hex-locking blade electrode
- AccuVac™ smoke evacuation attachment
- Holster
- 3 m (10 ft) cord



E2250H

50 UNITS/CASE

Foot Switching Pencil

Not compatible with Safety Sleeve™ electrodes or AccuVac™ smoke evacuation attachment

Requires E0502-1 monopolar adapter

- EDGE™ coated hex-locking blade electrode
- Holster
- 3 m (10 ft) cord

Accepts all standard 2,4 mm (3/32 in.) shaft electrodes. See Quick Reference Index on page 68

Electrosurgical Pencils, Sterile, Single Use With Stainless Steel Electrode



E2515

50 UNITS/CASE

Rocker Switch Pencil

- Stainless steel hex-locking blade electrode
- 3 m (10 ft) cord



E2516

50 UNITS/CASE

Button Switch Pencil

- Stainless steel hex-locking blade electrode
- 3 m (10 ft) cord



E2515H

50 UNITS/CASE

Rocker Switch Pencil

- Stainless steel hex-locking blade electrode
- Holster
- 3 m (10 ft) cord



E2516H

50 UNITS/CASE

Button Switch Pencil

- Stainless steel hex-locking blade electrode
- Holster
- 3 m (10 ft) cord



E2515H-DA

50 UNITS/CASE

Rocker Switch Pencil

- Stainless steel needle electrode
- Holster
- 3 m (10 ft) cord



E2516H-DA

50 UNITS/CASE

Button Switch Pencil

- Stainless steel needle electrode
- Holster
- 3 m (10 ft) cord



E2515HDB

50 UNITS/CASE

Rocker Switch Pencil

- Stainless steel hex-locking blade electrode
- Holster
- 4,6 m (15 ft) cord

Accepts all standard 2,4 mm (3/32 in.) shaft electrodes. See Quick Reference Index on page 68

Electrosurgical Pencils, Sterile, Single Use With Stainless Steel Electrode

**E2515HS**

25 UNITS/CASE

Rocker Switch Pencil

- Stainless steel hex-locking blade electrode
- AccuVac™ smoke evacuation attachment
- Holster
- 3 m (10 ft) cord
- 3/8" x 1' tubing with 3/8" tubing connector

**E2504**

50 UNITS/CASE

Foot Switching Pencil

Not compatible with Safety Sleeve™ electrodes or AccuVac™ smoke evacuation attachment

Requires E0502-1 monopolar adapter

- Stainless steel hex-locking blade electrode
- 3 m (10 ft) cord

**E2516HS**

25 UNITS/CASE

Button Switch Pencil

- Stainless steel hex-locking blade electrode
- AccuVac™ smoke evacuation attachment
- Holster
- 3 m (10 ft) cord

**E2504H**

50 UNITS/CASE

Foot Switching Pencil

Not compatible with Safety Sleeve™ electrodes or AccuVac™ smoke evacuation attachment

Requires E0502-1 monopolar adapter

- Stainless steel hex-locking blade electrode
- Holster
- 3 m (10 ft) cord

**VL2610**

50 UNITS/CASE

Button Switch Pencil

- Stainless steel blade electrode
- Holster
- 3 m (10 ft) cord
- 3 pin connection

VL2610DB

50 UNITS/CASE

Button Switch Pencil

- Stainless steel blade electrode
- Holster
- 4,50 m (15 ft) cord
- 3 pin connection

VL2610E

50 UNITS/CASE

Button Switch Pencil

- Stainless steel blade electrode
- Holster
- 4,50 m (15 ft)
- For Erbe ACC/ICC generators

**VL2615**

50 UNITS/CASE

Button Switch Pencil

- Ceramic coated blade electrode
- Holster
- 3 m (10 ft) cord
- 3 pin connection

VL2615DB

50 UNITS/CASE

Button Switch Pencil

- Ceramic coated blade electrode
- Holster
- 4,50 m (15 ft) cord
- 3 pin connection

VL2615E

50 UNITS/CASE

Button Switch Pencil

- Ceramic coated blade electrode
- Holster
- 4,50 m (15 ft)
- 1 pin connection

See Quick Reference Index on page 68

Electrosurgical Pencils, Sterile, Single Use With Arthroscopic Electrode



E2510H

10 UNITS/CASE

Rocker Switch Pencil

- Insulated
- Arthroscopic right-angle hook electrode
- Stainless steel
- Total length: 21,6 cm (8,5 in)
- Active length: 0,19 cm (0,075 in)
- Holster
- 3 m (10 ft) cord

Accepts all standard 2,4 mm (3/32 in.) shaft electrodes. See Quick Reference Index on page 68

Electrosurgical Pencil and Accessories



E2100

10 UNITS/CASE

Rocker Switch Pencil, Reusable

Accepts all standard 2,4 mm (3/32 in.) shaft electrodes

- Reusable stainless steel blade electrode
- Non-sterile
- 4,6 m (15 ft) silicone cord
- 50 uses
- Steam or EtO sterilizable
- 3 pin connector (Valleylab generators)



E2100E

10 UNITS/CASE

Rocker Switch Pencil, Reusable

Accepts all standard 2,4 mm (3/32 in.) shaft electrodes

- Reusable stainless steel blade electrode
- Non-sterile
- 4,6 m (15 ft) silicone cord
- 50 uses
- Steam or EtO sterilizable
- For Erbe ACC/ICC generator



E2400

50 UNITS/CASE

Electrosurgery Accessory Holster

- Sterile, single use



E2401

100 UNITS/CASE

LectroBrasive™ Tip Cleaner

For use with stainless steel electrodes

- Sterile, single use
- 5,08 cm × 5,08 cm (2 in. × 2 in.)
- Adhesive backing
- X-ray detectable

Suction Coagulators, Sterile, Single Use

**E2608-6**

25 UNITS/CASE

Hand Switching Suction Coagulator

- 8 Fr (2,7 mm; 0,105 in. diameter)
- 15,24 cm (6 in.) shaft length

**E2505-10FR**

25 UNITS/CASE

Foot Switching Suction Coagulator

Requires E0502-1 monopolar adapter

- 10 Fr (3,3 mm; 0,131 in. diameter)
- 15,24 cm (6 in.) shaft length

**E3305**

25 UNITS/CASE

Foot Switching Suction Coagulator

Requires E0502-1 monopolar adapter

- 12 Fr (4 mm inner diameter)
- 6 inch shaft length
- Extra insulation layers
- Hand and foot switching

**E3310**

25 UNITS/CASE

Foot Switching Suction Coagulator

Requires E0502-1 monopolar adapter

- 10 Fr (3,3 mm inner diameter)
- 6 inch shaft length
- Extra insulation layers
- Hand and foot switching

Electrosurgical Electrodes, Sterile, Single Use

EDGE™ Coated Electrodes

Coated Electrode Technology...

Coated electrodes provide a wide range of benefits to the surgeon, including improved surgical performance and easier cleaning as compared to traditional stainless steel electrodes. There are several types of coated electrodes, all of which perform differently during surgical procedures.

EDGE™ coated electrodes are manufactured using high-quality surgical steel and a durable, proprietary, elastomeric polymer coating. EDGE™ electrodes provide a more consistent surgical effect with lower power settings.

Uncompromised cut performance

Throughout a variety of procedures, no matter what type of tissue. The EDGE™ electrodes provide cut performance like stainless steel – but with a clean advantage.

Easy to Clean

Saves you time. With Valleylab's proprietary coating, no scraping is required. Just wipe clean with a wet sponge and continue.

Durable and Bendable

Without compromising the integrity of the coating. EDGE™ coated electrodes are bendable up to 45 degrees without the coating degradation or flaking that can occur with PTFE electrodes.

Improved Safety

With the NEW Safety Sleeve™ insulated electrodes. These electrodes provide an increased level of safety especially in procedures when the pencil tip can come in contact with unintended target tissue. There is no need to insulate these electrodes with rubber catheters or electrode tip protectors.

Choice of Styles

EDGE™ coated electrodes are available in a wide variety of styles, including blades, needles, three electrode lengths, and insulated electrodes for increased safety when used in close proximity to non-targeted tissue.

EDGE™ electrodes are available in your choice of rocker or button switch pencil for greater convenience and cost savings.

... To save surgeons and hospitals both time and money.


E1450G

50 UNITS/CASE

EDGE™ Coated Blade Electrode

- Total length: 7,62 cm (3 in.)
- Active length: 2,8 cm (1,1 in.)


E1450X

50 UNITS/CASE

EDGE™ Coated Blade Electrode

- Hex locking
- Total length: 6,35 cm (2,5 in.)
- Active length: 2,8 cm (1,1 in.)


E1450-4

50 UNITS/CASE

EDGE™ Coated Blade Extended Electrode

- Total length: 10,16 cm (4 in.)
- Active length: 2,54 cm (1 in.)


E1450-6

50 UNITS/CASE

EDGE™ Coated Blade Extended Electrode

- Total length: 16,51 cm (6,5 in.)
- Active length: 2,54 cm (1 in.)


E1475X

50 UNITS/CASE

EDGE™ Coated Blade Extended Electrode

For use when AccuVac™ smoke evacuation attachment is used

- Hex-locking
- Total length: 6,99 cm (2,75 in.)
- Active length: 2,8 cm (1,1 in.)

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

ELECTROSURGERY

Electrosurgical Electrodes, Sterile, Single Use

EDGE™ Coated Electrodes



E1452

50 UNITS/CASE

EDGE™ Coated Needle Electrode

- Total length: 7,2 cm (2,84 in.)
- Active length: 2,8 cm (1,1 in.)
- Tip radius: 0,864 mm (0,034 in.)



E1452-6

50 UNITS/CASE

EDGE™ Coated Needle Extended Electrode

- Total length: 16,51 cm (6,5 in.)
- Active length: 2,54 cm (1 in.)
- Tip radius: 0,864 mm (0,034 in.)



E1455

50 UNITS/CASE

EDGE™ Coated Blade Electrode

- Insulated
- Hex locking
- Total length: 6,99 cm (2,75 in.)
- Active length: 5,1 mm (0,2 in.)



E1455-4

50 UNITS/CASE

EDGE™ Coated Blade Extended Electrode

- Insulated
- Total length: 10,16 cm (4 in.)
- Active length: 5,1 mm (0,2 in.)



E1455-6

50 UNITS/CASE

EDGE™ Coated Blade Extended Electrode

- Insulated
- Total length: 16,51 cm (6,5 in.)
- Active length: 5,1 mm (0,2 in.)



E1455B

25 UNITS/CASE

EDGE™ Coated Blade Electrode

Not compatible with foot switching pencils or AccuVac™ smoke evacuation attachment

- Insulated
- Safety Sleeve™
- Total length: 6,99 cm (2,75 in.)
- Active length: 5,1 mm (0,2 in.)



E1455B-4

25 UNITS/CASE

EDGE™ Coated Blade Extended Electrode

Not compatible with foot switching pencils or AccuVac™ smoke evacuation attachment

- Insulated
- Safety Sleeve™
- Total length: 10,16 cm (4 in.)
- Active length: 5,1 mm (0,2 in.)

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

Electrosurgical Electrodes, Sterile, Single Use

EDGE™ Coated Electrodes



E1465

50 UNITS/CASE

EDGE™ Coated Needle Electrode

- Insulated
- Total length: 7,2 cm (2,84 in.)
- Active length: 5,1 mm (0,2 in.)
- Tip radius: 0,787 mm (0,031 in.)




E1465-4

50 UNITS/CASE

EDGE™ Coated Needle Extended Electrode

- Insulated
- Total length: 10,16 cm (4 in.)
- Active length: 5,1 mm (0,2 in.)
- Tip radius: 0,787 mm (0,031 in.)



E1465-6

50 UNITS/CASE

EDGE™ Coated Needle Extended Electrode

- Insulated
- Total length: 16,51 cm (6,5 in.)
- Active length: 5,1 mm (0,2 in.)
- Tip radius: 0,787 mm (0,031 in.)



E1465B

25 UNITS/CASE

EDGE™ Coated Needle Electrode

Not compatible with foot switching pencils or AccuVac™ smoke evacuation attachment

- Insulated
- Safety Sleeve™
- Total length: 7,21 cm (2,84 in.)
- Active length: 5,1 mm (0,2 in.)
- Tip radius: 0,787 mm (0,031 in.)



E1465B-4

25 UNITS/CASE

EDGE™ Coated Needle Extended Electrode

Not compatible with foot switching pencils or AccuVac™ smoke evacuation attachment

- Insulated
- Safety Sleeve™
- Total length: 10,16 cm (4 in.)
- Active length: 5,1 mm (0,2 in.)
- Tip radius: 0,787 mm (0,031 in.)

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

Electrosurgical Electrodes, Sterile, Single Use

Tungsten Microsurgical Needle Electrodes



E1650

10 UNITS/CASE

Straight Microsurgical Needle

- Insulated
- Total length: 4,2 cm (1,65 in.)
- Exposed length: 2 cm (0,8 in.)
- Active length: 3,0 mm (0,120 in.)
- Tip radius: 0,06 mm (0,0023 in.)



E1651

10 UNITS/CASE

Straight Microsurgical Needle

- Insulated
- Total length: 5,4 cm (2,13 in.)
- Exposed length: 3 cm (1,2 in.)
- Active length: 3,0 mm (0,120 in.)
- Tip radius: 0,06 mm (0,0023 in.)



E1652

10 UNITS/CASE

Microsurgical Needle

- Insulated
- Total length: 5,4 cm (2,13 in.)
- Exposed length: 3 cm (1,2 in.)
- Active length: 3,0 mm (0,120 in.)
- Tip radius: 0,06 mm (0,0023 in.)
- 45 degree angle, 3,0 mm (0,120 in.) from tip



E1653

10 UNITS/CASE

Microsurgical Needle

- Insulated
- Total length: 5,4 cm (2,13 in.)
- Exposed length: 3 cm (1,2 in.)
- Active length: 3,0 mm (0,120 in.)
- Tip radius: 0,06 mm (0,0023 in.)
- 45 degree angle, 1 cm (0,4 in.) from tip



E1654B

10 UNITS/CASE

Microsurgical Needle With Safety Sleeve™

Not compatible with foot switching pencils or AccuVac™ smoke evacuation attachment

- Insulated
- Safety Sleeve™
- Total length: 10,16 cm (4 in.)
- Exposed length: 9 cm (3,5 in.)
- Active length: 3,0 mm (0,120 in.)
- Tip radius: 0,06 mm (0,0023 in.)

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

Electrosurgical Electrodes, Sterile, Single Use

LLETZ Electrodes



Shown actual size

E1559

10 UNITS/CASE

Tungsten Loop

- 10 mm × 10 mm
- 13 cm (5 in.) shaft length



Shown actual size

E1560

10 UNITS/CASE

Tungsten Loop

- 10 mm × 20 mm
- 13 cm (5 in.) shaft length



Shown actual size

E1561

10 UNITS/CASE

Tungsten Loop

- 20 mm × 12 mm
- 13 cm (5 in.) shaft length



Shown actual size

E1562

10 UNITS/CASE

Tungsten Loop

- 20 mm × 15 mm
- 13 cm (5 in.) shaft length

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

ELECTROSURGERY

Electrosurgical Electrodes, Sterile, Single Use LLETZ Electrodes



E1563

10 UNITS/CASE

Stainless Steel Ball

- 3 mm diameter
- 13 cm (5 in.) shaft length



E1565

10 UNITS/CASE

Tungsten Square Loop

- 5 mm × 5 mm
- 13 cm (5 in.) shaft length



E1564

10 UNITS/CASE

Stainless Steel Ball

- 5 mm diameter
- 13 cm (5 in.) shaft length



E1567

10 UNITS/CASE

Tungsten Square Loop

- 10 mm × 8 mm
- 13 cm (5 in.) shaft length

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

Electrosurgical Electrodes, Sterile, Single Use

Stainless Steel Electrodes



E1550

150 UNITS/CASE

Stainless Steel Ball Electrode

- Total length: 5,33 cm (2,1 in.)
- Active length: 1 cm (0,4 in.)
- Diameter: 5 mm (3/16 in.)



E1552

150 UNITS/CASE

Stainless Steel Needle Electrode

- Total length: 7,2 cm (2,84 in.)
- Active length: 2,8 cm (1,1 in.)
- Tip radius: 0,762 mm (0,030 in.)



E1551G

150 UNITS/CASE

Stainless Steel Blade Electrode

- Total length: 6,2 cm (2,44 in.)
- Active length: 2,8 cm (1,1 in.)



E1552-6

50 UNITS/CASE

Stainless Steel Extended Needle Electrode

- Total length: 16,51 cm (6,5 in.)
- Active length: 2,54 cm (1 in.)
- Tip radius: 0,762 mm (0,030 in.)



E1551X

150 UNITS/CASE

Stainless Steel Blade Electrode

- Hex locking
- Total length: 6,2 cm (2,44 in.)
- Active length: 2,54 cm (1 in.)



E2401

100 UNITS/CASE

LectroBrasive™ Tip Cleaner

For use with stainless steel electrodes

- Sterile, single use
- 5,08 cm × 5,08 cm (2 in. x 2 in.)
- Adhesive backing
- X-ray detectable



E1551-6

50 UNITS/CASE

Stainless Steel Extended Blade Electrode

- Total length: 16,51 cm (6,5 in.)
- Active length: 2,54 cm (1 in.)

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

CleanCoat™ Laparoscopic Electrodes, Sterile, Single Use

Solid Laparoscopic Electrodes

**E3770-36C**

10 UNITS/CASE

CleanCoat™ Laparoscopic Straight Spatula Electrode 36 cm, coated

- Fits 5 mm cannulas
- Total length: 36 cm (14 in.)

**E3771-36C**

10 UNITS/CASE

CleanCoat™ Laparoscopic Curved Spatula Electrode 36 cm, coated

- Fits 5 mm cannulas
- Total length: 36 cm (14 in.)

**E3771-45C**

10 UNITS/CASE

CleanCoat™ Laparoscopic Curved Spatula Electrode 45 cm, coated

- Fits 5 mm cannulas
- Total length: 45 cm (17,7 in.)

**E3772-36C**

10 UNITS/CASE

CleanCoat™ Laparoscopic Wire J-Hook Electrode 36 cm, coated

- Fits 5 mm cannulas
- Total length: 36 cm (14 in.)

**E3773-36C**

10 UNITS/CASE

CleanCoat™ Laparoscopic Wire L-Hook Electrode 36 cm, coated

- Fits 5 mm cannulas
- Total length: 36 cm (14 in.)

**E3773-45C**

10 UNITS/CASE

CleanCoat™ Laparoscopic Wire L-Hook Electrode 45 cm, coated

- Fits 5 mm cannulas
- Total length: 45 cm (17,7 in.)

**E3774-36C**

10 UNITS/CASE

CleanCoat™ Laparoscopic Flat L-Hook Electrode 36 cm, coated

- Fits 5 mm cannulas
- Total length: 36 cm (14 in.)

**E3774-45C**

10 UNITS/CASE

CleanCoat™ Laparoscopic Flat L-Hook Electrode 45 cm, coated

- Fits 5 mm cannulas
- Total length: 45 cm (17,7 in.)

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils, including E2515, E2516, FT3000, FT3000DB

ELECTROSURGERY

Electrosurgical Electrodes, Sterile, Single Use

Arthroscopic Electrodes



E1510

10 UNITS/CASE

Arthroscopic Right-Angle Hook Electrode

Not compatible with foot switching pencils

- Insulated
- Stainless steel
- Total length: 21,6 cm (8,5 in.)
- Active length: 0,19 cm (0,075 in.)



E1512

10 UNITS/CASE

Arthroscopic Angled Blade Electrode

Not compatible with foot switching pencils

- Insulated
- Stainless steel
- Total length: 21,6 cm (8,5 in.)
- Active length: 0,19 cm (0,075 in.)



E1511

10 UNITS/CASE

Arthroscopic 45-Degree Angle Hook Electrode

Not compatible with foot switching pencils

- Insulated
- Stainless steel
- Total length: 21,6 cm (8,5 in.)
- Active length: 0,19 cm (0,075 in.)

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

Electrosurgical Electrodes, Non-Sterile, Reusable

Stainless Steel Electrodes

Steam/EtO sterilizable



E1000

1 EACH

Stainless Steel Ball Electrode

- Total length: 5,33 cm (2,1 in.)
- Active length: 1 cm (0,4 in.)
- Diameter: 3,2 mm (1/8 in.)



E1002

1 EACH

Stainless Steel Ball Electrode

- Total length: 5,1 cm (2 in.)
- Active length: 5,6 mm (0,22 in.)
- Diameter: 5,6 mm (7/32 in.)



E1003

1 EACH

Stainless Steel Fine-Needle Electrode

- Total length: 6,6 cm (2,6 in.)
- Active length: 2,54 cm (1 in.)
- Tip radius: 0,51 mm (1/64 in.)



E1005

1 EACH

Tungsten Wire Loop Electrode

- Total length: 5 cm (2 in.)
- Active length: 0,95 cm (0,38 in.)
- Diameter: 9,5 mm (3/8 in.)



E1020

1 EACH

Stainless Steel Blade Electrode

- Hex locking
- Total length: 7 cm (2,75 in.)
- Active length: 2,8 cm (1,1 in.)



Only sold in selected countries

303-2

5 UNITS/CASE

Reger™ Needle Electrode; 20 x Ø 0,7 mm

- Connector pin: 2,4 mm
- Mechanical properties: to cut tissue
- Electrical properties: according to IEC 60601-1, IEC 60601-2-2
- Reprocessing: 300 times autoclavable at 134 °C; holding time 10 min
- Material: 1.4305, polyamide
- Color: black

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

ELECTROSURGERY

Electrosurgical Accessories, Non-Sterile, Reusable Electrode Extensions

Steam/EtO sterilizable.



Only sold in selected countries

361-0

5 UNITS/CASE

Tungsten Loop Electrode

- Loop diameter: 25 mm
- Shaft length: 110 mm



Only sold in selected countries

361-1

5 UNITS/CASE

Tungsten Loop Electrode

- Loop diameter: 30 mm
- Shaft length: 110 mm



E1502

1 EACH

Straight Electrode Extension

Compatible with standard 2,4 mm (3/32in.) shaft electrodes

- Total length: 13 cm (5,1 in.)
- Extension length: 10,2 cm (4 in.)



E1504

1 EACH

Straight Electrode Extension

Compatible with standard 2,4 mm (3/32in.) shaft electrodes

- Fits 5 mm cannulas
- Total length: 34,3 cm (13,5 in.)
- Extension length: 31,5 cm (12,4 in.)



Only sold in selected countries

301-5

5 UNITS/CASE

Reger™ Angled Blade Electrode

- 20 x 2,5 mm
- 45° angled connector: 2,4 mm
- Autoclavable at 134 °C
- Material: 1.4305, polyamide
- Color: black



Only sold in selected countries

374-3

1 EACH

Reger™ Electrode Adapter

- 2,4 mm to 4 mm
- Autoclavable at 134 °C
- Color: black



Only sold in selected countries

374-5

1 EACH

Reger™ Electrode Extension

For use with 2,4 mm electrodes and pencils

- Length: 90 mm
- Autoclavable at 134 °C
- Color: black



Only sold in selected countries

374-6

1 EACH

Reger™ Electrode Extension

For use with 2,4 mm electrodes and pencils

- Length: 140 mm
- Autoclavable at 134 °C
- Color: black

Standard 2,4 mm (3/32 in.) shaft is designed to fit most electrosurgical pencils

ELECTROSURGERY

Electrosurgical Accessories, Sterile, Single Use Tip Cleaner, Holster



E2401

100 UNITS/CASE

LectroBrasive™ Tip Cleaner

For use with stainless steel electrodes

- Sterile, single use
- 5,08 cm × 5,08 cm (2 in. × 2 in.)
- Adhesive backing
- X-ray detectable



E2400

50 UNITS/CASE

Electrosurgery Accessory Holster

- Sterile, single use

Patient Return Electrodes, Non-Sterile, Single Use Corded



E7507

50 UNITS/CASE

Adult REM PolyHesive™ II Patient Return Electrode

For use with RECQM generators

- For patients > 30 lbs (> 13,6 kg)
- 2,7 m (9 ft) cord



E7510-25DB

25 UNITS/CASE

Infant REM PolyHesive™ II Patient Return Electrode

For use with RECQM generators

- For patients 6-30 lbs (2,72 – 13,6 kg)
- 4,6 m (15 ft) cord



E7507-DB

50 UNITS/CASE

Adult REM PolyHesive™ II Patient Return Electrode

For use with RECQM generators

- For patients > 30 lbs (> 13,6 kg)
- 4,6 m (15 ft) cord



E7512

12 UNITS/CASE

Neonatal REM PolyHesive™ II Patient Return Electrode

For use with RECQM generators

- For patients 1 – 6 lbs (0,45 kg – 2,72 kg)
- 2,7 m (9 ft) cord



E7510-25

25 UNITS/CASE

Infant REM PolyHesive™ II Patient Return Electrode

For use with RECQM generators

- For patients 6 – 30 lbs (2,72 – 13,6 kg)
- 2,7 m (9 ft) cord



E7506-

50 UNITS/CASE

Standard Adult PolyHesive™ Patient Return Electrode

For use with non-RECQM generators

May require an adapter

- For patients > 30 lbs (13,6 kg)
- 2,7 m (9 ft) cord

RECQM = Return Electrode Contact Quality Monitoring

Patient Return Electrodes, Non-Sterile, Single Use Non-Corded



E7509 50 UNITS/CASE, 5 per package
10 resealable packages per case

Adult REM PolyHesive™ II Patient Return Electrode

Requires E0560 reusable cord/clamp

For use with RECQM generators

- For patients > 30 lbs (> 13,6 kg)



HRA6 50 UNITS/CASE, 10 units per pouch

Valleylab™ Universal Patient Return Electrode

- Removable sticker for health record
- Waterproof and resistant to liquids
- No specific orientation needed
- ProRe™ Hydrogel



E7509-B 600 UNITS/CASE
50 per package, 12 resealable packages

Adult REM PolyHesive™ II Patient Return Electrode

Requires E0560 reusable cord/clamp

For use with RECQM generators

- For patients > 30 lbs (> 13,6 kg)

B = Bulk

Patient Return Electrode Cord

**E0560**


1 EACH

Patient Return Electrode Cord/Clamp, Reusable

Compatible with with RECQM generators

For use with E7508, E7509 and E7509-B patient return electrodes

- REM™ pin connector
- 4,6 m (15 ft) cord

**E0560SI**

1 EACH

Patient Return Electrode Cord/Clamp

For use with all electrosurgical generators equipped with any monitoring system for dual patient return electrode (Short Isolation)

- 4,6 m (15 ft) cord

**E0560E**

1 EACH

Patient Return Electrode Cord/Clamp

For use with E7509 and E7509-B patient return electrodes and ERBE generators

- 4,6 m (15 ft) cord

**E0560NCS**

1 EACH

Patient Return Electrode Cord/Clamp

For use with all electrosurgical generators which are not equipped with any monitoring system for dual patient return electrode (Non-contact Surface)

- 4,6 m (15 ft) cord

**E0560LI**

1 EACH

Patient Return Electrode Cord/Clamp


For use with all electrosurgical generators equipped with any monitoring system for dual patient return electrode (Large Isolation)

- 4,6 m (15 ft) cord

Foot Switching Bipolar Forceps, Non-Sterile, Reusable

Steam/EtO sterilizable


Only sold in selected countries

**E4051-CT**

1 EACH

Scoville-Greenwood Bayonet Forceps†

- Insulated
- Smooth tips
- Total length: 19,7 cm (7,75 in.)
- Tip: 1,5 mm

**E4054-CT**

1 EACH

Cushing Bayonet Forceps†

- Insulated
- Smooth tips
- Total length: 19,1 cm (7,5 in.)
- Tip: 2,0 mm

**E4052-CT**

1 EACH

Cushing Forceps†

- Insulated
- Smooth tips
- Total length: 15,2 cm (6 in.)
- Tip: 0,7 mm

**E4055-CT**

1 EACH

Jewelers Forceps, Straight Tip†


- Insulated
- Smooth tips
- Total length: 10,2 cm (4 in.)
- Tip: 0,4 mm

**E4053-CT**

1 EACH

Cushing Forceps†

- Insulated
- Smooth tips
- Total length: 17,8 cm (7 in.)
- Tip: 1,5 mm

**E4057-CT**

1 EACH

Gerald Bayonet Forceps†


- Insulated
- Smooth tips
- Total length: 19,1 cm (7,5 in.)
- Tip: 0,7 mm

† Requires E0512 single use cords or QI2401 or E0020V reusable cords

Foot Switching Bipolar Forceps, Non-Sterile, Reusable

Steam/EtO sterilizable

Only sold in selected countries




E4058-CT

1 EACH

Cushing Bayonet Forceps

- Insulated
- Smooth tips
- Total length: 19,1 cm (7,5 in.)
- Tip: 0,7 mm



E4059-CT

1 EACH

Hardy Bayonet Forceps with Stops*

- Insulated
- Smooth tips
- Total length: 20,9 cm (8,25 in.)
- Tip: 0,5 mm



E4060-CT

1 EACH

Semkin Forceps with Stops*

- Insulated
- Smooth tips
- Total length: 14 cm (5,5 in.)
- Tip: 0,5 mm

*Stops prevent scissoring of the tip




E4062-CT

1 EACH

Curved Iris Forceps

- Insulated
- Smooth tips
- Total length: 8,9 cm (3,5 in.)
- Tip: 0,5 mm



E4073-CT

1 EACH

Titanium Bayonet Forceps

- Insulated
- Smooth tips
- Total length: 22,2 cm (8,75 in.)
- Tip: 1,0 mm

Bipolar Coagulation Forceps, Non-Sterile, Reusable

**E700150**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Straight
- Pointed

**E700157**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Angled
- Tip: 1 mm

**E700151**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Straight
- Tip: 1 mm

**E700158**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Short angled
- Tip: 0,7 mm

**E700155**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Angled
- Pointed
- Delicate tines

**E700167**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Bayonet
- Tip: 1 mm

Bipolar Coagulation Forceps, Non-Sterile, Reusable

**E700170**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Straight
- Pointed

**E700171**

1 EACH

Bipolar Coagulation Forceps


- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Straight
- Tip: 1 mm

**E700175**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Angled
- Tip: 1 mm

**E700176**

1 EACH

Bipolar Coagulation Forceps

Same specifications except:

- Tip: 2 mm

**E700181**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Bayonet
- Tip: 1 mm

**E700184**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Bayonet
- Angled downwards
- Tip: 1 mm

**E700185**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Bayonet
- Angled upwards
- Tip: 1 mm

Bipolar Coagulation Forceps, Non-Sterile, Reusable

**E700191**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 23 cm (9,1 in.)
- Bayonet
- Tip: 0,7 mm

E700192

1 EACH

Bipolar Coagulation Forceps

Same specifications except:

- Tip: 1,2 mm

**E700195**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 23 cm (9,1 in.)
- Angled
- Pointed
- Delicate tines

**E700240**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 10,5 cm (4,25 in.)
- Straight
- Pointed

**E700241**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 10,5 cm (4,25 in.)
- Straight
- Blunt

**E700243**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 10,5 cm (4,25 in.)
- Straight
- Blunt
- Tip: 1 mm

**E700244**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 10,5 cm (4,25 in.)
- Short angled
- Pointed

Bipolar Coagulation Forceps, Non-Sterile, Reusable

**E700204**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 14,5 cm (5,75 in.)
- Tip: 1 mm

**E700214**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 14,5 cm (5,75 in.)
- Tip: 2 mm

**E700206**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Tip: 1 mm

**E700216**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Tip: 2 mm

**E700209**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Tip: 1 mm

**E700219**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Tip: 2 mm

**E700212**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 22 cm (8,75 in.)
- Tip: 1 mm

**E700222**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 22 cm (8,75 in.)
- Tip: 2 mm

Bipolar Coagulation Forceps, Non-Sterile, Reusable

**E700245**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 10,5 cm (4,25 in.)
- Long angled
- Pointed

**E700284**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Bayonet
- Angled downwards
- Tip: 0,7 mm

**E700246**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 10,5 cm (4,25 in.)
- Long angled
- Blunt

**E700292**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 25 cm (9,8 in.)
- Bayonet
- Tip: 1,2 mm

**E700247**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 11 cm (4,33 in.)
- Long angled
- Blunt
- Tip: 1 mm

Bipolar Coagulation Forceps, Non-Sterile, Reusable

**E700331**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 11 cm (4,5 in.)
- Straight
- Tip: 1,2 mm

**E700346**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Straight
- Tip: 2,2 mm

**E700349**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Straight
- Tip: 2,2 mm

**E700352**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 22 cm (8,75 in.)
- Straight
- Tip: 2,2 mm

**E700355**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 25 cm (10 in.)
- Straight
- Tip: 2,2 mm

**E700357**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 30 cm (12 in.)
- Straight
- Tip: 2,2 mm

Bipolar Coagulation Forceps, Non-Sterile, Reusable

**E700376**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Angled
- Tip: 2,2 mm

**E700382**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 19 cm (7,5 in.)
- Bayonet
- Tip: 2,2 mm

**E700760¹**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 16,5 cm (6,5 in.)
- Bayonet
- Tips: 1,1 mm

**E700764¹**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 20 cm (7,9 in.)
- Bayonet
- Tip: 1,1 mm

**E700768¹**

1 EACH

Bipolar Coagulation Forceps

- Use with E360XXX reusable cord
- Total length: 23 cm (9,1 in.)
- Bayonet
- Tip: 1,1 mm

**E700770¹**

1 EACH

Bipolar Coagulation Forceps


- Use with E360XXX reusable cord
- Total length: 25 cm (9,8 in.)
- Bayonet
- Tip: 1,1 mm

1. Made to order

Bipolar Coagulation Scissors, Non-Sterile, Reusable

Medtronic bipolar coagulation scissors are available with three different jaw designs and can be used with common bipolar cables (European flat connector).

Only sold in selected countries



MEDTRONIC REUSABLE BIPOLAR COAGULATION SCISSORS

1 EACH

Standard Blade

E97015BPS – 180 mm

E97016BPS – 210 mm

E97017BPS – 230 mm

E97013BPS – 280 mm

- Can be used with standard bipolar forceps cords (e.g. E360131L, E360150L)
- Autoclavable at 134 °C
- Umax 300 Vp



MEDTRONIC REUSABLE BIPOLAR COAGULATION SCISSORS

1 EACH

Slim Blade

E97011BPS – 180 mm

E97018BPS – 210 mm

E97012BPS – 230 mm

E97014BPS – 280 mm

- Can be used with standard bipolar forceps cords (e.g. E360131L, E360150L)
- Autoclavable at 134 °C
- Umax 300 Vp



MEDTRONIC REUSABLE BIPOLAR COAGULATION SCISSORS

1 EACH

Micro Blade

E97020BPS – 140 mm

E97021BPS – 175 mm

- Can be used with standard bipolar forceps cords (e.g. E360131L, E360150L)
- Autoclavable at 134 °C
- Umax 300 Vp

Electrosurgical Accessories, Sterile, Single Use Cords



FT0510

25 UNITS/CASE

Foot Switching Monopolar Cord Valleylab™ Mode

Connects any surgical instrument with a 4 mm connect or to the ForceTriad™ energy platform

- Delivers Valleylab™ mode
- Works with EndoShears, EndoDissectors, Reticulators, reusable lap handles
- 3 m (10 ft)



E0520

10 UNITS/CASE

Valleylab Trigger™ Switch and Cord

Converts most monopolar foot-activated laparoscopic and thorascopic instruments to hand activation

- Accepts 4 mm male post connector
- Trigger switch total length: 12,7 cm (5 in.)
- Monopolar connecting cord 3,0 m (10 ft)



E0503

50 UNITS/CASE

Foot Switching Monopolar Cord

For use with ACMI Classic Series, pediatric, classic long resectoscopes and ACMI Bugbee electrodes

Requires E0502-1 monopolar adapter

- 3 m (10 ft)



E0512

50 UNITS/CASE

Foot Switching Bipolar Forceps Cord

For use with Valleylab™ bipolar foot switching forceps

Compatible with Force™ series and SurgiStat™ II generators

- Moulded plug
- 3,6 m (12 ft)



E0510

50 UNITS/CASE

Foot Switching Monopolar Laparoscopic Cord

For use with most monopolar laparoscopic instruments

Requires E0502-1 monopolar adapter

- Accepts 4 mm male post connector
- 3 m (10 ft)

Electrosurgical Accessories, Non-Sterile, Reusable

Bipolar Cords



E360130

1 EACH

Foot Switching Forceps Cord

For use with ERBE/STORZ/WOLF generators only

Compatible with E700xxx or 700xxx bipolar forceps

- Moulded plug
- 4,5 m (15 ft)



E360131L

1 EACH

Foot Switching Forceps Cord

For use with ERBE/STORZ/WOLF generators only

Compatible with E700xxx or 700xxx bipolar forceps

- Moulded plug
- 4,5 m (15 ft)



E360139L

1 EACH

Foot Switching Cord

For use with Martin/Berchthold/Aesculap generators only

Compatible with E700xxx or 700xxx bipolar forceps

- 4,5 m (15 ft)



E360135¹

1 EACH

Foot Switching Cord

For use with US generators only

Compatible with E700xxx or 700xxx bipolar forceps

- 4,5 m (15 ft)



E360150L, E360150²

1 EACH

Foot Switching Bipolar Cord

For use with Valleylab™ generators only

Compatible with E700xxx or 700xxx bipolar forceps

- Moulded plug
- 4,5 m (15 ft)



92067

1 EACH

Reger™ Cable for Ethicon PowerStar Bipolar Scissors for International 2-pole Models, 5,0 m

- Generator side plug: international 2-pole model
- Instrument side plug: Ethicon PowerStar Bipolar Scissors
- Mechanical properties: to connect Ethicon PowerStar Bipolar Scissors with generators from international models
- Electrical properties: according to IEC 60601-1, IEC 60601-2-2
- Reprocessing: 300 times autoclavable at 134 °C; holding time 10 min
- Combination items: Ethicon PowerStar Bipolar Scissors
- Colour: grey
- Surface: matt

1. Not allowed in some European countries

2. Short connector

Electrosurgical Accessories, Non-Sterile, Reusable Bipolar Cords

Steam sterilizable



E0020V

1 EACH

Foot Switching Bipolar Cord

For use with the ForceTriad™ and Valleylab™ FX8 energy platforms

Also compatible with all Force™ series and SurgiStat™ II generators

For use with Valleylab™ bipolar foot switching forceps

- Moulded plug
- 4,5 m (15 ft)



E0021S

1 EACH

Foot Switching Bipolar Cord

For use with the ForceTriad™ and Valleylab™ FX8 energy platforms

Also compatible with all Force™ series and SurgiStat™ II generators

Compatible with most Storz bipolar instruments

- Moulded plug
- 4,5 m (15 ft)



E0022W

1 EACH

Foot Switching Bipolar Cord

For use with the ForceTriad™ and Valleylab™ FX8 energy platforms

Also compatible with all Force™ series and SurgiStat™ II generators

Compatible with most Wolf bipolar forceps

- Moulded plug
- 4,5 m (15 ft)

Bipolar resection cords



FT0021S

1 EACH

Storz™ Bipolar Resection Cord

- To be used with Storz™ bipolar Resectoscopes
- To be used with the ForceTriad™ energy platform
- Reusable
- 4,6 m cord



FT0022W

1 EACH

Wolf Bipolar Resection Cord

- To be used with Wolf bipolar resectoscopes
- To be used with the ForceTriad™ energy platform
- Reusable
- 4,6 m cord


Electrosurgical Accessories, Non-Sterile, Reusable, Monopolar Cords

**E2999**

1 EACH

Foot Switching Monopolar Laparoscopic Cord

- Accepts 4 mm male post connector
- 3 m (10 ft))


**360186**

1 EACH

Foot Switching Monopolar Cord

For use with Erbe ACC/ICC generators

- 4 mm female connector
- 3,5 m (11,5 ft)
- Use with Monopolar Forceps 700XXX

**360187**

1 EACH

Foot Switching Monopolar Cord

For use with Valleylab

- Jack 8 mm connector
- 3,5 m (11,5 ft)
- Use with Monopolar Forceps 700XXX

Electrosurgical Accessories, Non-Sterile, Reusable Adapters



E0017

1 EACH

Universal Monopolar Adapter

Compatible with Valleylab™ and most electrosurgical generators for foot switching activation

- Accepts standard monopolar accessory cords up to 6 mm



E0502-1

1 EACH

Monopolar Adapter

Compatible with Valleylab™ and most electrosurgical generators for foot switching activation

- Accepts standard monopolar accessory cord pin connectors up to 3,2 mm

E0005-3C

1 EACH

Monopolar Adapter

- Accepts 4 mm standard active accessory



368587

1 EACH

Monopolar Adapter

For use with Martin/ Berchtold generators

- Accepts Valleylab™ 3 pin electrosurgical pencils



368687

1 EACH

Monopolar Adapter

For use with Erbe ACC/ICC generators

- Accepts Valleylab™ 3 pin electrosurgical pencils



E0504-2

1 EACH

Non-REM™ Patient Return Electrode Adapter

See Patient Return Electrode Adapter Quick Reference Index on page 37 for a list of compatible generators

- Accepts standard non-REM™ Adult PolyHesive™ patient return electrode (E7506)



E0507-B

1 EACH

Multiple Return/S Cord Adapter

For use with all Valleylab™ REM-equipped generators

- Accepts Valleylab™ REM PolyHesive™ II patient return electrodes
- Enables use of two patient return electrodes
- Enables use of an S cord

Electrosurgical Accessories

E0504-2 Non-REM™ Patient Return Electrode Adapter Quick Reference Index

For use with the following generators:

Birtcher/Bard System 2000BP
 Birtcher/Bard System 2000BP-11
 Birtcher/Bard System 3000
 Birtcher/Bard System 5000
 Burdick SU-7
 Burdick SU-8
 Cameron-Miller 26-1290
 Cameron-Miller 26-2500
 Cameron-Miller 80-1983
 Circon/ACMI Wrappler BC-200
 Circon/ACMI Wrappler C-650
 Circon/ACMI Wrappler C-650-FO
 Concept 9600
 Concept 9900
 ConMed/Aspen Labs 100
 ConMed/Aspen Labs 180
 ConMed/Aspen Labs 360
 ConMed/Aspen Labs 360 A
 ConMed/Aspen Labs MF380
 ConMed/Aspen Labs MF450
 EMS/Davol/NDM Blendtomes
 EMS/Davol/NDM Hyfrecators
 EMS/Davol/NDM 701-706
 EMS/Davol/NDM 737
 EMS/Davol/NDM 737XL
 EMS/Davol/NDM 771
 EMS/Davol/NDM 772
 EMS/Davol/NDM 773
 Maxxim CSV Bovie
 Maxxim URO Bovie
 Maxxim/Bovie X-10
 Maxxim Solid State 400
 Maxxim Solid State 400 B
 Maxxim Solid State 400SR
 Microvasive Endostat, Endostat II
 Neomed/Richards 3000 Series
 Utah Medical Finesse

**E0504-2**

1 EACH

Non-REM™ Patient Return Electrode Adapter

- Accepts standard adult non-REM™ PolyHesive™ patient return electrode (E7506)

**92394**

1 EACH

Bipol. Adapter International / ERBE™ Cable

- Generator side: international version 2 pol.
- Accessory side: bipolar cable with ERBE™ plug
- Electrical properties: according to IEC 60601-1, IEC 60601-2-2
- Autoclavable at 134 °C

Electrosurgical Accessories

Monopolar Cord Quick Reference Index

Product Number	Product	Length	Single Use/Reusable	Order Quantity	Comments
E2999	Foot Switching Laparoscopic Instrument Cord	3 m (10 ft)	Reusable – Steam	1 each	Accepts standard 4 mm male post connector
E0510	Foot Switching Laparoscopic Instrument Cord	3 m (10 ft)	Single Use	50 units/case	Accepts standard 4 mm male post connector Requires E0502-1 monopolar adapter
E0503	Foot Switching Bugbee Electrode Cord	3 m (10 ft)	Single Use	50 units/case	Requires E0502-1 monopolar adapter
360186	Foot Switching	3,5 m (11,5 ft)	Reusable	1 each	Accepts 4 mm male connector generators
360187	Foot Switching	3,5 m (11,5 ft)	Reusable	1 each	Accepts 4 mm male connector generators

Bipolar Cord Quick Reference Index

Product Number	Product	Length	Single Use/Reusable	Order Quantity	Comments
E0512	Foot Switching Forceps Cord	3,6 m (12 ft)	Single Use	50 units/case	Three-pin moulded plug is compatible with Force™ series and SurgiStat™ II generators
E0020V	Foot Switching Bipolar Cord	4,6 m (15 ft)	Reusable – Steam	1 each	Moulded plug Accepts Valleylab™ bipolar foot switching forceps
E0021S	Foot Switching Bipolar Cord	4,6 m (15 ft)	Reusable – Steam	1 each	Moulded plug Accepts most Storz bipolar instruments
E022W	Foot Switching Bipolar Cord	4,6 m (15 ft)	Reusable – Steam	1 each	Moulded plug Accepts most Wolf bipolar forceps
E360131L	Foot Switching Forceps Cord	4,6 m (15 ft)	Reusable – Steam/EtO	1 each	For use with ErbeStorz Wolf generators
E360139L E360150L	Foot Switching Forceps Cord	4,6 m (15 ft)	Reusable – Steam/EtO	1 each	For use with Valleylab generators
E360139L	Foot Switching Forceps Cord	4,6 m (15 ft)	Reusable – Steam/EtO	1 each	For use with Martin/Berchtold generators
E360135	Foot Switching Forceps Cord	4,6 m (15 ft)	Reusable – Steam/EtO	1 each	Standard twin pin plug
FT0021S	Foot Switching Cord	4,6 m (15 ft)	Reusable – Steam/EtO	1 each	For use with ForceTriad™ energy platform
FT0022W	Foot Switching Cord	4,6 m (15 ft)	Reusable – Steam/EtO	1 each	For use with ForceTriad™ energy platform

Laparoscopic Instruments, Sterile, Single Use

Opti4™ Handset and Retractable Hollow Laparoscopic Electrodes



E2750

10 UNITS/CASE

Opti4™ Laparoscopic Handset

Requires Opti4™ retractable and non-retractable electrodes

- Laparoscopic suction/irrigation device with cut and coag
- Pencil-grip
- 3 m (10 ft) cord



E2783R-36ASP

10 UNITS/CASE

Wire L-Hook Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Aspiration holes
- Insulated tip
- Total length: 36 cm (14 in.)



E2781R-28ASP

10 UNITS/CASE

Curved Spatula Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Aspiration holes
- Total length: 28 cm (11 in.)



E2784R-28ASP

10 UNITS/CASE

Flat L-Hook Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Aspiration holes
- Insulated tip
- Total length: 28 cm (11 in.)



E2782R-28ASP

10 UNITS/CASE

Wire J-Hook Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Aspiration holes
- Insulated tip
- Total length: 28 cm (11 in.)

Laparoscopic Instruments, Sterile, Single Use

Opti4™ Non-Retractable Hollow Laparoscopic Electrodes

**E2780-28**

10 UNITS/CASE

Straight Spatula Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Total length: 28 cm (11 in.)

**E2783-28**

10 UNITS/CASE

Wire L-Hook Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Total length: 28 cm (11 in.)

**E2781-28**

10 UNITS/CASE

Curved Spatula Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Total length: 28 cm (11 in.)

**E2784-28**

10 UNITS/CASE

Flat L-Hook Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Total length: 28 cm (11 in.)

**E2782-28**

10 UNITS/CASE

Wire J-Hook Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Total length: 28 cm (11 in.)

**E2786-28**

10 UNITS/CASE

Cylindrical Tip

Requires E2750 Opti4™ handset

- Fits 5 mm cannulas
- Total length: 28 cm (11 in.)

ELECTROSURGERY

Argon-Enhanced Electrosurgery Force Argon™ II System and Accessories



FORCEARGONII-8

1 EACH

Force Argon II Gas Delivery Unit

Requires Force FX™ series, Force EZ™ series or ForceTriad™ generators

- Portable
- Includes one gas regulator
- Gas flow control for open and lap procedures



GR200A

1 EACH

Gas Regulator

- For optional second argon tank hook-up



UC8009

1 EACH

Universal Mounting Cart

- Rust resistant
- Conductive casters (2 locking, 2 non-locking)



UC8010

1 EACH

Universal Mounting Cart Overshelf

Ideal for a second electrosurgical generator, LigaSure™ vessel sealing system, RapidVac™ smoke evacuation system or Force Argon II™ system

- Supports 75 lbs centered on shelf



UC8015

1 EACH

Universal Mounting Cart Argon Gas Tank Kit

- Holds 2 G-size 42 cubic ft tanks

ELECTROSURGERY

Argon-Enhanced Electrosurgery, Sterile, Single Use Argon Plus™ Handset



E2520H

10 UNITS/CASE

ArgonPlus™ Handset

Requires Argon Plus™ electrodes

Requires E0502-1 monopolar adapter

- For delivery of standard or argon-enhanced electrosurgery
- 2,5 cm (1 in.) retractable blade electrode
- 3,6 m (10 ft.) cord
- Holster
- Electrode retraction control

ELECTROSURGERY

Argon-Enhanced Electrosurgery, Sterile, Single Use Argon Plus™ Electrodes



E2530-3

10 UNITS/CASE

Flexible Electrode

Requires E2520H Argon Plus™ handset

- Argon coagulation only
- 7,6 cm (3 in.) length



E2580-28

10 UNITS/CASE

Laparoscopic Blade Electrode

Requires E2520H Argon Plus™ handset

- Fits 5 mm cannulas
- 28 cm (11 in.) length
- Retractable electrode



E2530-6

10 UNITS/CASE

Flexible Electrode

Requires E2520H Argon Plus™ handset

- Argon coagulation only
- 15 cm (6 in.) length



E2581-28

10 UNITS/CASE

Laparoscopic Modified Flat-L Electrode

Requires E2520H Argon Plus™ handset

- Fits 5 mm cannulas
- 28 cm (11 in.) length
- Retractable electrode



E2530-28

10 UNITS/CASE

Laparoscopic Flexible Electrode

Requires E2520H Argon Plus™ handset

- Fits 5 mm cannulas
- Argon coagulation only
- 28 cm (11 in.) length



E2583-28

10 UNITS/CASE

Laparoscopic Tungsten Blunt Needle Electrode

Requires E2520H Argon Plus™ handset

- Fits 5 mm cannulas
- 28 cm (11 in.) length
- Retractable electrode



E2532

50 UNITS/CASE

Tungsten Sharp Needle Electrode

Requires E2520H Argon Plus™ handset

- 2,5 cm (1 in) length

Smoke Evacuation Products

RapidVac™ Smoke Evacuation System and Accessories



SE3695

1 EACH

RapidVac™ Smoke Evacuator

Requires SEA3700 RapidVac™ smoke evacuator filter

For use with any electrosurgical generator

- Evacuates electrosurgical smoke and laser plume
- Synchronizes with electrosurgical units for auto activation using SEA3730
- Five power levels plus turbo mode
- Maximum flow rate of 44 cfm
- Needs no prefilters or adapters



SEA3700

2 UNITS/CASE

RapidVac™ Smoke Evacuator Filter

- Four-stage, ULPA filter technology
- Three convenient ports, no adapters needed
Port size: 6 mm (1/4 in.)
10 mm (3/8 in.)
22 mm (7/8 in.)
- No prefilter needed
- 25 hours of activation time; approximately three to five months actual use



SEA3730

1 EACH

RapidVac™ Interlink Cable

Synchronizes RapidVac™ system to ForceTriad™, Force FX™ series and Force EZ-C™ electrosurgical generators

- 3 m (10 ft) cable



SEA3741

1 EACH

RapidVac™ Remote Switch Activator

Synchronizes RapidVac™ System to any ES generator by sensing the RF Energy through the ES Pencil cable

- Adjustable delay of STOP function (0 to 10 sec)



SEA3745

1 EACH

RapidVac™ Smoke Evacuator Foot Switch

For use with RapidVac™ smoke evacuator

- 4,6 m (15 ft) cord

Smoke Evacuation Products, Sterile, Single Use

RapidVac™ Tubing



SEA3705

10 UNITS/CASE

Tubing, 1/4" x 10'

- Connects directly to RapidVac™ smoke evacuator
- Lap tubing/no valve



SEA3720

12 UNITS/CASE

Laparoscopic Tubing, 1/4" x 10'

- Connects directly to RapidVac™ smoke evacuator
- In-line valve enables controlled smoke evacuation with minimal pneumoperitoneal pressure loss



SEA3710

10 UNITS/CASE

Tubing, 3/8" x 10'

- Connects directly to RapidVac™ smoke evacuator
- Interfaces with AccuVac™ pencil



SEA3725

10 UNITS/CASE

Wand

Compatible with E3635 and SEA3715 7/8" tubing

- For evacuation of laser plume; laser resistant
- 2,2 cm (7/8 in.) diameter
- 20 cm (8 in.) length



SEA3715

10 UNITS/CASE

Tubing with Sponge Guard, 7/8" x 10'

- Connects directly to RapidVac™ smoke evacuator



E3595

10 UNITS/CASE

AccuVac™ Smoke Evacuation Attachment Extender

For use with 15,24 cm (6 in.) extended electrodes

Smoke Evacuation Products, Sterile, Single Use

Smoke Evacuation Pencils and Attachments

**E2350HS**

25 UNITS/CASE

Rocker Switch Pencil

- EDGE™ coated hex-locking blade electrode
- AccuVac™ smoke evacuation attachment (requires a smoke evacuator)
- Holster
- 3/8" x 1' tubing with 3/8" tubing connector
- 3 m (10 ft) cord

**E2450HS**

25 UNITS/CASE

Button Switch Pencil

- EDGE™ coated hex-locking blade electrode
- AccuVac™ smoke evacuation attachment (requires a smoke evacuator)
- Holster
- 3/8" x 1' tubing with 3/8" tubing connector
- 3 m (10 ft) cord

**E2515HS**

25 UNITS/CASE

Rocker Switch Pencil

- Stainless steel hex-locking blade electrode
- AccuVac™ smoke evacuation attachment (requires a smoke evacuator)
- Holster
- 3/8" x 1' tubing with 3/8" tubing connector
- 3 m (10 ft) cord

**E3590**

25 UNITS/CASE

AccuVac™ Smoke Evacuation Attachment

Accepts most energy-based devices hand switching pencils

**E2516HS**

25 UNITS/CASE

Button Switch Pencil

- Stainless steel hex-locking blade electrode
- AccuVac™ smoke evacuation attachment (requires a smoke evacuator)
- Holster
- 3/8" x 1' tubing with 3/8" tubing connector
- 3 m (10 ft) cord

**INS-3838**

20 UNITS/CASE

Smoke Evacuation Attachment for FT3000

- Smoke evacuation for force triverse pencils
- 3 m (10 feet) tubing with 22 mm adapter

**INS-400-010/EU**

20 UNITS/CASE

Surg-N-Vac™ with OptiMumm Adapter

"All-in-one" smoke evacuation pencil

- Combination of rocker switch pencil, smoke evacuation tubing and adapter
- 3 m (10 ft) cord

INS-410-080/EU

50 UNITS/CASE

INS-410-080/EU Extension (80 mm) for Surg-N-Vac™ Pencil**INS-410-150/EU**

50 UNITS/CASE

Extension Tube with Coated Electrode

- Length: 150 mm

See Quick Reference Index page 69

Smoke Evacuation Products, Sterile, Single Use

Smoke Evacuation Pencils and Attachments



INS-500

20 UNITS/CASE

Surg-N-Vac™ Swivel Pencil

"All-in-one" smoke evacuation pencil

- Combination of rocker switch pencil, smoke evacuation tubing and double end adapter
- 3 m (10 ft) cord

INS-515

20 UNITS/CASE

Surg-N-Vac™ Swivel Pencil

"All-in-one" smoke evacuation pencil

- Combination of rocker switch pencil, smoke evacuation tubing and double end adapter
- 4,6 m (15 ft) cord



INS-600

20 UNITS/CASE

Surg-N-Vac™ II ESU Pencil with Swivel and Extendable Electrode/Smoke Port

- Compact design and telescopic tube enhances visibility
- Beveled tip minimizes blade obstruction
- Telescopic electrode allows for deep pockets and/or crevices, without obstructing visibility
- 3 m cord length

INS-615

20 UNITS/CASE

Surg-N-Vac™ II ESU Pencil with Swivel and Extendable Electrode/Smoke Port

- Compact design and telescopic tube enhances visibility
- Beveled tip minimizes blade obstruction
- Telescopic electrode allows for deep pockets and/or crevices, without obstructing visibility
- 4,5 m cord length

Smoke Evacuation Products

OptiMumm™ Smoke Evacuation Accessories



E3625

3 UNITS/CASE

OptiMumm™ ULPA Filter

For use with the OptiMumm™ smoke evacuator

- Non-sterile, multiuse



E3635

12 UNITS/CASE

Tubing 7/8" x 10' with Sponge Guard and Prefilter Adapter

For use with the OptiMumm™ smoke evacuator

- Sterile, single use
- 3,4 cm (1 1/3 in.) connector



E3630

25 UNITS/CASE

OptiMumm™ Prefilter

For use with the OptiMumm™ smoke evacuator

- Non-sterile, single use
- 3,4 cm (1 1/3 in.) opening



E3645

10 UNITS/CASE

AccuVac™ Smoke Evacuation Attachment Tubing

For use with E3590

- Sterile, single use
- 1 cm (3/8 in.) diameter
- 3 m (10 ft) length
- 3,4 cm (1 1/3 in.) diameter prefilter adapter



E3660

25 UNITS/CASE

Adapter 1 1/3" – 3/8"

For use with the OptiMumm™ smoke evacuator

- Non-sterile, single use

See Quick Reference Index page 69

Smoke Evacuation Products

Smoke Evacuation Accessories



RVFT10

10 UNITS/CASE

RapidVac™ Fluid Trap

- No spill design – internal tortuous path prevents contents from leaking
- Capped connection ports with cap holders built into fluid trap
- 100 cc capacity with marked 25 cc graduations
- Clear construction allows for inspection of contents



UC8009

1 EACH

Universal Mounting Cart

- Rust resistant
- Conductive casters (2 locking, 2 non-locking)
- Supplied with cord management kit



UC8010


1 EACH

Universal Mounting Cart Overshelf

For use with UC8009 universal mounting cart only

Ideal for RapidVac™ or OptiMumm™ smoke evacuation systems

- Supports 75 lbs centered on shelf
- Supplied with cord management kit



UC8013

1 EACH

Universal Mounting Cart Suspended Shelf

For use with UC8009 universal mounting cart only

Not compatible with UC8012 drawer

Ideal for the RapidVac™ or OptiMumm™ smoke evacuation systems

- Supports 75 lbs

ELECTROSURGICAL PENCIL QUICK REFERENCE INDEX

Usage	Activation	Model	Electrode connection	Electrode technology	Electrode shape	Cord length	Specialty	Code	Packaging pcs/box	
Single use	Hand switching	Rocker	Hex-locking	EDGE™ Coated Electrode	Blade	3 m	With holster	E2350H	50	
							Smoke evacuation - holster	E2350HS	25	
						4,6 m	With holster	E2350H-DB	50	
				Stainless Steel	Blade	3 m		E2515	50	
							With holster	E2515H	50	
							Smoke evacuation - holster	E2515HS	25	
			4,6 m	With holster	E2515H-DB	50				
			Cylindrical	Stainless Steel	Needle	3 m	With holster	E2515H-DA	50	
					90° Angle	3 m	With holster	E2510H	10	
			Button	Hex-locking	EDGE™ Coated Electrode	Blade	3 m	With holster	E2450H	50
							3 m	Smoke evacuation - holster	E2450HS	50
						Stainless Steel	Blade	3 m		E2516
		3 m			With holster			E2516H	50	
		3 m			Smoke evacuation - holster			E2516HS	25	
		Cylindrical			Stainless Steel	Needle	3 m	Smoke evacuation - holster	E2516H-DA	50
				3 m				VL2610	50	
				Blade		3 m	for ERBE ESU	VL2610E	50	
					4,5 m		VL2610DB	50		
					Coated Stainless Steel	Blade	3 m		VL2615	50
				4,5 m				VL2615E	50	
		4,5 m					VL2615DB	50		
		Button	Hex-locking	EDGE™ Coated Electrode	Blade	3 m	ValleyLab™ Mode	FT3000	25	
						4,6 m	ValleyLab™ Mode	FT3000DB	25	
			Foot switching		Hex-locking	EDGE™ Coated Electrode	Blade	3 m	With holster	E2250H
									E2504	50
					Stainless Steel	Blade	3 m		With holster	E2504H
	Reusable	Hand switching	Rocker	Hex-locking	Stainless Steel	Blade	4,6 m		E2100	10
								for ERBE ESU	E2100E	10



Rocker



Button



Cylindrical



Hex-locking



Holster

SMOKE EVACUATION PENCIL QUICK REFERENCE INDEX

		E2350HS	E2450HS	E2515HS	E2516HS	E3590	E3595	SE3695	SEA3700	SEA3730	SEA3745	SEA3705	SEA3710	SEA3715	SEA3720	SEA3725	INS-500/515	INS-600/615	INS-400-150/EU	INS-410-150/EU	RVFT10
E2350HS	Disposable HS Smoke Evac Pencil						X		X			X			X						
E2450HS	Disposable HS Smoke Evac Pencil						X		X			X			X						
E2515HS	Disposable HS Smoke Evac Pencil						X		X			X			X						
E2516HS	Disposable HS Smoke Evac Pencil						X		X			X			X						
E3590	Smoke Evacuation Attachment	Fits on every Valleylab™ hand switching pencil																			
E3595	Accuvac Smoke Evac Extension	X	X	X	X																
SE3695	RapidVac™ Smoke Evacuator								X	X	X										
SEA3700	Filter for RapidVac™ Smoke Evacuator SE3695 X	X	X	X	X			X				X	X	X	X				X	X	
SEA3730	RapidVac™ Interlink Cable							X													
SEA3745	RapidVac™ Footswitch							X													
SEA3705	Tubing	X	X	X	X	X			X												
SEA3710	Tubing	X	X	X	X				X												
SEA3715	Tubing	X	X	X	X				X							X					
SEA3720	Laparoscopic Tubing	X	X	X	X	X			X												
SEA3725	Filter Saver with 2 Inlets of 10 mm	X	X	X	X	X			X												
INS-500/515	Smoke Evacuation Pencil + Tubing 300 cm								X												
INS-600/615	Smoke Evacuation Pencil + Tubing 300 cm								X												
INS-400-150/EU	Smoke Evacuation Pencil + Tubing 300 cm	Including adapter to fit to OptiMumm™ prefilter																			
INS-410-150/EU	Extension 150 mm for INS 300 / INS 400																		X		
RVFT10	RapidVac™ Fluid Trap								X								X				

Catalogue Number

Symbols

301-5	35	E1003	34	E1650	28
303-2	34	E1005	34	E1651	28
361-0	35	E1020	34	E1652	28
361-1	35	E1450-4	25	E1653	28
374-3	35	E1450-6	25	E1654B	28
374-5	35	E1450G	25	E2100	23
374-6	35	E1450X	25	E2100E	23
92067	51	E1452	26	E2250H	19
92394	55	E1452-6	26	E2350H	19
360186	53	E1455	26	E2350H-DB	19
360187	53	E1455-4	26	E2350HS	19, 64
368587	54	E1455-6	26	E2400	23, 36
368687	54	E1455B	26	E2401	23, 31, 36
		E1455B-4	26	E2450H	19
B		E1465	27	E2450HS	19, 64
BZ4212	17	E1465-4	27	E2504	21
		E1465-6	27	E2504H	21
C		E1465B	27	E2505-10FR	24
CBC	16	E1465B-4	27	E2510H	22
E		E1475X	25	E2515	20
E0005-3C	54	E1502	35	E2515H	20
E0017	54	E1504	35	E2515H-DA	20
E0020V	52	E1510	33	E2515H-DB	20
E0021S	52	E1511	33	E2515HS	21, 64
E0022W	52	E1512	33	E2516	20
E0502-1	54	E1550	31	E2516H	20
E0503	50	E1551-6	31	E2516H-DA	20
E0504-2	54, 55	E1551G	31	E2516HS	21, 64
E0507-B	54	E1551X	31	E2520H	60
E0510	50	E1552	31	E2530-3	61
E0512	50	E1552-6	31	E2530-6	61
E0520	50	E1559	29	E2530-28	61
E0560	39	E1560	29	E2532	61
E0560E	39	E1561	29	E2580-28	61
E0560LI	39	E1562	29	E2581-28	61
E0560NCS	39	E1563	30	E2583-28	61
E0560SI	39	E1564	30	E2608-6	24
E1000	34	E1565	30	E2750	57
E1002	34	E1567	30	E2780-28	58

E2781-28	58	E6008B	06	E700181	43
E2781R-28ASP	57	E6009	06	E700184	43
E2782-28	58	E6009B	06	E700185	43
E2782R-28ASP	57	E6019	06	E700191	44
E2783-28	58	E7506-	37	E700192	44
E2783R-36ASP	57	E7507	37	E700195	44
E2784-28	58	E7507-DB	37	E700204	45
E2784R-28ASP	57	E7509	38	E700206	45
E2786-28	58	E7509-B	38	E700209	45
E2999	53	E7510-25	37	E700212	45
E3305	24	E7510-25DB	37	E700214	45
E3310	24	E7512	37	E700216	45
E3590	64	E8002	07	E700219	45
E3595	63	E97011BPS	49	E700222	45
E3625	66	E97012BPS	49	E700240	44
E3630	66	E97013BPS	49	E700241	44
E3635	66	E97014BPS	49	E700243	44
E3645	66	E97015BPS	49	E700244	44
E3660	66	E97016BPS	49	E700245	46
E3770-36C	32	E97017BPS	49	E700246	46
E3771-36C	32	E97018BPS	49	E700247	46
E3771-45C	32	E97020BPS	49	E700284	46
E3772-36C	32	E97021BPS	49	E700292	46
E3773-36C	32	E360130	51	E700331	47
E3773-45C	32	E360131L	51	E700346	47
E3774-36C	32	E360135	51	E700349	47
E3774-45C	32	E360139L	51	E700352	47
E4051-CT	40	E360150	51	E700355	47
E4052-CT	40	E360150L	51	E700357	47
E4053-CT	40	E700150	42	E700376	48
E4054-CT	40	E700151	42	E700382	48
E4055-CT	40	E700155	42	E700760	48
E4057-CT	40	E700157	42	E700764	48
E4058-CT	41	E700158	42	E700768	48
E4059-CT	41	E700167	42	E700770	48
E4060-CT	41	E700170	43		
E4062-CT	41	E700171	43		
E4073-CT	41	E700175	43		
E6008	06	E700176	43		

F

FORCEARGONII-8	59
FT0021S	04, 52
FT0022W	04, 52
FT0510	18, 50
FT900	07
FT950	07
FT990	07
FT3000	18
FT3000DB	18
FT6003	06
FT6009	04, 06
FTBRKIT	04
FTRCKIT	05

G

GR200A	59
--------	----

H

HRA6	38
------	----

I

INS-400-010/EU	64
INS-410-150/EU	64
INS-500	65
INS-515	65
INS-600	65
INS-615	65
INS-3838	64

L

LF0500 (Orange)	06
LF1212	12
LF1637	09
LF1723	09
LF1737	09
LF1744	09
LF1823	09
LF1837	09
LF1844	09
LF1923	09
LF1937	09

LF1944	09
LF2019	12
LF3225	12
LF3225C	12
LF4418	12
LF5637	11
LF5644	11
LS0300 (Purple)	06
LS1020	10
LS1037	10
LS1500	10
LS1520	10
LS2070	13
LS2071	13
LS2110	13
LS2111	13
LS3090	14
LS3092	14
LS3110	14
LS3112	14
LS3225C	12

R

RVFT10	67
--------	----

S

SCB	16
SCD13	15
SCD26	15
SCD48	15
SCD391	15
SCD396	15
SCG	16
SCST1	16
SCT12	16
SE3695	62
SEA3700	62
SEA3705	63
SEA3710	63
SEA3715	63

SEA3720	63
SEA3725	63
SEA3730	62
SEA3741	62
SEA3745	62
STORZBRSET	05

U

UC8009	08, 59, 67
UC8010	08, 59, 67
UC8011	08
UC8012	08
UC8013	08, 67
UC8015	08, 59

V

VL2610	21
VL2610DB	21
VL2610E	21
VL2615	21
VL2615DB	21
VL2615E	21
VLFT10GEN	01
VLFTCRT	07
VLFX8GEN	01
VLLS10GEN	02
VLSURGEN	03

W

WOLFBRSET	05
-----------	----

Product Name

A		
AccuVac™ Smoke Evacuation Attachment	64	
AccuVac™ Smoke Evacuation Attachment Extender	63	
AccuVac™ Smoke Evacuation Attachment Tubing	66	
Activation Kit Remote Control for the ForceTriad™ Energy Platform	05	
Adapter 1 1/3" – 3/8"	66	
Adult REM PolyHesive™ II Patient Return Electrode	37, 38	
ArgonPlus™ Handset	60	
Arthroscopic 45-Degree Angle Hook Electrode	33	
Arthroscopic Angled Blade Electrode	33	
Arthroscopic Right-Angle Hook Electrode	33	
B		
Bipol. Adapter International / ERBE™ Cable	55	
Bipolar Coagulation Forceps	42, 43, 44, 45, 46, 47, 48	
Bipolar Resection Activation Kit for the ForceTriad™ Energy Platform	04	
Bipolar Resection Footswitch	04, 06	
BiZact™ Tonsillectomy Device	17	
Button Switch Pencil	19, 20, 21, 64	
C		
CleanCoat™ Laparoscopic Curved Spatula Electrode 36 cm, coated	32	
CleanCoat™ Laparoscopic Curved Spatula Electrode 45 cm, coated	32	
CleanCoat™ Laparoscopic Flat L-Hook Electrode 45 cm, coated	32	
CleanCoat™ Laparoscopic Straight Spatula Electrode 36 cm, coated	32	
CleanCoat™ Laparoscopic Wire J-Hook Electrode 36 cm, coated	32	
Curved Iris Forceps	41	
Curved Spatula Tip	57, 58	
Cushing Bayonet Forceps	40, 41	
Cushing Forceps	40	
Cylindrical Tip	58	
D		
Dome Bipolar Footswitch	06	
E		
EDGE™ Coated Blade Electrode	25, 26	
EDGE™ Coated Blade Extended Electrode	25, 26	
EDGE™ Coated Needle Electrode	26, 27	
EDGE™ Coated Needle Extended Electrode	26, 27	
Electrosurgery Accessory Holster	23, 36	
Extension Tube with Coated Electrode	64	
F		
Flat L-Hook Tip	57, 58	
Flexible Electrode	61	
Foot Switching Bipolar Cord	51, 52	
Foot Switching Bipolar Forceps Cord	50	
Foot Switching Cord	51	
Foot Switching Forceps Cord	51	
Foot Switching Monopolar Cord	50, 53	
Foot Switching Monopolar Cord Valleylab™ Mode	18, 50	
Foot Switching Monopolar Laparoscopic Cord	50, 53	
Foot Switching Pencil	19, 21	
Foot Switching Suction Coagulator	24	
Force Argon II Gas Delivery Unit	59	
ForceTriad™ Energy Platform Cart	07	
ForceTriad™ Energy Platform Cart Drawer	07	
ForceTriad™ Energy Platform Cart Front Panel	07	
ForceTriad™ Energy Platform Three-Pedal Footswitch	06	
Force TriVerse™ Electrosurgical Device	18	
G		
Gas Regulator	59	
Gerald Bayonet Forceps	40	
H		
Hand Switching Suction Coagulator	24	
Hardy Bayonet Forceps with Stop	41	
I		
Infant REM PolyHesive™ II Patient Return Electrode	37	
INS-410-080/EU Extension (80 mm) for Surg-N-Vac™ Pencil	64	
J		
Jewelers Forceps, Straight Tip	40	

Product Name

L		M	
Laparoscopic Blade Electrode	61	Medtronic Reusable Bipolar Coagulation Scissors	49
Laparoscopic Flexible Electrode	61	Microsurgical Needle	28
Laparoscopic Modified Flat-L Electrode	61	Microsurgical Needle With Safety Sleeve™	28
Laparoscopic Tubing, 1/4" x 10'	63	Monopolar Adapter	54
Laparoscopic Tungsten Blunt Needle Electrode	61	Monopolar Footswitch	06
LectroBrasive™ Tip Cleaner	23, 31, 36	Mounting Stand for SurgiStat™ II Generator	07
LigaSure Atlas™ 20 cm Hand Switching Instrument	10	Multiple Return/S Cord Adapter	54
LigaSure Atlas™ Hand Switching Laparoscopic Instrument	10	N	
LigaSure™ 37 cm Retractable L-Hook Laparoscopic Device	11	Neonatal REM PolyHesive™ II Patient Return Electrode	37
LigaSure™ 44 cm Retractable L-Hook Laparoscopic Device	11	Non-REM™ Patient Return Electrode Adapter	54, 55
LigaSure™ Axs Electrode	13	O	
LigaSure™ Axs Reusable Instrument	13	Opti4™ Laparoscopic Handset	57
LigaSure™ Blunt Tip Laparoscopic Sealer/Divider 5 mm, nano-coated – 37 cm	09	OptiMumm™ Prefilter	66
LigaSure™ Blunt Tip Laparoscopic Sealer/Divider 5 mm, nano-coated – 44 cm	09	OptiMumm™ ULPA Filter	66
LigaSure™ Blunt Tip Open Sealer/Divider 5 mm, nano-coated – 23 cm	09	P	
LigaSure™ Curved Jaw Open Sealer/Divider Clamp Instrument	12	Patient Return Electrode Cord/Clamp	39
LigaSure™ Curved Jaw Open Sealer/Divider Electrode Instrument	12	Patient Return Electrode Cord/Clamp, Reusable	39
LigaSure™ Exact Dissector, nano-coated	12	R	
LigaSure™ Impact Instrument, nano-coated	12	RapidVac™ Fluid Trap	67
LigaSure™ Maryland Jaw Laparoscopic Sealer/ Divider 5 mm, nano-coated – 23 cm	09	RapidVac™ Interlink Cable	62
LigaSure™ Maryland Jaw Laparoscopic Sealer/Divider 5 mm, nano-coated – 37 cm	09	RapidVac™ Remote Switch Activator	62
LigaSure™ Maryland Jaw Laparoscopic Sealer/Divider 5 mm, nano-coated – 44 cm	09	RapidVac™ Smoke Evacuator	62
LigaSure™ Max Hand Switching	14	RapidVac™ Smoke Evacuator Filter	62
LigaSure™ Max Reusable Instrument	14	RapidVac™ Smoke Evacuator Foot Switch	62
LigaSure™ Single Pedal Footswitch	06	Reger™ Angled Blade Electrode	35
LigaSure™ Small Jaw Instrument	12	Reger™ Cable for Ethicon PowerStar Bipolar Scissors for International 2-pole Models, 5,0 m	51
LigaSure™ Std Electrode	13	Reger™ Electrode Adapter	35
LigaSure™ Std Reusable Instrument	13	Reger™ Electrode Extension	35
LigaSure™ V 20 cm Instrument	10	Reger™ Needle Electrode; 20 x Ø 0,7 mm	34
LigaSure™ V Laparoscopic Instrument	10	Rocker Switch Pencil	19, 20, 21, 22, 64
LigaSure™ Xtd Handswitching	14	Rocker Switch Pencil, Reusable	23
LigaSure™ Xtd Reusable Instrument	14		

S		T	
Scoville-Greenwood Bayonet Forceps	40	Titanium Bayonet Forceps	41
Semkin Forceps with Stop	41	Tubing, 1/4" x 10'	63
Smoke Evacuation Attachment for FT3000	64	Tubing, 3/8"x 10'	63
Sonicision™ Battery Charger	16	Tubing 7/8" x 10' with Sponge Guard and Prefilter Adapter	66
Sonicision™ Battery Pack	16	Tubing with Sponge Guard, 7/8" x 10'	63
Sonicision™ Cordless Ultrasonic Dissector	15	Tungsten Loop	29
Sonicision™ Generator	16	Tungsten Loop Electrode	35
Sonicision™ Sterilization Tray	16	Tungsten Sharp Needle Electrode	61
Sonicision™ Torque Wrench	16	Tungsten Square Loop	30
Stainless Steel Ball	30	Tungsten Wire Loop Electrode	34
Stainless Steel Ball Electrode	31, 34		
Stainless Steel Blade Electrode	31, 34	U	
Stainless Steel Extended Blade Electrode	31	Universal Monopolar Adapter	54
Stainless Steel Extended Needle Electrode	31	Universal Mounting Cart	08, 59, 67
Stainless Steel Fine-Needle Electrode	34	Universal Mounting Cart Argon Gas Tank Kit	08, 59
Stainless Steel Needle Electrode	31	Universal Mounting Cart Cord Management Kit	08
Standard Adult PolyHesive™ Patient Return Electrode	37	Universal Mounting Cart Drawer	08
Standard Bipolar Footswitch	06	Universal Mounting Cart Overshelf	08, 59, 67
Standard Bipolar Footswitch (version B)	06	Universal Mounting Cart Suspended Shelf	08, 67
Starter Kit for use with Storz™** Resectoscopes	05	V	
Starter Kit for use with Wolf Resectoscopes	05	Valleylab™ FT10 Cart	07
Straight Electrode Extension	35	Valleylab™ FT10 Energy Platform	01
Straight Microsurgical Needle	28	Valleylab™ FX8 Energy Platform	01
Straight Spatula Tip	58	Valleylab™ LS10 Vessel Sealing Generator	02
Storz™** Bipolar Resection Cord	04, 52	Valleylab™ Mode	18
SurgiStat™ II Electrosurgical Generator	03	Valleylab™ Universal Patient Return Electrode	38
Surg-N-Vac™ II ESU Pencil with Swivel and Extendable Electrode/Smoke Port	65	Valleylab Trigger™ Switch and Cord	50
Surg-N-Vac™** Swivel Pencil	65	W	
Surg-N-Vac™** with OptiMumm Adapter	64	Wand	63
		Wire J-Hook Tip	57, 58
		Wire L-Hook Tip	57, 58
		Wolf Bipolar Resection Cord	04, 52

PORTFOLIO.
MORE ENERGY.
MORE PLACES.

PERFORMANCE.
OUR PRODUCTS
ARE DESIGNED
TO DELIVER
PERFORMANCE.

VALUE.
YOU DEMAND
VALUE.
SO DO WE.

Medtronic



Use scan app to read

For more information, please visit
medtronic.eu/product-catalog

IMPORTANT: Please refer to the package insert for complete instructions, contraindications, warnings and precautions.

© 2018 Medtronic. All rights reserved. Medtronic, Medtronic logo and Further, Together are trademarks of Medtronic.
™* Third party brands are trademarks of their respective owners. All other brands are trademarks of a Medtronic company.
17-weu-energy-catalogue-2018-1573004