



DEPARTMENT OF VETERANS AFFAIRS
Federal Supply Service
Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!™, a menu-driven database system. The INTERNET address for GSA Advantage!™ is GSAAAdvantage.gov

Medical Equipment and Supplies
FSC Group 65, Part II, Section A
FSC Classes: **6530**

Contract Number: **36F79718D0365**
Contract Period: **March 1, 2018 – February 28, 2023**

*(For more information on ordering from Federal Supply Schedules, enter the following address into your web browser:
<http://gsa.gov/portal/category/100623>)*

Richard Wolf Medical Instruments Corp.

353 Corporate Woods Parkway
Vernon Hills, IL 600611
Phone: 800-323-9653
Fax: 847-913-1488
Website: <http://www.richardwolfusa.com>
Contract Administration Source: Marlen Michalke
Email: mmichalke@richardwolfusa.com

Business Size: **Large**

“Prices Shown Herein are Net (discount deducted)”

Customer Information:

1a. List of awarded special item number(s):

A-7a, A-8b, A-9, A-10, A-41, A-45, A-89, A-200

1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract. This price is the Government price based on a unit of one, exclusive of any quantity/dollar volume, prompt payment, or any other concession affecting price. Those contracts that have unit prices based on the geographic location of the customer, should show the range of the lowest price, and cite the areas to which the prices apply: **See Below.**

SIN	Product Number	Product Description	FSS Price with IFF
A-9	5592105	TRAY- (PACK=8PCS) Plastic caps for the protection of RJ45 sockets of the intraoperative network switch that are not used	\$3.92

1c. If the Contractor is proposing hourly rates, a description of all corresponding commercial job titles, experience, functional responsibility and education for those types of employees or subcontractors who will perform services shall be provided. If hourly rates are not applicable, indicate “Not applicable” for this item:
Not Applicable

2. Maximum order: **None**

3. Minimum order: **\$100.00**

4. Geographic coverage (delivery area): **48 Contiguous States, District of Columbia, Ports of Exportation**

5. Point(s) of production (city, county, and State or foreign country):
Vernon Hills, Lake County, Illinois

6. Prices shown herein are Net (discount deducted)

7. Quantity Discounts: **Yes**

8. Prompt Payment Terms: **Net 30 days**

9a. Notification that Government purchase cards are accepted at or below the micro-purchase threshold:
Yes

9b. Notification whether Government purchase cards are accepted or not accepted above the micro-purchase threshold: **Yes**

10. Foreign items (list items by country of origin): **Not Applicable**

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

11a. Time of delivery: 25 days after receipt of order (ARO), except SIN A-200 is 30 days ARO

11b. Expedited delivery: 5 days ARO. Government is responsible for difference between normal and expedited delivery shipping charges.

11c. Overnight and 2-day delivery: Yes – Facility must agree to pay actual difference in cost between standard deliver and overnight delivery.

11d. Urgent requirements: For urgent requirements, facility should contact, RWMIC, Customer Service Manager at (800)323-3653.

12. FOB Point(s): FOB Destination 48 Contiguous States, District of Columbia and Ports of Exportation

13a. Ordering address(es): 353 Corporate Woods Parkway, Vernon Hills, IL 60061

13b. Ordering Procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3

- *Fax Order: (847)913-1448*
- *Mail: 353 Corporate Woods Parkway, Vernon Hills, IL 60061*
- *Phone: (800)323-9653*

14. Payment address(es):

**Richard Wolf Medical Instruments Corp
2573 Momentum Place
Chicago, IL 60689-5325**

15. Warranty provision:

1. Subject to the other causes contained in the Standard Warranty, we warrant that our products are free from defects in workmanship and materials under normal use and service, excepting ordinary wear and tear, and inappropriate, incorrect or excessive use or application.
2. Customer must inspect all products delivered without delay and notify us in writing of any defects. We shall not be liable in any way if customer fails to inspect the products upon receipt or fails to notify us in writing of any defect within (7) days of delivery.
3. In the event that we agree that a defect exists, we will, at our sole discretion, correct the same by repairing the defect in the products or by delivering replacement products.
4. We require that all instruments to be cleaned and sterilized before being returned to us for repair. Instruments received in an unsanitary condition are subject to a cleaning fee to be paid by customer.
5. This warranty does not cover damages or defects caused by or resulting from (I) unauthorized repairs, service, maintenance, alterations, or modifications of the product, except as authorized by us (II) negligence, accident, abuse, misuse, improper, unsuitable or abnormal usage or maintenance of the products (III) failure to conform strictly to our specifications and instructions with respect to the instruction, operation, use, maintenance and/or repair of the products, including replacement of any parts unless authorized by us and by a part supplied or specified by us (IV) exposure of the products to unreasonable temperatures or conditions and (V) maintenance and usage past the normal life span of the products.
6. All warranties shall remain in effect for a period of (3 year after the date of delivery, with the **Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com**

exception of video cameras (2-year) and Bi-polar cables (90 days). Video accessories manufactured by other parties carry the original manufacturer's warranties.

7. The remedies and exclusions set forth in this standard warranty are customers sole and exclusive remedies in the event of any breach of the warranties provided above, except for the warranty provided above we disclaim any and all other express or implied warranties with respect to the products, any warranty of the merchantability or fitness for a particular purpose is hereby expressly disclaimed.

Customers may contact Customer Service at (847)913-1113 for assistance with Warranty issues.

Returned Goods Policy:

If a shipping error occurs due to Contractor's error, the Contractor will pay freight both ways for return/exchange of goods without a restocking fee. If a shipping error occurs due to the Ordering facility, the Contractor will pay freight both ways for return/exchange of goods with a 10% restocking fee.

Unopened packages of RWMIC may be returned for a full refund within 30 days of receipt for individual orders. Opened packages of RWMIC are not returnable or refundable. Sterile products are not eligible for returns. Please call RWMIC customer service department for a return authorization number (RA#) at 1-847-913-1113

16. Export packing charges, if applicable: **Not Applicable**
17. Terms and conditions of Government purchase card acceptance (any thresholds above the micro-purchase level): **No thresholds above the micro-purchase level.**
18. Terms and conditions of rental, maintenance, and repair (if applicable): **Not Applicable**
19. Terms and conditions of installation (if applicable): **Not Applicable**
20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable): **Not Applicable**
- 20a. Terms and conditions for any other services (if applicable): **Not Applicable**
21. List of service and distribution points (if applicable): **All repair services are completed at the RWMIC facility in Vernon Hills, IL**
22. List of participating dealers (if applicable): **Not Applicable**
23. Preventive Maintenance (if applicable): **Not Applicable**
- 24a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants): **Not Applicable**
- 24b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g., contractor's website or other location). The EIT standards can be found at www.Section508.gov/ : **Not Applicable**
25. Data Universal Number System (DUNS) number: **05784211**
26. Notification regarding registration in System for Award Management (SAM) database: **Yes, registered Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com**

FSS Contract Products and Pricing

SIN#	Product #	Product Description	FSS Price with IFF
A-9	6.03	CLEANING BRUSH Ø 5MM TL 240MM	\$ 7.27
A-8B	6.09	CLEANING BRUSH Ø 9MM TL 405MM - for bronchoscopes and esophagoscopes	\$ 5.35
A-9	18.01	RUBBER CAP FOR HYSTEROSCOPE - long, 1,00 mm	\$ 12.92
A-9	569.1	SILASTIC HOSE W/LUER CONNECTION - reusable	\$ 46.11
A-9	88.00	RUBBER CAP WITHOUT HOLES - without hole, redorange	\$ 43.61
A-9	88.01	RUBBER CAP CAP 0.8MM - probe guides, with perforation 0,8 mm, (up to 7 Fr.), red	\$ 27.40
A-9	88.02	RUBBER CAP CAP 1.4MM - for probe guides, with perforation 1,4 mm (8-10 Fr.), blue	\$ 25.61
A-9	88.03	RUBBER CAP CAP 2.4MM - for probe guides, with perforation 2,4 mm (12 Fr.), black	\$ 59.77
A-9	88.04	RUBBER CAP CAP 4.0MM - for probe guide, with perforation for 4,0 mm, 5 mm instruments	\$ 25.61
A-8B	88.08	RUBBER CAP Ø 5MM - capacity 0.8mm, Length 8mm, PACK=10 PCS, reusable	\$ 24.88
A-9	8809	RUBBER CAP Ø 17MM - capacity >10.1mm, Length 8mm, PACK=10 PCS, reusable	\$ 25.79
A-9	8874	RUBBER CAP RED - for sealing the electrode clamping on the working element, PACK=5 PCS, reusable	\$ 25.04
A-9	89.00	SEALING CAP CAP <2.4MM - for telescopes and trocar diameter up to 2,4 mm, black	\$ 59.77
A-9	89.01	SEALING CAP CAP 2.4-3.4MM - for telescopes and trocar diameter up to 2,4 to 3,4 mm, red	\$ 27.09
A-9	89.02	SEALING CAP CAP 3.4-5.1MM - for telescopes and trocar diameter more than 3,4 up to 5,1 mm, blue	\$ 27.09
A-9	89.03	SEALING CAP CAP 5.1-6.0MM - for telescopes and trocar diameter more than 5,1 up to 6,0 mm, grey	\$ 27.09
A-9	89.04	SEALING CAP CAP 6.0-7.0MM - for telescopes and trocar diameter up to 6,0 up to 7,0 mm, brown	\$ 33.32
A-9	89.05	SEALING CAP CAP 7.0-8.0MM - for telescopes and trocar diameter more than 7,0 up to 8,0 mm	\$ 33.32
A-9	89.08	SEALING CAP CAP 9.5-10.1MM - for telescopes and trocar diameter more than 9,5 up to 10,1 mm, red	\$ 33.32
A-9	89.09	SEALING CAP CAP >10.1MM - for telescopes and trocar diameter more than 10,1 mm, blue	\$ 33.32
A-9	89.10	SEALING CAP CAP 13.0-13.8MM - from diameter 13,0 to 13,8 mm, red	\$ 55.43
A-9	89.20	SEALING CAP WITHOUT HOLES - blind	\$ 59.77

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	89.21	SEALING CAP WITHOUT HOLES - blind	\$ 59.77
A-8B	8988	ROTATABLE WHEEL CONNECTOR - for handpieces 83930082, 83930083, 83930084, not for 83930085, reusable	\$ 62.19
A-9	89.90	SEALING CAP WITH CROSS SLOT - for trocar sleeves with thread	\$ 66.23
A-9	102.20	ANTI-FOG SOLUTION 6 ML - for single use	\$ 59.23
A-9	103.00	BELLOWS PUMP - through channels	\$ 15.67
A-9	103.03	ETHERNET-CABLE - (Connection LQ COMBILIGHT PDD-DAFE II and Camera Controller PDD-DAFE II) Length 2,0 m	\$ 11.76
A-9	103.13	BNC-VIDEO-CABLE 3,0 M LONG	\$ 39.58
A-41	127.00	DOUBLE BELLOWS - with Luer-connector 886.00	\$ 52.22
A-9	163.90	LEAKAGE TESTER - for fiberscopes	\$ 263.11
A-9	18.005	RUBBER CAP CAP 0.5MM - with small passage of 0,5 mm	\$ 12.92
A-9	20012	INSTRUMENT GREASE - for single use	\$ 33.12
A-9	294.61	SEALING PLUG FOR 829460 - to seal disposable tubes (for sending away samples)	\$ 16.53
A-9	40601	CLEANING BRUSH Ø 11MM WL 100MM - for single use	\$ 24.21
A-9	40604	CLEANING BRUSH Ø 2MM WL 50MM - for single use	\$ 24.21
A-9	40605	CLEANING BRUSH Ø 5MM WL 75MM - for single use	\$ 23.16
A-9	40606	CLEANING BRUSH Ø 5MM WL 50MM - for single use	\$ 22.82
A-9	549.41	STERI CONTAINER FOR TELESCOPE - for gas sterilisation, with mountings for operating laparoscope telescopes, dimensions: 450 x 180 x 80 mm	\$ 237.12
A-9	560.10	SUPPORT LEG - for single use	\$ 204.63
A-200	6.0624	CLEANING BRUSH Ø 0.8MM WL 12MM - reusable	\$ 8.89
A-9	6.0640	CLEANING BRUSH Ø 1.3MM WL 25MM - reusable	\$ 12.00
A-9	70408	DIGITAL/ANALOG AUDIO CONVERTER - Compact audio converter, converts uncompressed digital optical audio signals to analog audio signals. Input: 1x TOSLink (glass fiber) & 1x coaxial Output: 2x phono (left & right) Power supply: 5VDC 0.5A Dimensions app	\$ 74.47
A-9	70409	ANALOG/DIGITAL AUDIO CONVERTER - Compact audio converter, converts analog audio signals to uncompressed digital optical audio signals. Input: 2x phono (left & right) Output: 1x TOSLink (glass fiber) & 1x coaxial Power supply: 5VDC 0.5A Dimensions app	\$ 74.47

A-9	822.13	FLEXIBLE ADAPTER FOR BLADDER SYRINGE - TL 106mm, compatible with instruments with cone B and for bladder syringe 82231, reusable	\$ 87.95
A-9	822.14	RIGID ADAPTER FOR BLADDER SYRINGE - TL 37mm, compatible with bladder syringe 82231, reusable	\$ 87.95
A-41	822.31	BLADDER SYRINGE 150 ML Ø 54MM - Length 248mm, reusable	\$ 304.52
A-9	822.40	BLADDER SYRINGE 150 ML Ø 54MM - Length 248mm, reusable	\$ 367.86
A-41	822.60	RIGID ADAPTER FOR BLADDER SYRINGE - TL 50mm, compatible with bladder syringe 82240, reusable	\$ 49.48
A-9	822.97	GLASS CYLINDER 150ML Ø 54MM - Spare glass for 82240, reusable	\$ 233.07
A-45	823.04	COAG ELECTRODE MONO 4FR WL 400MM - for cystoscopy, electrode shape: button, PACK=1 PC, reusable	\$ 81.35
A-45	823.05	COAG ELECTRODE MONO 5FR WL 400MM - for cystoscopy, electrode shape: button, PACK=1 PC, reusable	\$ 74.20
A-45	823.06	COAG ELECTRODE MONO 6FR WL 400MM - for cystoscopy, electrode shape: button, PACK=1 PC, reusable	\$ 71.79
A-9	823.10	COAG ELECTRODE MONO 10FR WL 400MM - for cystoscopy, electrode shape: button, PACK=1 PC, reusable	\$ 85.20
A-9	824.03	NEEDLE ELECTRODE MONO 2.4FR WL 260MM - for cystoscopy, electrode shape: needle, PACK=1 PC, reusable	\$ 85.20
A-9	824.05	NEEDLE ELECTRODE MONO 5FR WL 420MM - for cystoscopy, electrode shape: needle, PACK=1 PC, reusable	\$ 85.20
A-8B	827.17	FLEX. GRASP. FORCEPS 7FR WL 375MM - 2/3 clawed, double action, TL 497mm, non-dismantling, reusable	\$ 541.46
A-8B	828.03	FLEX. GRASP. FORCEPS 3FR WL 230MM - fine-toothed, double action, TL 380mm, non-dismantling, reusable	\$ 842.89
A-9	828.05	FLEX. GRASP. FORCEPS 5FR WL 315MM - fine-toothed, double action, TL 465mm, non-dismantling, reusable	\$ 583.59
A-8B	828.07	FLEX. GRASP. FORCEPS 7FR WL 365MM - fine-toothed, double action, TL 515mm, non-dismantling, reusable	\$ 583.59
A-8B	828.10	FLEX. GRASP. FORCEPS 10FR WL 325MM - fine-toothed, double action, TL 475mm, non-dismantling, reusable	\$ 557.97

A-9	828.17	FLEX. GRASP. FORCEPS 7FR WL 375MM - with fine teeth, double action, TL 497mm, non-dismantling, reusable	\$ 426.01
A-8B	829.03	FLEX. BIOPSY FORCEPS 3FR WL 230MM - double action, TL 380mm, non-dismantling, reusable	\$ 842.89
A-8B	829.05	FLEX. BIOPSY FORCEPS 5FR WL 315MM - double action, TL 465mm, non-dismantling, reusable	\$ 553.81
A-8B	829.07	FLEX. BIOPSY FORCEPS 7FR WL 375MM - double action, TL 490mm, non-dismantling, reusable	\$ 511.22
A-41	829.10	FLEX. BIOPSY FORCEPS 10FR WL 325MM - double action, TL 475mm, non-dismantling, reusable	\$ 511.22
A-41	830.07	FLEX. SCISSORS 7FR WL 375MM - single action, TL 490mm, non-dismantling, reusable	\$ 526.33
A-41	830.17	FLEX. SCISSORS 7FR WL 375MM - through cutting, single action, TL 497mm, non-dismantling, reusable	\$ 524.96
A-9	84.012	SEALING CAP 3-6FR - reusable	\$ 30.46
A-200	84.022	SEALING CAP 6-9FR - reusable	\$ 28.76
A-9	845.11	ADAPTER - for Toomey syringes, with cone, reusable	\$ 94.94
A-9	872.00	PENILE CLAMP - by Strauss, Length 109mm, reusable	\$ 92.98
A-9	872.01	PENILE CLAMP - by Stockmann, Length 109mm, reusable	\$ 69.55
A-9	88.005	RUBBER CAP CAP 0.5MM - red, with perforation 0,5 mm	\$ 25.61
A-9	883.00	TWO-WAY TAP ID 3MM - TL 60mm, with male Luer connection, reusable	\$ 204.76
A-9	884.00	STOPCOCK LUER LOCK CONNECTION Ø 3MM - reusable	\$ 63.23
A-9	884.01	STOPCOCK LUER LOCK CONNECTION Ø 4MM - reusable	\$ 60.46
A-9	886.00	LUER LOCK CONNECTOR - reusable	\$ 18.57
A-9	886.01	LUER LOCK CONNECTOR Ø 4MM - male, with drilled hole 4mm, Length 29.5mm, reusable	\$ 18.41
A-9	889.01	TUBE CONNECTOR - , reusable	\$ 18.14
A-9	889.02	TUBE RESECTOSCOPE L 300MM - PACK=1 PC, kink resistance, reusable	\$ 39.85
A-9	891.00	LUER LOCK CONNECTOR Ø 3MM - female, with drilled hole 3mm, Length 28mm, reusable	\$ 17.40
A-9	89.101	SEAL Ø 7.5MM - silicone seal, yellow, for instruments 1-5mm, Length 2mm, reusable	\$ 40.82
A-9	89.102	SEAL Ø 11MM - silicone seal, blue, for instruments 3-6mm, Length 2mm, reusable	\$ 45.82
A-41	89.103	SEALING MEMBRANE Ø 17MM - yellow, diam. 17 mm, for instruments from 3 to 6 mm	\$ 24.04
A-9	89.141	SEALING CAP CAP 4-6MM - large for instruments with diameter 4 to 6 mm, colour: red	\$ 41.23

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	89.161	SEALING CAP CAP 7.5-8.5MM - large for instruments with diameter 7,5 to 8,5 mm, colour: blue	\$ 55.94
A-9	89.171	SEALING CAP CAP 7.0MM - capacity 7 mm, brown	\$ 61.38
A-9	89.944	LUER SEALING CAP - reusable	\$ 35.46
A-41	102.021	ANTI-FOG SOLUTION 10 ML - for single use	\$ 84.33
A-9	103.515	CABLE VGA TL 10FT - reusable	\$ 24.94
A-9	103.531	CABLE S-VIDEO TL 25FT - reusable	\$ 36.57
A-9	103.801	RGB-CABLE/SUB-D - SUB-D on BNC, 4 m long	\$ 283.35
A-41	163.903	LEAK TESTER FOR FLEX. ENDOSCOPES - reusable	\$ 207.88
A-41	163.904	PRESSURE EQUALIZATION VALVE - reusable	\$ 94.20
A-9	163910	RINSING SET V - Cleaning set V Double luer connector for T-connection (Fiber URS)	\$ 169.41
A-8B	163914	ADAPTER - reusable	\$ 102.31
A-8B	200.532	INSTRUMENT OIL - Contents: 30ml for trocar sleeves, resectoscopes, stopcocks as well as flexible and rigid forceps	\$ 8.92
A-41	2012.90	GLASS VESSEL - for Roller suction pump 2207001, reusable	\$ 30.05
A-9	2026.62	HIGH PRESSURE CONNECTION TUBE - reusable	\$ 146.89
A-41	2026.64	CO2 PIN INDEXED YOKE - reusable	\$ 87.47
A-9	2148.95	SINGLE USE FILTER INSERT - filter, sterile	\$ 302.38
A-9	406041	CLEANING BRUSH Ø 3MM WL 50MM - for single use	\$ 25.60
A-9	406061	CLEANING BRUSH Ø 1.8MM WL 55MM - for single use	\$ 17.25
A-9	4205.20	ADJUSTABLE MAGNIFIER - reusable	\$ 664.25
A-9	4256.20	MAGNIFIER FOR ESOPHAGOSCOPE - reusable	\$ 612.28
A-8B	4525.00	HEADLAMP - reusable	\$ 912.49
A-9	4525.10	HEADLAMP - reusable	\$ 1,005.93
A-8B	4525.30	HEADLAMP - reusable	\$ 1,591.86
A-9	4526.00	HEADLAMP - reusable	\$ 722.84
A-9	468691	CLEANING BRUSH Ø 5MM WL 100MM - for single use	\$ 19.49
A-9	5261.32	LENS 32MM - reusable	\$ 1,557.26
A-9	5352.56	CABLE BNC - reusable	\$ 24.89
A-9	5352.60	CABLE BNC - reusable	\$ 42.43
A-9	5363.17	CABLE S-VIDEO - reusable	\$ 43.34
A-9	6199.00	WATER JET CLEANING PISTOL - for connection to water faucet with R 3/4"-thread	\$ 529.39
A-8B	7223.60	FLEX. BIOPSY FORCEPS Ø 1MM WL 600MM - smooth, double opening, TL 736mm, reusable	\$ 816.91
A-9	7223.65	FLEX. GRASPING FORCEPS Ø 1MM WL 600MM - rippled, double opening, TL 736mm, reusable	\$ 784.00
A-9	8020.15	UNIVERSAL CAP FOR BRONCH. - reusable	\$ 261.12

A-9	8020.18	SEALING CAP FOR BRONCH. - with telescope sealing cap for telescope diameter 5,5 mm	\$ 56.40
A-9	8021.18	SEALING CAP FOR BRONCH. - with telescope sealing cap, for telescopes with diameter 4 mm, 3,4 mm and 2,7 mm	\$ 38.61
A-9	8033.90	SPARE TUBE INSERT - for telescopes of up to 310 mm working length	\$ 84.46
A-9	8070.00	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to STORZ and OLYMPUS telescopes, reusable	\$ 33.41
A-9	807001	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to STORZ and OLYMPUS telescopes, reusable	\$ 220.62
A-9	807002	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to ACMI and other telescope makes with a small connection thread, reusable	\$ 70.91
A-9	8071.00	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to ACMI telescopes, reusable	\$ 22.26
A-9	8081.00	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to ACMI and CIRCON telescopes, reusable	\$ 93.44
A-9	8081.01	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to ACMI and CIRCON telescopes, reusable	\$ 39.30
A-9	8083.10	ADAPTER PROJECTOR SIDE - for connecting a WOLF light cable to light sources with US standard connection / ACMI, reusable	\$ 33.93
A-9	8087.00	ADAPTER ENDOSCOPE SIDE - for connecting an ACMI light cable to WOLF telescopes, reusable	\$ 25.36
A-9	8088.00	ADAPTER ENDOSCOPE SIDE - for connecting a STORZ light cable to WOLF telescopes, reusable	\$ 23.79
A-9	808801	ADAPTER ENDOSCOPE SIDE - for connecting a STORZ / OLYMPUS light cable to WOLF telescopes, reusable	\$ 72.49
A-9	8088.80	ADAPTER ENDOSCOPE SIDE - for connecting an OLYMPUS light cable to WOLF telescopes, reusable	\$ 46.86
A-8B	8088.81	ADAPTER ENDOSCOPE SIDE - for connecting an OLYMPUS light cable WA 032.A to WOLF telescopes, reusable	\$ 39.88
A-9	8089.00	ADAPTER PROJECTOR SIDE - for connecting an STORZ light cable to WOLF light sources, reusable	\$ 123.57
A-9	8091.00	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to STORZ telescopes, reusable	\$ 142.91
A-9	8094.00	ADAPTER PROJECTOR SIDE - for connecting a WOLF light cable to STORZ light sources, reusable	\$ 162.17
A-9	8094.80	ADAPTER PROJECTOR SIDE - for connecting an Olympus light cable to WOLF light sources, reusable	\$ 494.27

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8095.00	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to WOLF telescopes, reusable	\$ 18.41
A-9	8095.05	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to WOLF telescopes, reusable	\$ 42.33
A-9	809506	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to WOLF telescopes, quick connect with ring connector, reusable	\$ 79.70
A-9	8095.07	ADAPTER PROJECTOR SIDE - for connecting a WOLF light cable to WOLF standard connections, reusable	\$ 30.82
A-9	809509	ADAPTER ENDOSCOPE SIDE - for connecting a WOLF light cable to WOLF telescopes, quick connect with ring connector, short version, reusable	\$ 56.73
A-9	8096.85	ADAPTER PROJECTOR SIDE - for connecting a WOLF light cable to FUJI light sources, reusable	\$ 131.93
A-10	8148.02	SPONGE FORCEPS Ø 3.0MM WL 300MM - 300 mm WL, D = 3 mm	\$ 129.18
A-9	8150.00	BIOPSY FORCEPS WL 145MM - jaw straight, smooth, double opening, sheath straight, TL 235mm, reusable	\$ 427.38
A-9	8150.13	MAXILLARY SUCTION TUBE OD 3MM WL 190MM - knee bent, reusable	\$ 92.19
A-9	8150.19	NASAL SUCTION TUBE OD 4MM WL 180MM - knee bent, reusable	\$ 135.32
A-45	8150.20	SWAB CARRIER TL 165MM - reusable	\$ 20.06
A-9	815.033	HF CONNECTION CABLE MONO L 3M - reusable	\$ 65.76
A-9	815.053	HF CONNECTION CABLE MONO L 5M - reusable	\$ 79.70
A-9	815.132	HF CONNECTION CABLE MONO L 3M - reusable	\$ 65.76
A-9	8188.02	HF COAG. SUCTION TUBE OD 4.5MM WL 250MM - knee bent, reusable	\$ 177.28
A-9	8199.00	BITE RINGS	\$ 35.09
A-9	8205.12	SEALING CAP - reusable	\$ 38.61
A-41	8205.13	SEALING CAP - (blue colored)	\$ 29.26
A-9	8205.18	NORM-CONNECTOR FOR BRONCH. - reusable	\$ 7.01
A-9	8211.04	MAXILLARY PUNCH WL 137MM - reusable	\$ 617.04
A-8B	8211.05	MAXILLARY FORCEPS WL 100MM W 4MM - with irrigation connection, reusable	\$ 885.02
A-9	8211.08	PUNCH WL 89MM W 5MM - by Ostrom, reusable	\$ 476.86
A-8B	8211.09	NASAL FORCEPS WL 103MM W 2.5MM - by Weil-Blakesley, jaw straight, sheath straight, reusable	\$ 456.60
A-9	8211.14	NASAL FORCEPS WL 100MM W 4.5MM - by Weil-Blakesley, jaw 90° curved upwards, sheath straight, reusable	\$ 477.76
A-9	8211.15	NASAL FORCEPS WL 105MM - by Takahashi-Toffel, sheath straight, reusable	\$ 477.76
A-8B	8211.16	NASAL FORCEPS WL 103MM - by Wigand, jaw curved upwards, sheath straight, reusable	\$ 402.64

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8211.17	NASAL FORCEPS WL 108MM - by Struyken, jaw straight, sheath straight, reusable	\$ 430.13
A-9	8211.18	DOUBLE SPOON FORCEPS WL 110MM - by Binner, jaw pear shaped, horizontal opening, sheath curved 45° upwards, reusable	\$ 687.13
A-8B	8211.19	DOUBLE SPOON FORCEPS WL 89MM - horizontal opening, sheath curved 70° upwards, reusable	\$ 555.20
A-9	8211.20	NASAL TAMPON FORCEPS WL 85MM - by Lubet-Baron, jaw straight, sheath straight, reusable	\$ 166.77
A-9	8211.21	NASAL SCISSORS WL 115MM - by Heymann, reusable	\$ 465.62
A-8B	8211.22	NASAL SCISSORS WL 100MM - jaw straight, sheath straight, reusable	\$ 415.02
A-9	8211.23	NASAL SCISSORS WL 85MM - left curved, reusable	\$ 499.81
A-9	8211.27	NASAL SPECULUM TL 150MM - left blade 45mm long, right blade 75mm long, reusable	\$ 171.78
A-9	8211.28	NASAL SPECULUM TL 150MM - left blade 75mm long, right blade 45mm long, reusable	\$ 178.64
A-9	8211.29	ELEVATOR TL 225MM - by Cottle, graduated, double ended, reusable	\$ 145.14
A-9	8211.34	NASAL SPECULUM TL 160MM - by Hartmann, left blade 35mm long, right blade 35mm long, reusable	\$ 127.80
A-9	8211.39	DOUBLE SPOON FORCEPS WL 89MM - vertical opening, sheath curved 70° upwards, reusable	\$ 530.46
A-9	8211.49	PUNCH BIOPSY FORCEPS WL 98MM - sheath curved 70° upwards, reusable	\$ 570.30
A-9	8211.80	HF NEEDLE BIPO Ø 2.5MM WL 101MM - PACK=1 PC, reusable	\$ 419.02
A-8B	8211.90	SICKLE KNIFE TL 175MM - pointed, reusable	\$ 75.59
A-8B	8211.91	SICKLE KNIFE TL 175MM - round, reusable	\$ 75.59
A-9	8211.94	ANTRUM CURETTE TL 175MM - curved upward, one ended, reusable	\$ 111.32
A-9	8211.96	SPOON TL 175MM - curved upward, one ended, reusable	\$ 107.18
A-9	8217.12	ILLUMINATION INSERT - reusable	\$ 294.09
A-8B	823005	ELECTRODE BIPO 5FR TL 360MM - for hysteroscopy, PACK=1 PC, for use through a hysteroscope with a 5Fr working channel, reusable	\$ 643.15
A-41	823.031	COAG ELECTRODE MONO 3FR WL 580MM - for uretero renoscopy, electrode shape: button, PACK=1 PC, reusable	\$ 76.73
A-9	823.221	HOOK ELECTRODE MONO 2.4FR WL 600MM - for uretero renoscopy, electrode shape: hook, PACK=1 PC, reusable	\$ 103.07
A-9	824.051	HOOK ELECTRODE MONO 5FR WL 620MM - for uretero renoscopy, electrode shape: hook, PACK=1 PC, reusable	\$ 104.22

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8241.99	HANDLE FOR ESOPHAGOSCOPE	\$ 210.26
A-9	8250.01	MAGNETIC EXTRACTOR WL 510MM - reusable	\$ 116.80
A-9	8250.10	CORKSCREW EXTRACTOR WL 470MM - reusable	\$ 64.59
A-9	8256.09	ESOPHAGOSCOPE-TUBE ID 15.5X11.5MM - model Wolf, OD 17.5x13.5mm, TL 344mm, with fixed distal light carrier, graduated, reusable	\$ 952.34
A-9	8256.10	ESOPHAGOSCOPE-TUBE ID 15.5X11.5MM - model Wolf, OD 17.5x13.5mm, TL 544mm, with fixed distal light carrier, graduated, reusable	\$ 1,136.09
A-9	8256.15	UNIVERSAL CAP FOR ESOPHAGOSCOPE - reusable	\$ 239.12
A-9	8256.29	ESOPHAGOSCOPE-TUBE ID 13.5X11.5MM - model Wolf, OD 15.5x11.5mm, TL 344mm, with fixed distal light carrier, graduated, reusable	\$ 1,136.09
A-9	8256.30	ESOPHAGOSCOPE-TUBE ID 13.5X9.5MM - model Wolf, OD 15.5x11.5mm, TL 444mm, with fixed distal light carrier, graduated, reusable	\$ 1,136.09
A-9	8256.31	ESOPHAGOSCOPE-TUBE ID 15.5X11.5MM - model Wolf, OD 13.5x9.5mm, TL 544mm, with fixed distal light carrier, graduated, reusable	\$ 1,136.09
A-9	8256.38	ESOPHAGOSCOPE-TUBE ID 11.5X7.5MM - model Wolf, OD 13.5x9.5mm, TL 294mm, with fixed distal light carrier, graduated, reusable	\$ 1,136.09
A-9	8256.39	ESOPHAGOSCOPE-TUBE ID 11.5X7.5MM - model Wolf, OD 13.5x9.5mm, TL 494mm, with fixed distal light carrier, graduated, reusable	\$ 1,136.09
A-9	8256.48	ESOPHAGOSCOPE-TUBE ID 8.1X6.1MM - model Wolf, OD 9.6x7.6mm, TL 294mm, with fixed distal light carrier, graduated, reusable	\$ 1,136.09
A-9	8256.49	ESOPHAGOSCOPE-TUBE ID 8.1X6.1MM - model Wolf, OD 9.6x7.6mm, TL 394mm, with fixed distal light carrier, graduated, reusable	\$ 952.34
A-8B	8256.99	SEALING PLUG TL 25MM - reusable	\$ 15.24
A-9	8261.30	CANNULA FOR INJECTION Ø 2MM WL 150MM - PACK=1 PC, reusable	\$ 65.96
A-9	8267.10	SICKLE KNIFE TL 262MM - curved, reusable	\$ 127.61
A-9	8267.12	KNIFE TL 265MM - round, vertical cutting, reusable	\$ 127.61
A-9	8267.14	KNIFE TL 262MM - straight, oval, reusable	\$ 127.61
A-9	8267.15	KNIFE TL 262MM - 45° angled, oval, reusable	\$ 117.17
A-8B	8267.21	PROBE DULL TL 265MM - angled	\$ 83.54
A-9	8267.50	NEEDLE PUSHER WL 210MM	\$ 1,830.35
A-9	8270.40	ESOPHAGOSCOPE-TUBE ID 4.4MM - OD 5.7mm, TL 200mm, with proximal light connection, reusable	\$ 423.09
A-9	8270.50	ESOPHAGOSCOPE-TUBE ID 5.2MM - OD 6.3mm, TL 250mm, with proximal light connection, reusable	\$ 423.09
A-9	8270.55	ESOPHAGOSCOPE-TUBE ID 6.3MM - OD 7.5mm, TL 300mm, with proximal light connection, reusable	\$ 385.41

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8270.65	ESOPHAGOSCOPE-TUBE ID 6.6MM - OD 7.8mm, TL 350mm, with proximal light connection, reusable	\$ 364.18
A-9	8278.01	FLEX. BIOPSY FORCEPS Ø 2.2MM WL 750MM - smooth, double opening, TL 876mm, reusable	\$ 607.03
A-9	8279.01	DISSECTING AND SPONGE - reusable	\$ 184.15
A-9	8280.22	BIOPSY FORCEPS WL 270MM - jaw straight, toothed, double opening, sheath straight, reusable	\$ 485.11
A-9	8280.23	BIOPSY FORCEPS WL 270MM - jaw straight, smooth, double opening, sheath straight, reusable	\$ 491.98
A-41	8280.26	TUMOR FORCEPS WL 270MM - jaw straight, through cutting, single opening, sheath straight, reusable	\$ 494.72
A-9	8280.41	GRASPING FORCEPS WL 465MM - jaw straight, toothed, double opening, sheath straight, reusable	\$ 530.46
A-9	8280.42	UNIVERSAL FORCEPS WL 465MM - jaw straight, toothed, double opening, sheath straight, reusable	\$ 530.46
A-9	8280.43	BIOPSY FORCEPS WL 460MM - jaw straight, smooth, double opening, sheath straight, reusable	\$ 530.46
A-9	8280.46	ROTATION FORCEPS WL 465MM - jaw straight, double opening, sheath straight, reusable	\$ 553.81
A-9	8280.47	GRASPING FORCEPS WL 465MM - jaw straight, rippled, double opening, sheath straight, reusable	\$ 530.46
A-8B	828.051	FLEX. GRASP. FORCEPS 5FR WL 550MM - double action, TL 700mm, non-dismantling, reusable	\$ 486.48
A-9	8280.62	UNIVERSAL FORCEPS WL 615MM - jaw straight, toothed, double opening, sheath straight, reusable	\$ 545.57
A-9	8280.64	SPOON FORCEPS WL 615MM - jaw straight, smooth, double opening, sheath straight, reusable	\$ 595.48
A-9	8280.67	GRASPING FORCEPS WL 655MM - jaw straight, rippled, double opening, sheath straight, reusable	\$ 527.71
A-9	828.131	FLEX. GRASP. FORCEPS 3FR WL 380MM - with fine teeth, double action, TL 516mm, non-dismantling, reusable	\$ 842.89
A-9	8281.32	UNIVERSAL FORCEPS WL 360MM - jaw straight, toothed, double opening, sheath straight, reusable	\$ 535.95
A-9	8281.33	BIOPSY FORCEPS WL 360MM - jaw straight, smooth, double opening, sheath straight, reusable	\$ 535.95
A-9	8281.37	GRASPING FORCEPS WL 365MM - jaw straight, rippled, double opening, sheath straight, reusable	\$ 535.95
A-9	8282.33	BIOPSY FORCEPS WL 335MM - jaw straight, smooth, double opening, sheath straight, reusable	\$ 535.97
A-9	8282.37	GRASPING FORCEPS WL 330MM - jaw straight, rippled, double opening, sheath straight, reusable	\$ 583.12
A-8B	828.244	FLEX. SCISSORS 4FR WL 230MM - toothing, double action, TL 350mm, non-dismantling, reusable	\$ 480.98
A-8B	8283.01	SPOON FORCEPS WL 230MM - jaw straight, smooth, single opening, sheath straight, reusable	\$ 576.18

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8283.02	SPOON FORCEPS WL 226MM - right curved, smooth, single opening, sheath straight, reusable	\$ 288.07
A-8B	8283.03	SPOON FORCEPS WL 226MM - left curved, smooth, single opening, sheath straight, reusable	\$ 288.07
A-8B	8283.04	SPOON FORCEPS WL 226MM - curved upward, smooth, single opening, sheath straight, reusable	\$ 298.20
A-8B	8283.11	GRASPING FORCEPS WL 230MM - jaw straight, rippled, single opening, sheath straight, reusable	\$ 252.86
A-9	8283.12	GRASPING FORCEPS WL 230MM - right curved, rippled, single opening, sheath straight, reusable	\$ 274.85
A-8B	8283.13	GRASPING FORCEPS WL 230MM - left curved, rippled, single opening, sheath straight, reusable	\$ 265.23
A-9	8283.21	SCISSORS WL 230MM - jaw straight, single opening, sheath straight, reusable	\$ 288.59
A-9	8283.22	SCISSORS WL 230MM - right curved, single opening, sheath straight, reusable	\$ 288.59
A-9	8283.23	SCISSORS WL 230MM - left curved, single opening, sheath straight, reusable	\$ 288.59
A-9	8283.51	SMALL GRASPING FORCEPS WL 230MM - jaw straight, rippled, double opening, sheath straight, reusable	\$ 551.08
A-9	8283.52	GRASPING FORCEPS - MEDIUM WL 245MM - jaw straight, rippled, double opening, sheath straight, reusable	\$ 570.30
A-9	8283.53	GRASPING FORCEPS - LARGE WL 240MM - jaw straight, rippled, double opening, sheath straight, reusable	\$ 549.70
A-9	8283.81	SPOON FORCEPS WL 170MM - jaw straight, smooth, double opening, sheath curved upwards, reusable	\$ 532.60
A-45	8283.91	SPOON FORCEPS WL 200MM - jaw straight, smooth, double opening, sheath curved downwards, reusable	\$ 217.55
A-8B	828.605	FLEX. GRASP. FORCEPS 3FR WL 530MM - fine-toothed, double action, TL 665mm, non-dismantling, reusable	\$ 777.93
A-8B	828.651	FLEX. GRASP. FORCEPS 3FR WL 920MM - fine-toothed, double action, TL 1050mm, non-dismantling, reusable	\$ 802.31
A-9	8289.24	SUCTION TUBE BIPO Ø 3.2MM WL 240MM - reusable	\$ 740.59
A-9	829.051	FLEX. BIOPSY FORCEPS 5FR WL 550MM - double action, TL 700mm, non-dismantling, reusable	\$ 578.55
A-45	8291.22	SUCTION TUBE OD 2MM WL 250MM - knee bent, reusable	\$ 38.61
A-45	8291.23	SUCTION TUBE OD 2.5MM WL 250MM - knee bent, reusable	\$ 38.61

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-45	8291.24	SUCTION TUBE OD 3MM WL 250MM - knee bent, reusable	\$ 38.61
A-9	829.131	FLEX. BIOPSY FORCEPS 3FR WL 380MM - straight, double action, TL 516mm, non-dismantling, reusable	\$ 842.89
A-45	8291.33	SUCTION TUBE OD 3MM WL 350MM - knee bent, reusable	\$ 38.61
A-45	8291.45	SUCTION TUBE OD 4MM WL 500MM - knee bent, reusable	\$ 38.63
A-9	8291.83	SUCTION TUBE OD 2.5MM WL 350MM - knee bent, reusable	\$ 52.22
A-9	8291.85	SUCTION TUBE OD 4MM WL 500MM - knee bent, reusable	\$ 52.22
A-9	8291.86	SUCTION TUBE OD 4MM WL 600MM - knee bent, reusable	\$ 52.22
A-9	8292.11	ATOMIZER OD 4MM WL 125MM - reusable	\$ 111.32
A-9	8294.01	SECRETION TRAP ID 3MM TL 104MM - reusable	\$ 94.27
A-9	8294.03	ATOMIZER ID 2MM TL 114MM - reusable	\$ 116.80
A-9	8294.13	ATOMIZER TUBE OD 5MM WL 361MM - straight, reusable	\$ 94.81
A-8B	8294.60	ATOMIZER TUBE OD 16.8MM TL 100MM - for use with atomizer 8294.03 and suction irrigation unit 8294.02, for single use	\$ 24.58
A-8B	8294.82	ADAPTER OD 21MM TL 18MM - for connection of the single use cylinders to the atomizer 8294.03, as well as to the suction irrigation unit 8294.02, reusable	\$ 53.60
A-9	8294.92	REPLACEMENT CYLINDER OD 16.4MM TL 90MM - for use with the suction irrigation device 8294.02, reusable	\$ 43.90
A-9	8295.35	COTTON APPLICATOR Ø 3.0MM WL 350MM - reusable	\$ 27.71
A-9	8295.50	COTTON APPLICATOR Ø 3.0MM WL 500MM - reusable	\$ 39.40
A-41	829.601	FLEX. BIOPSY FORCEPS Ø 3FR WL 920MM - reusable	\$ 802.31
A-8B	829.603	FLEX. BIOPSY FORCEPS 3FR WL 530MM - double action, TL 665mm, non-dismantling, reusable	\$ 777.93
A-9	8296.51	COTTON APPLICATOR Ø 3.4MM WL 490MM - 500 mm long	\$ 138.55
A-9	8298.01	CANNULA FOR PUNCTION Ø 3MM WL 514MM - PACK=1 PC, reusable	\$ 106.59
A-9	8302.08	VERES CANNULA Ø 2.1MM WL 80MM - with insufflation stopcock and Luer connection, reusable	\$ 114.77
A-9	8302.09	CANNULA FOR DRAINAGE Ø 3.2MM WL 80MM - with one insufflation stopcock, reusable	\$ 231.44

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8302.12	VERES CANNULA Ø 2.1MM WL 120MM - with insufflation stopcock and Luer connection, reusable	\$ 153.19
A-9	8302.15	VERES CANNULA Ø 2.1MM WL 150MM - with insufflation stopcock and Luer connection, reusable	\$ 145.01
A-10	8303.09	CANNULA FOR DRAINAGE Ø 4.5MM WL 71.5MM - with one insufflation stopcock, reusable	\$ 235.50
A-9	8303.50	CANNULA FOR DRAINAGE Ø 4.5MM WL 71.5MM - with two insufflation stopcocks, reusable	\$ 388.97
A-8B	8351.03	TROCAR SLEEVE Ø 5.5MM WL 120MM - reusable	\$ 103.29
A-8B	8351.14	TROCAR TIP TRIANGULAR Ø 5.5MM - reusable	\$ 79.54
A-9	8365.00	UTERUS PROBE Ø 4MM WL 278MM - by Sims, for cervical canal measurement, curved upwards, with graduation, TL 324mm, reusable	\$ 67.34
A-8B	8370.00	UTERUS GRASPING FORCEPS Ø 6.5MM WL 100MM - by Saigres, double-toothed, TL 262mm, reusable	\$ 214.39
A-9	8370.14	TENACULUM SINGLE TOOTH WL 210MM - reusable	\$ 79.23
A-9	8370.25	UTERUS GRASPING FORCEPS WL 92MM - by Pozzi, with distally overlapping tip, TL 254mm, reusable	\$ 155.30
A-9	8371.00	UTERUS GRASPING FORCEPS WL 90MM - by Hulka, with curved distal tip, double action, TL 287mm, reusable	\$ 435.14
A-9	8371.10	UTERUS GRASPING FORCEPS WL 242MM - by Gimpelson, with four rounded teeth, double action, TL 240mm, reusable	\$ 378.32
A-9	8378.00	INTRAUTERINE PROBE Ø 32MM WL 32MM - by Cohen, for introduction of fluid for hysterosalpingography, TL 330mm, with Luer connection, reusable	\$ 280.46
A-9	8378.90	PORTIO CONE ATTACHMENT SZ SMALL - for introduction of fluid for hysterosalpingography, curved upwards, compatible with intrauterine probe 8378001, with Luer connection, reusable	\$ 67.40
A-9	8378.91	PORTIO CONE ATTACHMENT SZ LARGE - for introduction of fluid for hysterosalpingography, curved upwards, compatible with intrauterine probe 8378001, with Luer connection, reusable	\$ 72.27
A-9	8380.68	SUCTION TUBE OD 2.8MM WL 450MM - straight, reusable	\$ 481.43
A-9	8382.02	MICRO SCISSORS Ø 5MM WL 310MM - diameter 5 mm, scissors handle with cleaning channel and extended finger spur, working length 310mm	\$ 581.96
A-41	8383.23	UNIV. GRASPING FORCEPS BIPO Ø 5MM BNDL - 2 part, SL 290mm	\$ 802.23
A-9	8383.40	BUTTON ELECTRODE MONO Ø 5MM WL 330MM - reusable	\$ 119.44

A-9	8383.41	GRASPING FORCEPS Ø 5MM WL 310MM - diameter 5 mm, working length 310 mm, with grooved plates, with spring handle and cleaning channel	\$ 467.21
A-9	8383.46	SAW TOOTH SCISSORS Ø 5MM WL 320MM - reusable	\$ 515.81
A-9	8383.49	CANNULA FOR PUNCTION Ø 4.7MM WL 320MM - tip Ø 1.8mm, with suction-regulator and 4mm Luer connection, reusable	\$ 107.18
A-9	8383.51	SUCT./IRRIG. TUBE Ø 5MM WL 300MM - reusable	\$ 68.70
A-8B	8383.55	KNOT PUSHER Ø 3.7MM WL 330MM - TL 380mm, for intraabdominal knots, reusable	\$ 98.60
A-9	8383.65	CANNULA FOR INJECTION Ø 4.7MM WL 350MM - tip Ø 1.8mm, with 3mm Luer connection, reusable	\$ 106.86
A-9	8383.68	SUCTION TUBE GRADUATED Ø 5MM WL 330MM - reusable	\$ 166.28
A-9	838369	MANIPULATOR Ø 5MM TL 450MM - with ball-shaped tips, graduated, double ended, reusable	\$ 288.48
A-9	8383.71	HF COAG SUCTION TUBE MONO Ø 5MM WL 315MM - reusable	\$ 287.60
A-9	8383.72	SUCT./IRRIG. TUBE Ø 3MM WL 330MM - reusable	\$ 57.23
A-9	8383.86	PROBE Ø 5MM WL 445MM - reusable	\$ 469.56
A-9	8383.94	SUCT./IRRIG. TUBE Ø 5MM WL 300MM - reusable	\$ 809.42
A-8B	8384.23	UNIV. GRASPING FORCEPS BIPO Ø 5MM BNDL - 2 part, SL 410mm	\$ 822.07
A-41	8384.40	COAG ELECTRODE MONO Ø 5MM WL 450MM - reusable	\$ 90.46
A-9	8384.60	CANNULA FOR INJECTION Ø 4.7MM WL 452MM - tip Ø 0.7mm, curved 15° proximal, with 3mm Luer connection, reusable	\$ 111.34
A-9	8384.65	CANNULA FOR INJECTION Ø 4.7MM WL 460MM - PACK=1 PC, reusable	\$ 134.80
A-9	8384.66	PROBE Ø 5MM WL 448MM - graduated, reusable	\$ 86.57
A-8B	8384.68	SUCTION TUBE OD 4.7MM WL 450MM - straight, reusable	\$ 160.79
A-9	8384.71	HF COAG SUCTION TUBE MONO Ø 5MM WL 450MM - reusable	\$ 294.09
A-9	8385.10	GRASPING FORCEPS Ø 10MM WL 335MM - 2/3 claws, 335 mm WL, d = 10 mm	\$ 686.50
A-9	8385.12	GRASPING FORCEPS Ø 10MM WL 335MM - spoon-shaped, 335 mm WL, d = 10 mm	\$ 721.64
A-9	8385.13	GRASPING FORCEPS Ø 10MM WL 335MM - forceps, 335 mm NL, d = 10 mm	\$ 590.37
A-9	8385.50	INSTRUMENT SLEEVE 10MM WL 170MM - for Ø 5.5mm instruments, with sealing cap, reusable	\$ 123.28
A-8B	8397.01	PLEURAL BIOPSY SET - by Ramel	\$ 170.67
A-8B	8399.95	HOOK PROBE WL 115MM H 4.5MM - graduated, reusable	\$ 212.75

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8403.00	MENISCUS GRASPING FORCEPS Ø 4/7MM - with gripping tooth, WL 105mm	\$ 717.06
A-9	8403.10	BIOPSY FORCEPS WITH SPIKE Ø 4.5MM - for retraction, double opening, WL 130mm, reusable	\$ 1,039.45
A-8B	8404.52	HOOK SCISSORS Ø 3.4MM - jaw curved 45° left, sheath straight, WL 130mm, specifically designed for side cutting and smoothing	\$ 977.73
A-8B	8404.62	HOOK SCISSORS Ø 3.4MM - jaw curved 45° right, sheath straight, WL 130mm, specifically designed for side cutting and smoothing	\$ 977.73
A-8B	8404.71	HOOK PUNCH WITH SCOOP Ø 3.4MM - jaw curved 45° left, sheath straight, WL 130mm, specifically designed for side cutting and smoothing	\$ 952.55
A-8B	8404.81	HOOK PUNCH WITH SCOOP Ø 3.4MM - jaw curved 45° right, sheath straight, WL 130mm, specifically designed for side cutting and smoothing	\$ 952.55
A-41	8408.02	COAG ELECTRODE MONO 22-26FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 22/24/25.5/26/27/28/28.9, Fr, electrode shape: ball, stem color blue, PACK=1 PC, for E-Line resectoscope, unsterile, reusable	\$ 74.96
A-41	8410.02	COAG ELECTRODE MONO 22-25FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 22/24/25.5/26/27, Fr, electrode shape: roller, fork color blue, stem color red, PACK=1 PC, for E-Line resectoscope, unsterile, reusa	\$ 82.70
A-41	8411.03	CUTTING ELECTRODE MONO 22-25FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26/27, Fr, loop: round, wire Ø 0.3mm, fork color green, stem color red, PACK=1 PC, for E-Line resectoscope, unsterile, reusabl	\$ 71.46
A-41	8411.04	CUTTING ELECTRODE MONO 22-25FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26/27, Fr, loop: round, wire Ø 0.4mm, fork color green, stem color blue, PACK=1 PC, for E-Line resectoscope, unsterile, reusab	\$ 79.41
A-41	8415.02	VIEWING OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 240mm, rounded distal end, compatible with E-Line sheaths 8655084, 8663024, and telescopes Ø 4mm, 12°/30°, bayonet-cap, reusable	\$ 394.40

A-41	8415.03	VIEWING OBTURATOR RESECTOSCOPE 26FR - color code black, WL 240mm, rounded distal end, compatible with E-Line sheath 8654034, and telescopes Ø 4mm, 12°/30°, bayonet-cap, reusable	\$ 394.40
A-41	8415.11	VIEWING OBTURATOR RESECTOSCOPE 22FR - color code green, WL 232mm, rounded distal end, compatible with E-Line sheaths 8654064, 8663064, 8655344, 8655144, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 409.52
A-41	8415.12	VIEWING OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 232mm, rounded distal end, compatible with E-Line sheaths 8654074, 8661074, 8663074, 8655384, 8654374, 8661374, 8663.374, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 394.40
A-41	8415.13	VIEWING OBTURATOR RESECTOSCOPE 26FR - color code black, WL 232mm, rounded distal end, compatible with Fr E-Line sheaths 8652, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 383.40
A-8B	8439.03	CUTTING ELECTRODE MONO 24FR 25° - for long shaft resectoscope, for sheaths, intermittent irrigation, 24, Fr, loop: round, wire Ø 0.3mm, fork color green, stem color red, PACK=1 PC, for E-Line resectoscope, unsterile, reusable	\$ 89.33
A-8B	8440.02	COAG ELECTRODE MONO 24FR 25° - for long shaft resectoscope, for sheaths, intermittent irrigation, 24, Fr, electrode shape: roller, fork color blue, stem color red, PACK=1 PC, for E-Line resectoscope, unsterile, reusable	\$ 90.61
A-8B	8446.22	OP-LARYNGOSCOPE WL 154MM - by Steiner, outer dimension prox. 32x15mm, inner dimension dist. Ø 16mm, TL 184mm, outer light carrier and insufflation-suction tube, with universal handle for all support and mounting systems, reusable	\$ 1,309.10
A-9	8449.11	LIGHT CARRIER FOR LARYNGOSCOPE - WL 155mm	\$ 316.07
A-9	8449.12	OP-MICROLARYNGOSCOPE WL 153MM - outer dimension prox. 30x20mm, inner dimension dist. Ø 14mm, TL 183mm, external light carrier, with universal handle for all support and mounting systems, reusable	\$ 889.74
A-9	8449.22	OP-MICROLARYNGOSCOPE WL 153MM - outer dimension prox. 26x16mm, inner dimension dist. Ø 14.4mm, TL 184mm, external light carrier, with universal handle for all support and mounting systems, reusable	\$ 889.74
A-9	8449.31	LIGHT CARRIER FOR LARYNGOSCOPE - WL 105mm	\$ 300.41

A-9	8449.32	OP-MICROLARYNGOSCOPE WL 103MM - outer dimension prox. 21x14mm, inner dimension dist. Ø 13mm, TL 134mm, external light carrier, with universal handle for all support and mounting systems, reusable	\$ 889.74
A-9	8456.01	OP-LARYNGOSCOPE WL 148MM - by Steiner adjustable, dilation prox. min. / max. 32x12.5/ 32x27.5mm, dilation dist. min. / max. 16x13.5/ 16x53mm, TL 200mm, straight blade, outer light carrier and insufflation-suction tube, with universal handle for all s	\$ 3,142.74
A-9	8456.90	LIGHT CARRIER FOR LARYNGOSCOPE	\$ 329.82
A-9	8456.95	INSUFFLATION / SUCTION TUBE TL 158MM - for use in laryngoscopy, reusable	\$ 164.90
A-9	8458.03	OP-LARYNGOSCOPE WL 113MM - outer dimension prox. 24x19mm, inner dimension dist. Ø 13mm, TL 144mm, outer light carrier and insufflation-suction tube, with universal handle for all support and mounting systems, reusable	\$ 1,322.91
A-9	8458.92	LIGHT CARRIER FOR LARYNGOSCOPE - for 8458.03	\$ 329.82
A-9	8458.97	INSUFFLATION / SUCTION TUBE TL 124MM - for use in laryngoscopy, reusable	\$ 164.90
A-9	8462.30	TELESCOPE 0° Ø 2.7MM WL 310MM - rigid, TL 371mm, rod lens system	\$ 4,035.96
A-9	8462.62	OPT. UNIVERSAL FORCEPS WL 294MM - jaw curved upwards, for telescope 0° Ø 2.7mm, TL 353mm, reusable	\$ 854.77
A-9	8462.64	OPT. GRASPING FORCEPS WL 299MM - jaw straight, for telescope 0° Ø 2.7mm, TL 360mm, reusable	\$ 854.77
A-9	8464.30	TELESCOPE 0° Ø 3.4MM WL 378MM - rigid, TL 457mm, rod lens system	\$ 3,989.28
A-9	8464.61	PIKE-MOUTH GRASP FORCEP Ø 3.5MM TL 420MM - curved upward, reusable	\$ 854.77
A-9	8464.63	BIOPSY FORCEPS Ø 3.5MM TL 420MM - with double-spoon jaws, reusable	\$ 854.77
A-9	8464.64	BIOPSY FORCEPS Ø 3.5MM TL 420MM - with retrograde spoon jaws, reusable	\$ 854.77
A-9	8465.30	TELESCOPE 0° Ø 5.5MM WL 488MM - rigid, TL 564mm, rod lens system	\$ 3,989.28
A-9	8465.32	TELESCOPE 30° Ø 5.5MM WL 489MM - rigid, TL 565mm, rod lens system	\$ 3,929.31
A-9	8465.61	OPT. GRASPING FORCEPS WL 473MM - jaw curved upwards, for telescope 0° Ø 3.4mm, TL 534mm, reusable	\$ 823.16
A-9	8465.63	OPT. BIOPSY FORCEPS WL 472MM - jaw straight, for telescope 0° Ø 5.5mm, TL 533mm, reusable	\$ 823.16

A-9	8465.64	OPT. BIOPSY FORCEPS WL 473MM - jaw retrograde, for telescope 0° Ø 5.5mm, TL 534mm, reusable	\$ 854.77
A-9	8475.26	SUCTION-IRRIGATION HANDLE - reusable	\$ 977.95
A-9	8484.42	EAR ENDOSCOPE - diameter 4 mm, vision 25 degree	\$ 2,044.82
A-9	8487.01	HOOK PUNCH WITH SCOOP Ø 2.7MM - jaw straight, sheath straight, WL 130mm	\$ 952.55
A-8B	8487.04	HOOK SCISSORS Ø 2.7MM - jaw straight, sheath straight, WL 130mm	\$ 952.55
A-8B	8488.02	HOOK SCISSORS Ø 3.4MM - jaw straight, sheath straight, WL 130mm	\$ 952.55
A-8B	8488.04	HOOK SCISSORS Ø 3.4MM - jaw straight, sheath straight, WL 130mm	\$ 952.55
A-9	8489.04	HOOK SCISSORS Ø 4.5MM - jaw straight, sheath straight, WL 130mm	\$ 952.55
A-8B	8517.00	URETHROTOME 15-45FR WL 236MM - by Otis, with 3 exchangeable tips: straight, curved and ball-shaped, cutting position 12 O'clock, reusable	\$ 1,252.18
A-9	8517.01	URETHROTOME 12-24FR WL 140MM - by Keitzer, cutting position 12 O'clock, reusable	\$ 2,296.58
A-8B	8517.90	KNIFE - spare for 8517.00, reusable	\$ 77.96
A-8B	8517.91	KNIFE - spare for 8517.01, reusable	\$ 112.93
A-9	8518.02	CANNULA FOR ASPIRATION Ø 4.1MM WL 160MM - PACK=1 PC, reusable	\$ 271.82
A-8B	8518.03	GUIDE SLEEVE Ø 6MM 107MM - lateral opening, Length 121mm, reusable	\$ 175.91
A-9	8518.04	STABILISATION DISC Ø 5.5MM 86MM - Length 152mm, reusable	\$ 521.61
A-41	8518.07	OVERFLOW CANNULA Ø 4.1MM WL 160MM - PACK=1 PC, reusable	\$ 147.04
A-9	8518.11	TROCAR TIP TRIANGULAR WL 147MM	\$ 147.42
A-9	8529.50	SUPPORT BRIDGE - "Goettingen", including mounting blocks	\$ 2,826.57
A-8B	8558.03	EVACUATOR - , reusable	\$ 120.92
A-9	8558.14	ADAPTER 56MM - for Evacuator, reusable	\$ 75.35
A-8B	8558.83	SPARE PRESSURE AND SUCTION BALL - for Evacuator, reusable	\$ 17.23
A-9	8558.93	SPARE CYLINDER - for Evacuator, reusable	\$ 132.29
A-9	8562.20	LEG HOLDER FOR ARTHROSCOPY	\$ 4,338.88
A-200	8577.00	GUYON'S CATHETER INTRODUCER - , reusable	\$ 74.70
A-9	8580.91	STERILE ADAPTER - Plug-eyepiece for endoscope exchange under sterile conditions, lock mechanism	\$ 662.65
A-8B	8590.08	BOUGIE 8FR WL 270MM - light curved, TL 347mm, reusable	\$ 93.68
A-8B	8590.10	BOUGIE 10FR WL 270MM - light curved, TL 347mm, reusable	\$ 89.17
A-8B	8590.12	BOUGIE 12FR WL 270MM - light curved, TL 347mm, reusable	\$ 86.08

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8590.14	BOUGIE 14FR WL 270MM - light curved, TL 347mm, reusable	\$ 89.17
A-8B	8590.16	BOUGIE 16FR WL 270MM - light curved, TL 347mm, reusable	\$ 90.79
A-8B	8590.18	BOUGIE 18FR WL 270MM - light curved, TL 347mm, reusable	\$ 90.79
A-8B	8590.20	BOUGIE 20FR WL 270MM - light curved, TL 347mm, reusable	\$ 87.70
A-8B	8590.22	BOUGIE 22FR WL 270MM - light curved, TL 347mm, reusable	\$ 90.79
A-8B	8590.24	BOUGIE 24FR WL 270MM - light curved, TL 347mm, reusable	\$ 94.02
A-8B	8590.26	BOUGIE 26FR WL 270MM - light curved, TL 347mm, reusable	\$ 90.94
A-8B	8590.28	BOUGIE 28FR WL 270MM - light curved, TL 347mm, reusable	\$ 90.94
A-8B	8590.30	BOUGIE 30FR WL 270MM - light curved, TL 347mm, reusable	\$ 94.02
A-8B	8591.90	BOUGIE 10FR WL 600MM - for urethral dilation, TL 600mm, flexible, cannulated, reusable	\$ 90.70
A-8B	8591.92	BOUGIE 12FR WL 600MM - for urethral dilation, TL 600mm, flexible, cannulated, reusable	\$ 90.70
A-8B	8591.94	BOUGIE 14FR WL 600MM - for urethral dilation, TL 600mm, flexible, cannulated, reusable	\$ 90.70
A-8B	8592.01	ORIFICE DILATOR 10-20FR WL 84MM - metal, TL 149mm, reusable	\$ 83.83
A-9	8592.02	ORIFICE DILATOR 15FR WL 119MM - metal, TL 114mm, reusable	\$ 156.67
A-8B	8595.19	BOUGIES 19-28FR WL 195MM - set with 10 pcs, gradation 1Fr, TL 210mm, reusable	\$ 904.64
A-9	8596.01	BOUGIES 8-22FR WL 236MM - set with 8 pcs, gradation 2Fr, TL 250mm, reusable	\$ 1,047.17
A-9	8599.80	COAG ELECTRODE MONO 5FR WL 600MM - for uretero renoscopy, electrode shape: button, PACK=1 PC, reusable	\$ 109.94
A-8B	862309	HOOK ELECTRODE BIPO 22-26FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 22/24/26, Fr, electrode shape: hook, fork color blue, stem color yellow, PACK=1 PC, for Shark Resectoscope, unsterile, for singl	\$ 285.53
A-8B	8626.65	RIGID GRASP. FORCEPS 5FR WL 340MM - fine-toothed, double action, TL 450mm, non-dismantling, reusable	\$ 450.74
A-8B	8640.16	CANNULA FOR INJECTION Ø 0.7MM WL 525MM - PACK=1 PC, reusable	\$ 120.92

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8642.60	RIGID BIOPSY FORCEPS 5FR WL 340MM - double action, TL 443mm, non-dismantling, reusable	\$ 445.26
A-9	8642.65	RIGID GRASP. FORCEPS 5FR WL 430MM - pike-mouth, double action, TL 528mm, non-dismantling, reusable	\$ 555.11
A-8B	8645.60	RIGID BIOPSY FORCEPS 7FR WL 325MM - double action, TL 430mm, non-dismantling, reusable	\$ 578.55
A-8B	8645.65	RIGID BIOPSY FORCEPS 7FR WL 325MM - double action, TL 450mm, non-dismantling, reusable	\$ 578.55
A-8B	8653.18	OBTURATOR RESECTOSCOPE 19FR - color code black, for WL 230mm, distal tip dull, compatible with inner sheath 8653018 and 8653019 for Princess resectoscope 21Fr with continuous irrigation, reusable	\$ 167.66
A-8B	865319	VIEWING OBTURATOR RESECTOSCOPE 19FR - color code black, for WL 230mm, hollow and atraumatic distal tip, compatible with inner sheath 8653018 and 8653019 for Princess resectoscope 21Fr with continuous irrigation, and telescopes Ø 2.7mm, 12°, automatic	\$ 557.27
A-8B	8654.11	OBTURATOR RESECTOSCOPE 22FR - color code green, WL 236mm, round, rounded distal end, compatible with E-Line sheath 8654014, reusable	\$ 100.14
A-8B	8654.12	OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 236mm, round, rounded distal end, compatible with E-Line sheaths 8654024, 8663024, 8655084, reusable	\$ 96.19
A-8B	8654.13	OBTURATOR RESECTOSCOPE 26FR - color code black, WL 236mm, round, rounded distal end, compatible with E-Line sheath 8654034, reusable	\$ 100.31
A-9	865415	OBTURATOR RESECTOSCOPE 22FR - color code green, WL 231mm, round, rounded distal end, compatible with E-Line sheath 8655324, reusable	\$ 149.71
A-8B	8654.16	OBTURATOR RESECTOSCOPE 22FR - color code green, WL 230mm, round, rounded distal end, compatible with E-Line sheaths 8654064, 8663064, 8655344, 8655144, reusable	\$ 100.31
A-8B	8654.17	OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 230mm, round, rounded distal end, compatible with E-Line sheaths 8654074, 8661074, 8663074, 8655384, 8654374, 8661374, 8663.374, reusable	\$ 100.31
A-8B	8654.18	OBTURATOR RESECTOSCOPE 26FR - color code black, WL 231mm, round, rounded distal end, compatible with E-Line sheaths 8654084, 8663084, 8655394, 8654384, 8661384, 8663384, reusable	\$ 96.19
A-9	8654.27	CURETTE 22-24FR - reusable	\$ 131.93

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8654.67	OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 130mm, round, flexible distal end, reusable	\$ 354.51
A-8B	8654.68	OBTURATOR RESECTOSCOPE 26FR - color code black, WL 130mm, round, flexible distal end, compatible with E-Line sheaths 8654084, 8663084, 8655394, 8654384, 8661384, 8663384, reusable	\$ 335.31
A-9	8654.90	WORKING ELEMENT FOR PUNCH-LITHO 24-28FR - closed, SL 242mm, round, distal end straight, compatible with sheaths from 24-28Fr, continuous irrigation sheaths from 26Fr, and telescopes Ø 4mm, 0°-30°, reusable	\$ 2,466.22
A-9	8658.02	LITHOTRIPTOR PUNCH LITHOTRIPSY 25.5FR - round, distal end straight, with forceps handle, compatible with telescopes Ø 4mm, 70°, bayonet-cap, reusable	\$ 6,927.29
A-9	8666.28	SCALPEL 16FR SEMICIRCULAR - for resectoscope, telescope Ø 3.3mm, cutting position 6 O'clock, for cutting urethral strictures, reusable	\$ 139.85
A-8B	8667.93	SCALPEL 20.5FR SICKLE SHAPED - for optical urethrotomes, massive, 12 O'clock cutting position, for cutting urethral strictures, reusable	\$ 98.94
A-9	8667.94	SCALPEL 20.5FR HOOK-SHAPED - for optical urethrotomes, massive, 12 O'clock cutting position, for cutting urethral strictures, reusable	\$ 139.85
A-8B	8667.95	SCALPEL 20.5FR WAVE-SHAPED - for optical urethrotomes, massive, 12 O'clock cutting position, for cutting urethral strictures, reusable	\$ 98.94
A-8B	8667.96	SCALPEL 20.5FR SEMICIRCULAR - for optical urethrotomes, massive, 12 O'clock cutting position, for cutting urethral strictures, reusable	\$ 98.94
A-8B	8667.98	SCALPEL 20.5FR LANCET SHAPED - for optical urethrotomes, massive, 12 O'clock cutting position, for cutting urethral strictures, reusable	\$ 98.94
A-9	8668.12	OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 279mm, round, rounded distal end, compatible with E-Line sheath 8668024, reusable	\$ 229.52
A-8B	8677.26	ADAPTER FOR URETERAL RESECTOSCOPE - TL 68mm, compatible with sheath 8724021, and telescope 8720401, with introduction port, bayonet-cap, reusable	\$ 281.72
A-8B	8677.93	SCALPEL 11.5FR SICKLE SHAPED - for optical urethrotomes, cutting position 6 O'clock, for cutting urethral strictures, reusable	\$ 98.94
A-8B	8677.94	SCALPEL 11.5FR HOOK-SHAPED - for optical urethrotomes, cutting position 6 O'clock, for cutting urethral strictures, reusable	\$ 98.94

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8688.94	SCALPEL 8.5FR HOOK-SHAPED - for optical urethrotome, telescope Ø 1.9mm, cutting position 12 O'clock, for cutting urethral strictures, reusable	\$ 98.94
A-8B	8688.98	SCALPEL 8.5FR LANCET SHAPED - for optical urethrotome, telescope Ø 1.9mm, cutting position 12 O'clock, for cutting urethral strictures, reusable	\$ 94.81
A-8B	8693.93	SCALPEL 8.5FR SICKLE SHAPED - for optical urethrotome, telescope Ø 1.9mm, cutting position 12 O'clock, for cutting urethral strictures, reusable	\$ 98.94
A-8B	8693.96	SCALPEL 8.5FR HALF-MOON SHAPED - for optical urethrotome, telescope Ø 1.9mm, cutting position 12 O'clock, for cutting urethral strictures, reusable	\$ 94.81
A-9	8741.80	COAG ELECTRODE MONO 3FR WL 920MM - for uretero renoscopy, electrode shape: button, PACK=1 PC, reusable	\$ 139.85
A-8B	8838.60	SEALING CAP - for handpiece 8838.90, reusable	\$ 86.57
A-9	8840.20	TEM BASIS PART - for TEM tubes, reusable	\$ 2,819.84
A-8B	8840.25	ADAPTER - with observation window and illumination insert, for main element 8840.20, reusable	\$ 751.50
A-8B	884080	STEREO-ENDOSCOPE 50° Ø 13.8MM SL 259MM - rigid, with direct Stereo-and lateral documentation ocular lens, with irrigation channel, TL 410mm, rod lens system	\$ 31,517.59
A-8B	8852.90	ADAPTER - reusable	\$ 46.72
A-9	886.231	METAL ADAPTER FOR INSUFFLATOR - reusable	\$ 55.43
A-8B	8863.75	MARKING ROD Ø 4MM - PACK=1 PC, conical-dull, TL 325mm, reusable	\$ 57.65
A-9	8863.80	HOOK PROBE TL 228MM SZ 4.4MM - reusable	\$ 274.48
A-9	8913.01	TROCAR SLEEVE STRAI. CAP 7.3MM WL 74MM - PACK=1 PC, stainless steel-sheath tube smooth, distal tip straight, with universal sealing valve, with insufflation valve, reusable	\$ 189.65
A-9	8913.11	TROCAR TIP DULL SZ 7.3MM TL 108MM - PACK=1 PC, distal tip rounded-dull, reusable	\$ 97.58
A-9	8913.60	OPT. FORCEPS Ø 7MM WL 281MM - smooth, double opening, TL 351mm, reusable	\$ 1,331.64
A-9	8928.90	TISSUE RETRACTORS - S-shaped, set of two	\$ 155.30
A-9	8934.15	OBTURATOR DULL Ø 10MM TL 174MM - TL 174mm, for 8923.014 and 8934.901, reusable	\$ 92.07
A-9	8934.95	DILATATION SLEEVE SZ 10MM WL 172MM - for puncture extension from Ø 5.5mm to Ø 10mm, with sealing cap, reusable	\$ 173.32
A-9	8934.98	SLEEVE REDUCER 10 ZU 5MM - reusable	\$ 114.90
A-8B	8943.60	TROCAR SLEEVE Ø 15MM WL 100MM - reusable	\$ 393.27

A-9	8950.28	FLEX. SCISSORS 5FR WL 250MM - retrograde cutting, single action, TL 380mm, non-dismantling, reusable	\$ 599.17
A-9	8950.66	FLEX. GRASP. FORCEPS 5FR WL 550MM - double action, TL 710mm, non-dismantling, reusable	\$ 553.81
A-9	8952.60	RIGID BIOPSY FORCEPS 5FR WL 550MM - fine-toothed, double action, TL 700mm, non-dismantling, reusable	\$ 638.02
A-9	8952.65	RIGID GRASP. FORCEPS 5FR WL 550MM - double action, TL 700mm, non-dismantling, reusable	\$ 638.02
A-8B	8953.60	FLEX. GRASP. FORCEPS 3.5FR WL 550MM - fine-toothed, double action, TL 700mm, non-dismantling, reusable	\$ 629.41
A-8B	8954.68	RIGID GRASP. FORCEPS 5FR WL 550MM - double action, TL 653mm, non-dismantling, reusable	\$ 460.37
A-8B	8955.06	DILATOR 6FR - rigid, cannulated, TL 500mm, reusable	\$ 78.33
A-8B	8955.27	TELESCOPE DILATOR 9-27FR - set with 7 pcs, gradation 3Fr, TL 230mm, reusable	\$ 619.78
A-8B	8959.68	RIGID GRASP. FORCEPS 5FR WL 430MM - pike-mouth, double action, TL 528mm, non-dismantling, reusable	\$ 436.51
A-9	8960.02	MEDIASTINOSCOPE WL 140MM - model Freiburg, outer dimension Ø 26mm, TL 198mm, with integrated light carrier, reusable	\$ 813.56
A-9	8960.03	MEDIASTINOSCOPE WL 170MM - model Freiburg, outer dimension Ø 26mm, TL 168mm, with integrated light carrier, reusable	\$ 843.79
A-8B	8962.19	DILATOR 9FR - for introduction of a second guide wire, TL 600mm, reusable	\$ 71.46
A-8B	8962.55	FLEX. GRASP. FORCEPS 7.5FR WL 375MM - fine-toothed, double action, TL 500mm, non-dismantling, reusable	\$ 710.23
A-9	8985.11	SHEATH FOR HYSTEROSCOPE 10.5FR - WL 255mm, round, distal end straight, compatible with telescopes Ø 2.7mm, 12°, with Luer connection, bayonet-cap, reusable	\$ 559.32
A-8B	8988.11	OBTURATOR FOR HYSTEROSCOPE 21FR - for WL 205mm, distal tip dull, compatible with sheath 898803 21Fr for diagnostic hysteroscopy, reusable	\$ 127.80
A-8B	8988.22	INSERT DOUBLE CHANNEL - 7 Fr., without Albarran deflector, with additional irrigation tap and rubber cap (18.01_/18.005)	\$ 601.92
A-9	8989.61	OPT.BIOPSY FORCEPS SL 205MM - jaw left curved, for telescope 30° Ø 4mm, TL 319mm, compatible with 21Fr sheath 898801 and 898803, reusable	\$ 1,210.27

A-9	8989.64	OPT. SCISSORS SL 205MM - left curved, for telescope 30° Ø 4mm, TL 315mm, compatible with 21Fr sheath 898801 and 898804, reusable	\$ 1,052.68
A-9	8992.63	RIGID BIOPSY FORCEPS 7FR WL 309MM - straight with fine toothing, double action, TL 409mm, reusable	\$ 538.70
A-9	8992.64	RIGID HOOK SCISSORS 7FR WL 309MM - through cutting, single action, TL 416mm, reusable	\$ 538.70
A-9	8992.68	RIGID BIOPSY FORCEPS 7FR WL 308MM - hook-shaped, through-cutting, single action, TL 409mm, reusable	\$ 560.68
A-9	127.0005	HAND BLOWER - for single use	\$ 91.60
A-8B	2012.901	SECRETION COLLECTING BOTTLE - for Roller suction pump 2207001, 165mm, reusable	\$ 29.09
A-41	2026.631	ASSEMBLY CO2 HOSE YOKE MANOMETER - reusable	\$ 387.62
A-41	2030.103	FOOTSWITCH 1 PEDAL	\$ 164.03
A-8B	2030108	FOOTSWITCH 1 PEDAL - for Piranha Suction Pump 2208	\$ 362.18
A-9	2030.231	FOOTSWITCH	\$ 247.68
A-9	2167.951	CLASSIC PILLOWPACK	\$ 19.83
A-9	2167.955	SPANNER SPECIAL - reusable	\$ 33.88
A-9	2203.011	ARTHRO IRRIGATION PUMP 150MMHG - for arthroscopy , for fluid management of irrigation fluid in joints, with instrument recognition, LCD Display, connection for footswitch and remote control, max. flushing performance 1.5ml/min, U: 100-240VAC, 50/60Hz	\$ 5,794.11
A-9	2207.011	SUCTION PUMP - for US Litho 2271, with speed control for pressure setting between 0.1 and 0.6 bar, U: 100-230VAC/ 50/60Hz, Dim. (wxhxd): 320x120x225mm	\$ 7,651.68
A-9	2207.961	FLOW SENSOR CABLE - for Roller suction pump 2207001, reusable	\$ 152.66
A-9	2207.966	FLOW SENSOR - for Roller suction pump 2207001, reusable	\$ 951.52
A-9	2207.976	TURN LOCK - for Roller suction pump 2207001, reusable	\$ 617.61
A-9	2207.991	CONNECTION CABLE - for Roller suction pump 2207001, reusable	\$ 334.13
A-8B	2208011	SUCTION PUMP - microprocessor controlled high-performance suction pump with LCD display, U: 100-240VAC/ 50/60Hz, Dim. (wxhxd): 340x105x420mm	\$ 8,263.39
A-8B	2208120	COLLECTING CONTAINER - in connection with Medela secretion container 2000ml 8170655, PACK=10 PCS	\$ 240.36

A-8B	2208121	CONNECTION CABLE - to Suction pump Piranha 2208, reusable	\$ 131.56
A-9	2215.972	SUCTION FLUID CANISTER 3000 ML - for single use	\$ 221.26
A-9	2215.973	WIRE RINGS FOR SUCTION CANISTER - reusable	\$ 48.72
A-9	2215.974	IV POLE 2 HOOKS - reusable	\$ 240.02
A-8B	2215.991	BRACKET - for irrigator stands, reusable	\$ 137.42
A-8B	2215.992	BRACKET - for fixing the suction container on irrigator stand or MUT cart, reusable	\$ 219.84
A-9	2221.901	HYGIENE-FILTER - PACK=50 PCS, for Resection Pump 2228, Piranha Suction Pump 2208, sterile, for single use	\$ 288.59
A-9	2221.951	BOTTLE HOLDER FOR GAS BOTTLE Ø 80-90MM - for holding CO2 bottles, Ø 80-90mm	\$ 111.46
A-9	2221.952	BOTTLE HOLDER FOR GAS BOTTLE Ø 100-115MM - for holding CO2 bottles, Ø 100-115mm	\$ 156.80
A-8B	2222.011	HYSTERO IRRIGA. PUMP 150MMHG - for hysteroscopy, for uterus dilation via fluid irrigation, with instrument recognition, max. flushing performance 500ml/min, U: 100-240VAC, 50/60Hz, Dim. (wxhxd): 330x155x390mm	\$ 4,860.36
A-9	2222.223	FLUID MANAGERMENTS	\$ 9,773.18
A-9	2222.911	TRANSPARENT SPLASH GUARD - reusable	\$ 374.79
A-8B	2223.011	FLUID MANAGER SCALE/STAND UNIT - reusable	\$ 5,931.30
A-41	2228.802	TUBE INSERT - for hysteroscopy, for the suction of tissue during resection	\$ 240.36
A-9	2228.901	OVERFLOW PROTECTION/BACTERIA FILTER - PACK=10 PCS, for Resection Pump 2228, Piranha Suction Pump 2208, for single use	\$ 159.17
A-8B	2232.211	TEM - COMBINATION-UNIT BNDL	\$ 14,398.00
A-9	2232.641	LAPARO-CO2-PNEU 2232 FR 45L/MIN - US version, LED, buttons, U: 100-230VAC, 50/60Hz, Dim. (wxhxd): 330x155x390mm	\$ 8,785.53
A-9	2232.644	TEM PUMP - US version, U: 100-230VAC, 50/60Hz, Dim. (wxhxd): 330x100x390mm	\$ 6,768.36
A-8B	2232.841	UNIVERSAL BOTTLE HOLDER - for irrigation bottle, reusable	\$ 113.27
A-8B	2232.852	CO2 CONNECTING TUBE	\$ 125.29
A-8B	2232.981	CONNECTION CABLE - reusable	\$ 154.29
A-9	2235101	SOFTWARE MODULE CAN-BUS - for INSUFFLATOR HIGHFLOW 45, for activation of CAN-Bus interface for CORE integration	\$ 707.57
A-9	2235103	SOFTWARE MODULE VIDEO WINDOW - for INSUFFLATOR HIGHFLOW 45, for activation of the video window by DIALOG via CAN-BUS	\$ 408.94

A-9	2235601	INSUFFLATOR 45 BASIC FR 45L/MIN - base version, US version, compatible with core nova, touch screen, color display, U: 100-240VAC, 50/60Hz, Dim. (wxhxd): 300x160x455mm	\$ 8,902.93
A-9	2235611	INSUFFLATOR 45 EVAC FR 45L/MIN - US version, compatible with core nova, touch screen, color display, with smoke evacuation, U: 100-240VAC, 50/60Hz, Dim. (wxhxd): 300x160x455mm	\$ 9,257.51
A-9	2271.004	ULTRASOUND GENERATOR - for urological intracorporeal lithotripsy, U: 120-127VAC, 50/60Hz, Dim. (wxhxd): 320x105x360mm	\$ 12,067.30
A-45	2271.501	TRANSDUCER Ø 28.5MM WL 145MM	\$ 1,933.17
A-41	2280.991	CONNECTION CABLE - for RIWOLITH probes	\$ 607.42
A-9	2303.011	MOTOR CONTROL UNIT 2303 - for Urology and Orthopedics, for connection of the motor handpiece PPIRANHA M4, connection possible to a motor handpiece and a footswitch, 5" LCD monochrome Display, communication interface for Piranha suction pump, U: 100-1	\$ 10,418.85
A-9	2303.901	FOOTSWITCH 2 PEDALS - for Power Control Motor Control Unit	\$ 1,008.58
A-8B	2304.007	MOTOR CONTROL UNIT 2304 - for Orthopedics, Spine surgery and Bronchoscopy, for connection of handpieces M4, M5/0, M5/3, S1 and M1, connection for two handpieces and a footswitch, 5.7" monochrome Display, compatible with core, U: 120VAC, 50/60Hz, Dim.	\$ 7,416.63
A-8B	2304.901	FOOTSWITCH 2 PEDALS - for Power Drive ART1 Motor Control Unit	\$ 1,151.52
A-9	2307101	MOTOR CONTROL UNIT 2307 - for Gynecology, for connection of handpiece 80951.0002, connection possible for a handpiece and a footswitch, LED-Display, U: 230 VAC, 50/60 Hz, Dim. (wxhxd): 120x115x180mm	\$ 1,959.69
A-9	2307102	FOOTSWITCH 1 PEDAL - for MOTOR CONTROL UNIT 2307, Dim. (wxhxd): 75x65x240mm	\$ 584.31
A-8B	2343.902	FOOTSWITCH BIPO - reusable	\$ 1,093.57
A-8B	2345.001	RF SURGERY GENERATOR BIPO - reusable	\$ 19,594.07
A-8B	2345.901	FOOTSWITCH BIPO - reusable	\$ 1,171.96
A-9	2412050	LAMP MODULE HALOGEN 50W - Metal halide lamp 50 Watt incl. mounting ring.	\$ 1,021.66
A-9	2412.115	LAMP XENON 180W	\$ 721.11
A-9	2426.151	LAMP HALOGEN 250W	\$ 23.43
A-9	2431.101	LAMP MODULE XENON 300W - incl. operation hours counter	\$ 960.06
A-9	2431.121	LAMP MODULE XENON 300W	\$ 1,006.98
A-9	415.0030	HF CABLE TL 10FT MONO - for single use	\$ 98.38

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	4170.223	IRRIGATION TUBE SET SPIKE L 3M - with Y-piece, PVC, PACK=10 PCS, with 2 piercing spikes, for Fluid Control Arthro 2203, 2202,-Hystero 2222, -Uro 2224, -Lap 2215, sterile, for single use	\$ 330.74
A-8B	4170.224	IRRIGATION TUBE SET SAFE LOCK L 3M - with Y-piece, PVC, PACK=10 PCS, with Safe Lock, for Fluid Control Arthro 2203, 2202,-Hystero 2222, -Uro 2224, -Lap 2215, sterile, for single use	\$ 432.01
A-9	4170.225	SUCT./IRRIG.TUBE SET SPIKE L 3M - PVC, PACK=10 PCS, for suction irrigation handle 8385.901 and Laparo Pump, sterile, for single use	\$ 535.47
A-9	4170.226	DAILY IRRIG. TUBE SET WITH SPIKE - with Y-piece, PVC, PACK=10 PCS, with 2 piercing spikes, for Fluid Control Arthro 2203, sterile	\$ 354.55
A-9	4170.229	DAILY IRRIG. TUBE SET WITH SAFE LOCK - with Y-piece, PVC, PACK=10 PCS, for Fluid Control Arthro 2203, sterile	\$ 381.21
A-8B	4170503	SMOKE ASPIRATION TUBE SET L 2.7M - PVC, PACK=10 PCS, for insufflators 45 2235011, 2235031, 2235611 and 2235631, sterile, for single use	\$ 168.79
A-9	4170504	SMOKE EVACUATION FILTER - PACK=10 PCS, sterile, for single use	\$ 96.11
A-9	4170.512	INSUFFLATOR TUBING SET - for single use	\$ 105.32
A-8B	4170.801	TEM TUBE SET - insufflation tube, irrigation tube, suction tube, tube for pressure measurement, tube for roller pumps, connection tube for irrigation cannulas to roller pumps, PVC, for TEM pumps, sterile, for single use	\$ 147.74
A-9	4170.901	TUBE SET L 5M - with Y-piece, PVC, PACK=10 PCS, for Fluid Control Hystero 2222, sterile, for single use	\$ 157.24
A-9	4171.111	HYGIENE-FILTER - for single use	\$ 113.69
A-9	4171.121	PROTECTION FILTER FOR GAS FILTRATION - for single use	\$ 23.40
A-9	4653.023	ROLLER ELECTRODE BIPO 21/24.5FR - for hysteroscopy, for continuous irrigation sheaths, 21/ 24.5, Fr, electrode shape: roller, fork color transparent, stem color blue, PACK=3 PCS, for use in combination with the Princess resectoscope, sterile, for sin	\$ 1,073.33
A-9	4653033	HOOK ELECTRODE 21/24.5FR - for hysteroscopy, for continuous irrigation sheaths, 21/ 24.5, Fr, electrode shape: hook, fork color transparent, stem color blue, PACK=3 PCS, for use in combination with the Princess resectoscope, sterile, for single use	\$ 956.38
A-9	4712348	UNIVERSAL SEALING VALVE 1-6FR - for introducing instruments from 1-6Fr, PACK=5 PCS, sterile, for single use	\$ 88.03

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	4792.802	PUNCTURE NEEDLE SET 18G WL 250MM - PACK=10 PCS, sterile, for single use	\$ 341.01
A-8B	4792.803	PUNCTURE NEEDLE SET 18G WL 150MM - PACK=10 PCS, sterile, for single use	\$ 341.01
A-8B	4793.692	TRIGGER-FLEX BIPOLAR SYSTEM - Ø 2.5mm, WL 40cm, with fixed handle and cable, for single use, sterile	\$ 446.83
A-9	4840764	TITANIUM CLIP FOR TEM - with bracket, PACK=10x 6 PCS, for clip applicator 8840.7621, sterile, for single use	\$ 1,285.33
A-9	5052.912	RS 232 CONNECTION CABLE	\$ 15.68
A-9	5142001	LIGHT SOURCE X 300 300W - Xenon short arc lamp, LED, buttons, universal light cable connection, 6000K, U: 100-240VAC, 50/60Hz, Dim (wxhxd) 300x160x400mm	\$ 5,657.11
A-9	5142002	LIGHT SOURCE X 300 300W - Xenon short arc lamp, dialog function, touch screen, color display, compatible with core nova, universal light cable connection, 6000K, U: 100-240VAC, 50/60Hz, Dim (wxhxd) 300x160x400mm	\$ 8,992.39
A-9	5160011	LIGHT SOURCE LED 1.1 76W	\$ 2,909.28
A-9	5161011	LIGHT SOURCE LED 1.2 76W	\$ 3,779.83
A-9	5163001	LIGHT SOURCE LED 2.1 80W - LED, low operating noise level, LED, buttons, WOLF light cable connection, 6500K, U: 100-240VAC, 50/60Hz, Dim (wxhxd) 300x160x424mm	\$ 5,405.13
A-9	5164001	LIGHT SOURCE LED 2.2 80W - LED, low operating noise level, dialog function, LED, buttons, compatible with core nova, universal light cable connection, 6500K, U: 100-240VAC, 50/60Hz, Dim (wxhxd) 300x160x424mm	\$ 6,232.16
A-9	5166001	LIGHT SOURCE FLEX LED 42W - LED, low operating noise level, LED, buttons, WOLF light cable connection, 6500K, U: 100-240VAC, 50/60Hz, Dim (wxhxd) 150x55x220mm	\$ 2,312.56
A-9	5257.271	ANGLED LENS BEAM SPLITTER F 27MM - C-Mount, lock mechanism	\$ 2,414.83
A-9	5261504	ZOOM LENS F 13-29MM - with C-mount connector and Snap-on lock, immersible, f = 13 - 29mm, optimized for 1/3# image sensors	\$ 1,959.80
A-8B	5365.250	PRINTER UP-25MD - reusable	\$ 1,461.50
A-9	5365.551	LARGE PRINT PACK - reusable	\$ 179.81
A-9	5365.656	CONVERTER BOX DVI TO RGBS - reusable	\$ 599.48
A-9	5365.736	DIGITAL HD RECORDER HVO1000MD - reusable	\$ 8,738.73
A-9	5365.855	DIGITAL PRINTER UPDR-80MD - reusable	\$ 1,711.39
A-8B	5365.915	SINGLE FOOT SWITCH - reusable	\$ 142.39

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	5370215	LCD MONITOR HIGH LMD-1530MD - SONY LMD-1530MD, HIGH DEFINITION 15 INCH, 15 inch LCD, Resolution 1280x786 Pixel (WXGA), Aspect: 15:9, Viewing angle: 178°(V), 178°(H), Display color: 16.770.000, VESA 100 mounting (100x100mm), Signals: 1x Composite (BNC	\$ 1,930.45
A-9	5502.991	REMOTE CABLE 1.5M	\$ 7.88
A-9	5510.891	UNIVERSAL CAMERA DRAPE - for single use	\$ 397.28
A-9	5514655	HD PERFORMANCE ENDOCAM SET	\$ 5,033.39
A-9	5514751	PERFORMANCE HD CAMERA CONTROL UNIT	\$ 2,851.61
A-9	5514951	PERFORMANCE HD CAMERA HEAD - reusable	\$ 2,116.71
A-8B	5514961	PERFORMANCE CAMERA HEAD CABLE 4M - C-Mount, 1 chip, 60Hz, 2 camera-head buttons, Sensor size: 1/2"	\$ 2,524.56
A-9	5520.401	MANUAL REMOTE CONTROL - reusable	\$ 416.28
A-9	5521101	FLEX HD CAMERA CONTROLLER - LED, buttons, Output: 1x HDMI, Resolution:1920x1080, U: 100-240VAC, 50/60Hz, Dim (wxhxd) 150x58x230mm	\$ 2,818.19
A-9	5521902	FLEX HD CAMERA HEAD CABLE 2,5M - C-Mount, 1 chip, 2 camera-head buttons, Sensor size: 1/3"	\$ 2,347.84
A-9	5525106	LOGIC HD CAMERA CONTROLLER - touch screen, color display, compatible with core nova, Output: 2x HDMI, 2x 3G-SDI, Input: 1x 3G-SDI (PiP), Capturing video/images on USB, Resolution:1920x1200, U: 100-240VAC, 50/60Hz, Dim (wxhxd) 300x119,5x416mm	\$ 17,460.35
A-9	5525108	LOGIC HD CAMERA CONTROLLER - touch screen, color display, compatible with core nova, Output: 2x HDMI, 2x 3G-SDI, 1x FBAS, 1x S-Video, Input: 1x 3G-SDI (PiP), Capturing video/images on USB, Resolution:1920x1200, U: 100-240VAC, 50/60Hz, Dim (wxhxd) 300	\$ 18,516.58
A-9	5525201	LOGIC HD LITE CAMERA CONTROLLER - LED, buttons, Output: 2x HDMI, Capturing images on USB, Resolution:1920x1200, U: 100-240VAC, 50/60Hz, Dim (wxhxd) 300x119,5x416mm	\$ 11,269.86
A-9	5525401	MANUAL REMOTE CONTROL USB - reusable	\$ 371.92
A-9	5525933	LOGIC HD PENDUAL CAMERA HEAD CABLE 3M - integrated lens, 1 chip, Adjustable: oscillating or straight, 2 camera-head buttons, Sensor size: 1/3"	\$ 10,709.29
A-9	5590.816	CAN-INTERFACE SERIAL DEVICES - reusable	\$ 1,042.44
A-9	5590.830	EMERGENCY STOP MODULE - EMERGENCY STOP Interface module for interrupting the connection to the central control unit used at CORE and RIWO-NET systems, device dimensions interface module WxHxD: 80x90x73 mm, weight approx. 150 g	\$ 744.72

A-9	5592105	TRAY - (PACK=8 PCS) Plastic caps for the protection of RJ45 sockets of the intraoperative network switch that are not used.	\$ 3.92
A-9	5592201	CORE.BROWSER	\$ 3,997.99
A-9	5592501	CORE.CONNECT INTERFACE - reusable	\$ 1,563.92
A-9	5592504	IR-TRANSCIVER - reusable	\$ 858.39
A-9	5592601	DRIVER OPERATING TABLE BERCHTOLD	\$ 39.20
A-9	5592602	DRIVER OPERATING TABLE MAQUET	\$ 39.20
A-9	5592605	DRIVER MONITOR NDS	\$ 39.20
A-9	5592606	DRIVER HF UNIT KLS MARTIN	\$ 39.20
A-9	5592607	DRIVER OPERATING LAMP TRUMPF	\$ 39.20
A-9	5592609	DRIVER OPERATING LAMP BERCHTOLD	\$ 39.20
A-9	5593001	CORE.MEDIA MEDIA PLATFORM - Device for the distribution and documentation of video signals in the operating room as well as for passing on video signals as video streams to applications outside the operating room. The device is controlled via the cor	\$ 15,674.47
A-9	5593101	DOCUMENTATION CHANNEL B - Activation of the second documentation channel in core.media	\$ 3,366.93
A-9	5593201	CORE.CONSLT - core.consult is a Windows PC application. It receives an IP video stream from an operating room and displays it. Bidirectional audio communication between the OR and core.consult is possible. Access to the IP video stream requires an a	\$ 39.20
A-9	5593501	PANEL-MOUNT JACK SOCKET 3.5MM - (PACK=4 PCS) For audio plate	\$ 31.36
A-9	5595.991	CABLE REMOTE CONTROL - for remote control of the MEDIMAGE station, 1x RS-232 on 9-Pin sub-D connector, 2x3,5 mm stereo plug connectors for separate control of the image and video sequence recording	\$ 231.26
A-9	5595.992	FOOTSWITCH - Foot switch with three push buttons for remote control of MEDIMAGE-Station, 1x RS 232 to 9pol. DSUB plug. Cable length: 5m	\$ 509.55
A-9	5597101	CORE.PORTAL - Establishes the connection between the intra-operative networks and the hospital-wide IT systems. Provides various services centrally in all operating rooms. Included are: Installation service Receiving and forwarding of patient lists by	\$ 2,034.27
A-9	5597151	CORE.PORTAL OR-CONNECTOR - Establishes a connection between a specific OR and the core.portal. For each OR one module is required.	\$ 5,013.17

A-9	5597203	MEDIA ARCHIVE FILESHARE - This module requires core.portal. It allows the storage of intraoperative data to an enabled directory in the hospital's IT infrastructure. The module is required once for each file sharing approval.	\$ 388.04
A-9	5597204	MEDIA ARCHIVE DISC PUBLISHING - This module requires core.portal. It allows intraoperative data to be saved to a shared directory in the IT infrastructure of the hospital. A connected automatic CD creator saves the data in this directory to an opti	\$ 701.61
A-9	5597206	MEDIA ARCHIVE ELO - This module requires core.portal as a basis. It connects to the ELO (electronic Leitz folder) office software for the transmission of recorded images. The module requires a licence for each operating room from which data are to be	\$ 701.61
A-9	5597303	CORE.PORTAL SCHEDULING HL7 - This module requires core.portal as a basis. It is used for transmitting demographic patient data or surgery scheduling data from a hospital information system via HL7 messages to core.portal. The module requires a licens	\$ 6,816.18
A-9	5597702	ROOM CAMERA APP - This app requires core.portal. It allows intraoperative control of compatible IP room cameras installed in the same operating room and can control up to 4 room cameras. Previews are being supported. This app is required in each oper	\$ 701.61
A-9	5597703	CONFERENCE ROOM APP - This app requires core.portal as a basis. It transmits the IP-based media stream (audio & video) between operating rooms and the hospital IT to the core.consult software or a video conference system. The app requires one license	\$ 3,445.33
A-9	5597705	AUDIO APP - This app requires core.portal as a basis. It controls a hardware audio processor for the distribution and mixing of audio signals. This app is required once for each controlled device.	\$ 1,407.14
A-9	5597706	CHECKLIST APP - This app requires core.portal. The checklist app is a universal questionnaire and checklist system for collecting information during surgery. Checklists can be defined as customer-specific multilingual templates. The checklists are di	\$ 1,328.74

A-8B	5654.005	MEDICAPTURE USB200 - Digital image capture device incl. LCD display, saving still images and video clips on USB flash drives, PAL / NTSC, incl. USB flash drive and cable accessories, power supply: 100/240V~ 50/60 Hz, dimensions (wxhxd): 240x63x200mm	\$ 3,162.16
A-8B	5654.007	USB300 RECORDER - reusable	\$ 4,791.58
A-8B	6860.901	DISINFECTION BASIN W 200MM L 552MM - for wet preparation for used and contaminated instruments, not autoclavable	\$ 238.73
A-8B	6860.911	DISINFECTION BASIN W 200MM L 881MM - for wet preparation for used and contaminated instruments not autoclavable	\$ 323.20
A-9	7223.001	FIBER-NPL-ENDOSCOPE Ø 3.5MM WL 300MM - flexible, working channel Ø 1.2mm, TL 570mm, deflection +130°/-130°, glass fiber light cable, fiber image carrier, manual focus	\$ 11,388.13
A-9	7224.001	FIBER-NPL-ENDOSCOPE Ø 3.5MM WL 300MM - flexible, without working channel, TL 525mm, deflection +130°/-130°, glass fiber light cable, fiber image carrier, manual focus	\$ 10,101.87
A-9	7264.601	FLEX. GRASPING FORCEPS Ø 2MM WL 800MM - rippled, double opening, TL 936mm, reusable	\$ 454.75
A-9	7264.611	FLEX. BIOPSY FORCEPS Ø 2.2MM WL 1000MM - smooth, double opening, TL 1136mm, reusable	\$ 504.61
A-9	7265.001	FIBER-BRONCHOSCOPE Ø 5MM WL 600MM - flexible, working channel Ø 2.5mm, slanted distal tip, TL 860mm, deflection +130°/-130°, with suction valve, glass fiber light cable, fiber image carrier, manual focus	\$ 16,644.13
A-9	7265.751	IRRIGATION AND PROBE ATTACHMENT - for flexible Endoscopes, reusable	\$ 271.23
A-8B	7265.851	BIOPSY VALVE HOLDER - reusable	\$ 178.64
A-9	7305.001	FIBER-CYSTOSCOPE 15FR WL 400MM - flexible, working channel 7.5Fr, slanted distal tip, TL 660mm, deflection +210°/-150°, glass fiber light cable, fiber image carrier, manual focus	\$ 7,841.60
A-9	7305.006	FIBER-CYSTOSCOPE 15FR WL 400MM - flexible, working channel 7.5Fr, slanted distal tip, TL 660mm, deflection +210°/-150°, glass fiber light cable, fiber image carrier, manual focus	\$ 7,981.10
A-9	7305.781	ADAPTER - TL 36mm, with 2 Luer connections, male, quick-lock, reusable	\$ 209.51
A-9	7305.782	ADAPTER - TL 57mm, with 2 flushing ports and 1 guide port, quick-lock, reusable	\$ 393.03

A-9	7325.071	FIBER-URETERORENOSCOPE 9.6FR WL 680MM - flexible, working channel 3.6Fr, slanted distal tip Ø 6 Fr, TL 1005mm, deflection +270°/-270°, glass fiber light cable, fiber image carrier, manual focus	\$ 9,163.76
A-8B	7325.076	FIBER-URETERORENOSCOPE 9.6FR WL 680MM - flexible, working channel 3.6Fr, slanted distal tip Ø 6 Fr, TL 1005mm, deflection +270°/-270°, glass fiber light cable, fiber image carrier, manual focus	\$ 9,410.22
A-9	7325.122	FIBER-HYSTEROSCOPE Ø 2.5MM WL 200MM - flexible, working channel Ø 1.2mm, TL 450mm, deflection +130°/-130°, glass fiber light cable, fiber image carrier, manual focus	\$ 6,978.69
A-9	7325.152	FIBER-CHOLEDOCHOSCOPE Ø 2.5MM WL 450MM - flexible, working channel Ø 1.2mm, TL 570mm, deflection +130°/-130°, glass fiber light cable, fiber image carrier, manual focus	\$ 7,436.73
A-9	7325.172	FIBER-URETERORENOSCOPE 7.5FR WL 700MM - flexible, working channel 3.6Fr, atraumatic distal tip, TL 950mm, deflection +130°/-160°, glass fiber light cable, fiber image carrier, manual focus	\$ 7,840.54
A-8B	7326071	FIBER-URETERORENOSCOPE 9.9FR WL 680MM - flexible, working channel 1: 3.3Fr, working channel 1: 3.3Fr, slanted distal tip Ø 6 Fr, TL 1010mm, deflection +270°/-270°, laser shifter for laser fiber fixation and guidance, locking lever for the distal tip	\$ 10,641.13
A-8B	7326076	FIBER-URETERORENOSCOPE 9.9FR WL 680MM - flexible, working channel 1: 3.3Fr, working channel 1: 3.3Fr, slanted distal tip Ø 6 Fr, TL 1010mm, deflection +270°/-270°, laser shifter for laser fiber fixation and guidance, locking lever for the distal tip	\$ 10,641.13
A-9	7326911	CLEANING BRUSH - for fiberscopes, for working channel Ø 1.0 - 1.5mm, TL 1200mm, brush length 15mm, brush head Ø 2.2mm	\$ 155.87
A-9	7355071	SENSOR-URETERORENOSCOPE 8.7FR WL 680MM - flexible, working channel 3.6Fr, slanted distal tip Ø 6.6Fr, TL 980mm, deflection +270°/-270°, two function buttons, for connection to ENDOCAM Logic HD, LED-illumination, distal Sensor, Fixfocus	\$ 17,255.88
A-9	7355076	SENSOR-URETERORENOSCOPE 8.7FR WL 680MM - flexible, working channel 3.6Fr, slanted distal tip Ø 6.6Fr, TL 980mm, deflection +270°/-270°, two function buttons, for connection to ENDOCAM Logic HD, LED-illumination, distal Sensor, Fixfocus	\$ 18,578.89

A-9	7356071	SENSOR-URETERORENOSCOPE 9.9FR WL 680MM - flexible, working channel 1: 3.6Fr, working channel 2: 2.4Fr, double slanted distal tip Ø 5.2Fr, TL 980mm, deflection +270°/-270°, laser shifter for laser fiber fixation and guidance, locking lever for the di	\$ 18,831.76
A-9	7356076	SENSOR-URETERORENOSCOPE 9.9FR WL 680MM - flexible, working channel 1: 3.6Fr, working channel 2: 2.4Fr, double slanted distal tip Ø 5.2Fr, TL 980mm, deflection +270°/-270°, laser shifter for laser fiber fixation and guidance, locking lever for the di	\$ 20,275.30
A-9	7990001	CLEANING BRUSH Ø 2MM TL 1200MM - (PACK = 10PCS) For Ø = 1,0 - 1,5mm, TL = 1200mm, brush part L = 10mm	\$ 28.70
A-9	7990002	CLEANING BRUSH Ø 3MM TL 1200MM - (PACK = 10PCS) For Ø = 2,0 - 2,5mm, TL 1200mm, brush part L = 16mm	\$ 32.94
A-9	7990003	CLEANING BRUSH FOR FLEX. ENDOSCOPES - For Ø = 0,85mm, TL = 1200mm, brush part L = 10mm	\$ 51.22
A-9	8062.251	FIBER LIGHT CABLE Ø 2.5MM TL 2.3M	\$ 460.94
A-9	8083.001	HANDLE WITH OVERLOAD PROTECTION - take-apart, reusable	\$ 255.61
A-9	8089.001	ADAPTER PROJECTOR SIDE - for connecting a 4.8mm STORZ light cable to WOLF light sources, reusable	\$ 123.57
A-9	8096.811	ADAPTER PROJECTOR SIDE - for connecting a WOLF light cable to OLYMPUS light sources, reusable	\$ 91.99
A-9	8106.033	HF CONNECTION CABLE MONO L 3M - reusable	\$ 65.17
A-9	8106.053	HF CONNECTION CABLE MONO L 5M - reusable	\$ 79.70
A-9	8106.132	HF CONNECTION CABLE MONO L 3M - reusable	\$ 61.99
A-8B	8108.011	CABLE - for single use	\$ 141.48
A-8B	8108.031	HF CONNECTION CABLE BIPO L 3M - reusable	\$ 155.47
A-41	8108.032	HF CONNECTION CABLE BIPO L 3M - reusable	\$ 155.91
A-9	8108.033	HF CONNECTION CABLE BIPO L 3M - reusable	\$ 168.17
A-8B	8108035	HF CONNECTION CABLE BIPO L 3M - reusable	\$ 151.05
A-8B	8108.051	HF CONNECTION CABLE BIPO L 5M - reusable	\$ 165.66
A-9	8108.053	HF CONNECTION CABLE BIPO L 5M - reusable	\$ 172.14
A-8B	8108055	HF CONNECTION CABLE BIPO L 5M - reusable	\$ 160.79
A-9	8108.131	HF CONNECTION CABLE BIPO L 3M - reusable	\$ 203.48
A-9	8108.133	HF CONNECTION CABLE BIPO L 3M - reusable	\$ 229.43
A-8B	8108135	HF CONNECTION CABLE BIPO L 3M - reusable	\$ 156.01
A-8B	8108155	HF CONNECTION CABLE BIPO L 5M - reusable	\$ 160.79
A-8B	8108.232	HF BIPOLAR CONNECTING CABLE L 3M - for ERBE generators, reusable	\$ 384.78
A-8B	8108.252	HF BIPOLAR CONNECTING CABLE L 5M - for ERBE generators, reusable	\$ 328.06

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8137.041	STONE BASKET 4FR WL 660MM - four-armed, TL 717mm, take-apart, reusable	\$ 349.19
A-45	8150.161	MAXILLARY SUCTION TUBE OD 2.5MM WL 110MM - short curved, reusable	\$ 123.39
A-9	8150.162	NASAL SUCTION TUBE OD 2MM WL 82MM - knee bent, with stylet, reusable	\$ 97.60
A-45	8150.171	MAXILLARY SUCTION TUBE OD 3.3MM WL 110MM - short curved, reusable	\$ 123.39
A-9	8150.172	NASAL SUCTION TUBE OD 3MM WL 90MM - knee bent, with stylet, reusable	\$ 140.76
A-9	8150.181	MAXILLARY SUCTION TUBE OD 4MM WL 110MM - short curved, reusable	\$ 146.99
A-9	8150.191	NASAL SUCTION TUBE OD 4MM WL 190MM - long curved, reusable	\$ 135.32
A-45	8170.121	TUBE FOR SUCTION L 2.6M - silicone, PACK=1 PC, reusable	\$ 151.05
A-9	8170.201	INSUFFLATION TUBE F.2232021/031 L 3M - high-flow with heating coil, for 100 reprocessing cycles, reusable	\$ 639.90
A-8B	8170.223	IRRIGATION TUBE SET SPIKE L 3M - incl. 20 replacement sealing membranes, silicone, PACK=1 PC, with 2 piercing spikes, 20x reusable , for Fluid Control Arthro 2203, 2202,-Hystero 2222, -Uro 2224, -Lap 2215, reusable	\$ 246.86
A-9	8170.401	VACUUM TUBE - silicone, reusable	\$ 58.80
A-9	8170.411	TUBE FOR UNDERPRESSURE MEASURING - silicone, PACK=1 PC, reusable	\$ 27.49
A-9	8170.655	SECRETION CONTAINER 2L - with cover, reusable	\$ 511.59
A-8B	8170.981	SUCTION CONTAINER 3L - includes mounting bracket, reusable	\$ 901.38
A-9	8175.601	HOLDER SCOPE/INSTRUMENT - reusable	\$ 1,852.72
A-9	8211.011	MAXILLARY PUNCH WL 135MM - jaw curved 60° upwards, sheath straight, reusable	\$ 505.72
A-9	8211.021	MAXILLARY PUNCH WL 135MM - jaw 90° curved upwards, sheath straight, reusable	\$ 505.72
A-9	8211.031	MAXILLARY PUNCH WL 135MM - retrograde downwards curved, sheath straight, reusable	\$ 524.96
A-8B	8211.071	MINI-SCISSORS WL 108MM - jaw straight, sheath straight, reusable	\$ 410.90
A-9	8211.091	NASAL FORCEPS WL 100MM - by Weil-Blakesley, jaw straight, sheath straight, reusable	\$ 477.76
A-9	8211.092	NASAL FORCEPS WL 100MM - by Weil-Blakesley, jaw 45° curved upwards, sheath straight, reusable	\$ 477.76
A-9	8211.093	NASAL FORCEPS WL 100MM - by Weil-Blakesley, jaw 90° curved upwards, sheath straight, reusable	\$ 477.76

A-8B	8211.095	NASAL FORCEPS WL 100MM - by Weil-Blakesley, jaw straight, sheath straight with suction channel, reusable	\$ 465.05
A-9	8211.096	NASAL FORCEPS WL 100MM - by Weil-Blakesley, jaw 45° curved upwards, sheath straight with suction channel, reusable	\$ 476.86
A-9	8211.101	NASAL FORCEPS WL 100MM - by Weil-Blakesley, jaw straight, sheath straight, reusable	\$ 470.34
A-9	8211.102	NASAL FORCEPS WL 110MM - by Weil-Blakesley, jaw straight, sheath straight with suction channel, reusable	\$ 465.87
A-9	8211.103	NASAL FORCEPS WL 110MM - by Weil-Blakesley, jaw 45° curved upwards, sheath straight with suction channel, reusable	\$ 494.72
A-9	8211.104	NASAL FORCEPS WL 100MM - by Klossek, jaw straight, sheath straight with suction channel, reusable	\$ 607.42
A-9	8211.105	NASAL FORCEPS WL 95MM - by Klossek, jaw 45° curved upwards, sheath straight with suction channel, reusable	\$ 1,057.29
A-9	8211.111	NASAL FORCEPS WL 115MM - by Weil-Blakesley, jaw straight, sheath straight, reusable	\$ 477.76
A-9	8211.121	NASAL FORCEPS WL 105MM - by Weil-Blakesley, jaw straight, smooth, sheath straight, reusable	\$ 477.76
A-8B	8211.125	NASAL FORCEPS WL 105MM W 3.7MM - jaw straight, through cutting, sheath straight, reusable	\$ 427.38
A-9	8211.131	NASAL FORCEPS WL 105MM - by Weil-Blakesley, jaw 45° curved upwards, smooth, sheath straight, reusable	\$ 477.76
A-9	8211.134	NASAL FORCEPS WL 105MM - by Weil-Blakesley, jaw 45° curved upwards, smooth, sheath straight, reusable	\$ 477.76
A-9	8211.144	NASAL FORCEPS WL 100MM - by Weil-Blakesley, jaw 90° curved upwards, smooth, sheath straight, reusable	\$ 477.76
A-9	8211.185	DOUBLE SPOON FORCEPS WL 100MM - by Binner, jaw pear shaped, smooth, horizontal opening, reusable	\$ 662.38
A-9	8211.186	DOUBLE SPOON FORCEPS WL 100MM - by Kaluskar-Binner, jaw pear shaped, smooth, horizontal opening, reusable	\$ 851.87
A-9	8211.188	DOUBLE SPOON FORCEPS WL 90MM - by Binner, jaw pear shaped, smooth, horizontal opening, curved 80° upwards, reusable	\$ 687.13
A-9	8211.189	DOUBLE SPOON FORCEPS WL 76MM - by Binner, jaw pear shaped, smooth, horizontal opening, curved 120° upwards, reusable	\$ 713.23

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8211.195	DOUBLE SPOON FORCEPS WL 86MM - smooth, horizontal opening, curved 100° upwards, reusable	\$ 566.18
A-9	8211.221	NASAL SCISSORS WL 100MM - left curved, smooth, reusable	\$ 463.13
A-9	8211.222	NASAL SCISSORS WL 100MM - right curved, smooth, reusable	\$ 463.13
A-9	8211.248	SCISSORS PUNCH WL 115MM - right-cutting, through cutting, sheath right curved, reusable	\$ 1,055.32
A-9	8211.249	SCISSORS PUNCH WL 115MM - left-cutting, through cutting, sheath right curved, reusable	\$ 1,055.32
A-9	8211.262	NASAL SCISSORS WL 100MM - curved upward, horizontal opening, sheath straight, reusable	\$ 579.81
A-9	8211.263	NASAL SCISSORS WL 100MM - cvd. downwards, horizontal opening, sheath straight, reusable	\$ 575.81
A-9	8211.511	SIDE PUNCH WL 130MM - right-cutting, sheath straight, reusable	\$ 913.86
A-9	8211.512	SIDE PUNCH WL 130MM - left-cutting, sheath straight, reusable	\$ 913.86
A-8B	8211.531	NASAL FORCEPS WL 108MM - jaw straight, through cutting, sheath straight, reusable	\$ 450.74
A-8B	8211.532	NASAL FORCEPS WL 108MM - jaw 45° curved upwards, through cutting, sheath straight, reusable	\$ 434.25
A-9	8211.551	NASAL FORCEPS WL 100MM - by Wigand, jaw straight, through cutting, sheath straight, reusable	\$ 523.76
A-9	8211.552	NASAL FORCEPS WL 100MM - by Wigand, jaw 45° curved upwards, through cutting, sheath straight, reusable	\$ 589.16
A-9	8211.601	HANDLE - for rotatable mini-punch 8211661, reusable	\$ 225.38
A-8B	8211.611	PUNCH - reusable	\$ 557.94
A-8B	8211.621	PUNCH INSERT WL 94MM - jaw straight, through cutting, sheath straight, TL 220mm, reusable	\$ 351.81
A-8B	8211.651	PUNCH RETROGRADE - by Ostrom-Wolf, retrograde, complete comprising handle 8211.601 and exchangeable forceps attachment 8211.661	\$ 629.41
A-8B	8211.661	FORCEPS ATTACHMENT MINI Ø 3.4MM WL 94MM - by Ostrom-Wolf, retrograde cutting action, rotatable, sheath Ø 3.4mm, sheath straight, reusable	\$ 413.64
A-9	8211.831	RASP TL 195MM - curved, fine, reusable	\$ 215.46
A-9	8211.851	SPOON TL 210MM - by Klossek, trapeze shaped straight/90° curved upwards, double ended, reusable	\$ 122.40
A-8B	8211.861	ANTRUM CURETTE TL 175MM - 75° curved, one ended, reusable	\$ 112.50
A-8B	8211.862	ANTRUM CURETTE TL 170MM - 105° curved, one ended, reusable	\$ 103.07

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8211.882	RASP TL 195MM - curved, rough, reusable	\$ 246.44
A-8B	8211.921	OSTIUM PROBE WL 190MM	\$ 107.18
A-8B	8211.922	MINI-SPOON TL 180MM - both sides 45° curved upwards, double ended, reusable	\$ 111.32
A-8B	8211.931	OSTIUM PROBE TL 190MM - dull, reusable	\$ 103.07
A-9	8211.961	SPOON TL 175MM - straight, one ended, reusable	\$ 111.32
A-9	8214.064	BRONCHOSCOPE-TUBE ID 6.5MM - model Hemer, OD 7.5mm, TL 400mm, with proximal illumination and sampling channel, without distal viewing window, graduated, reusable	\$ 699.49
A-9	8214.072	BRONCHOSCOPE-TUBE ID 7.5MM - model Wolf, OD 8.5mm, TL 400mm, with fixed distal light carrier, without distal viewing window, reusable	\$ 1,111.75
A-9	8214.074	BRONCHOSCOPE-TUBE ID 7.5MM - model Hemer, OD 8.5mm, TL 400mm, with proximal illumination and sampling channel, without distal viewing window, graduated, reusable	\$ 717.34
A-9	8214.082	BRONCHOSCOPE-TUBE ID 8.5MM - model Wolf, OD 9.5mm, TL 400mm, with fixed distal light carrier, without distal viewing window, reusable	\$ 1,111.75
A-9	8214.084	BRONCHOSCOPE-TUBE ID 8.5MM - model Hemer, OD 9.5mm, TL 430mm, with proximal illumination and sampling channel, without distal viewing window, graduated, reusable	\$ 716.06
A-9	8214.092	BRONCHOSCOPE-TUBE ID 9.5MM - model Wolf, OD 10.5mm, TL 400mm, with fixed distal light carrier, without distal viewing window, reusable	\$ 1,111.75
A-9	8214.094	BRONCHOSCOPE-TUBE ID 9.5MM - model Hemer, OD 10.5mm, TL 430mm, with proximal illumination and sampling channel, without distal viewing window, graduated, reusable	\$ 717.34
A-9	8214.102	BRONCHOSCOPE-TUBE ID 10.5MM - model Wolf, OD 11.5mm, TL 430mm, with fixed distal light carrier, without distal viewing window, reusable	\$ 1,144.73
A-9	8214.104	BRONCHOSCOPE-TUBE ID 10.5MM - model Hemer, OD 11.5mm, TL 430mm, with proximal illumination and sampling channel, without distal viewing window, graduated, reusable	\$ 717.34
A-9	8214.124	TRACHEAL SCOPE-TUBE ID 12MM - model Hemer, OD 13mm, TL 350mm, with proximal illumination and sampling channel, without distal viewing window, graduated, reusable	\$ 696.73
A-9	8214.126	BRONCHOSCOPE-TUBE ID 12MM - model Hemer, OD 13mm, TL 430mm, with proximal illumination and sampling channel, without distal viewing window, graduated, reusable	\$ 961.03

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8214.128	TRACHEAL SCOPE-TUBE ID 12MM - model Hemer, OD 13mm, TL 300mm, with proximal illumination and sampling channel, without distal viewing window, graduated, reusable	\$ 1,323.26
A-9	8214.144	TRACHEAL SCOPE-TUBE ID 14MM - model Hemer, OD 15mm, TL 300mm, with proximal illumination and sampling channel, without distal viewing window, graduated, reusable	\$ 961.03
A-9	8215.711	ADAPTER FOR TELESCOPE TL 98MM - reusable	\$ 256.97
A-8B	8215.713	ADAPTER FOR TELESCOPE TL 211MM - reusable	\$ 240.50
A-9	8215.714	ADAPTER FOR TELESCOPE TL 94MM - reusable	\$ 265.23
A-9	8215.715	ADAPTER FOR TELESCOPE TL 124MM - reusable	\$ 265.23
A-9	8215.716	ADAPTER FOR TELESCOPE TL 174MM - reusable	\$ 265.23
A-8B	8228.803	BOTTLE CAP/INSERT - reusable	\$ 262.52
A-9	8238.501	RESPIRATION ADAPTER - in combination with 8210.XXX and 8217.XXX bronchoscope tubes, for rigid bronchoscopes, reusable	\$ 278.63
A-8B	8238.502	JET VENTILATION ADAPTER - for rigid bronchoscopes, reusable	\$ 162.17
A-9	8242.301	HOOK ELECTRODE MONO Ø 5MM WL 340MM - reusable	\$ 274.85
A-9	8242.601	PARENCHYM CLAMP Ø 5MM WL 270MM - by Linder, jaw left curved, TL 402mm, with irrigation connection, reusable	\$ 766.82
A-9	8242.602	PARENCHYM CLAMP Ø 5MM WL 270MM - by Linder, jaw right curved, TL 402mm, with irrigation connection, reusable	\$ 766.82
A-9	8242.603	PARENCHYM CLAMP Ø 5MM WL 280MM - by Linder, jaw left curved, TL 412mm, with irrigation connection, reusable	\$ 795.68
A-9	8242.604	PARENCHYM CLAMP Ø 5MM WL 280MM - by Linder, jaw right curved, TL 412mm, with irrigation connection, reusable	\$ 795.68
A-9	8242.611	LUNG GRASPING FORCEPS WL 270MM - angled, TL 402mm, reusable	\$ 645.88
A-9	8242.651	VESSEL CLAMP Ø 5MM - by Linder, jaw left curved, TL 415mm, with irrigation connection, reusable	\$ 744.83
A-9	8242.652	VESSEL CLAMP Ø 5MM - by Linder, jaw right curved, TL 415mm, with irrigation connection, reusable	\$ 766.82
A-200	8242.951	GUIDE PROBE TL 593MM SZ 4MM - for thoracic drainage, dull, reusable	\$ 111.32
A-9	8243.603	PARENCHYM GRASP. FORCEPS Ø 7MM WL 270MM - jaw straight, sheath straight, TL 402mm, reusable	\$ 658.71
A-9	8243.604	PARENCHYM GRASP. FORCEPS Ø 7MM WL 264MM - jaw straight, sheath curved upwards, TL 396mm, reusable	\$ 681.62

A-8B	8243.701	TISSUE RETRACTOR Ø 6.5MM WL 330MM - jaw curved downwards, sheath straight, TL 492mm, with irrigation connection, reusable	\$ 1,752.84
A-9	8243.711	BYPASS FORCEPS Ø 7MM WL 400MM - jaw left curved, TL 532mm, with irrigation connection, reusable	\$ 683.93
A-9	8243.901	PROBE Ø 5.0MM WL 450MM - 450 mm WL, d=7 mm	\$ 85.20
A-9	8254.601	GRASPING FORCEPS Ø 2.5MM WL 215MM - reusable	\$ 586.79
A-9	8254.602	GRASPING FORCEPS Ø 2.5MM WL 215MM - reusable	\$ 586.79
A-9	8267.501	NEEDLE PUSHER BNDL - reusable	\$ 2,058.67
A-8B	8267.601	CONE TROCAR FOR NEEDLE DRIVER - for single use	\$ 1,339.87
A-9	8267.951	SPARE NEEDLES Ø 0.64MM TL 37MM - for Needle holder 8267.50, PACK=100 PCS, reusable	\$ 516.46
A-8B	8281.311	FOREIGN BODY GRASP.FORCEPS Ø 3MM - toothed, double opening, TL 450mm, reusable	\$ 535.95
A-9	8291.101	HF COAG. SUCTION TUBE OD 3.1MM WL 210MM - knee bent, with monopolar HF connection, reusable	\$ 406.02
A-9	8291.102	HF COAG. SUCTION TUBE OD 4.1MM WL 210MM - knee bent, with monopolar HF connection, reusable	\$ 402.23
A-9	8294.701	BURR TL 500MM SZ 6MM - for thoracoscopy, curved, reusable	\$ 185.83
A-9	8294.751	PLEURA-NEEDLE - by Boutin, diameter 2,8 mm, capacity 2 mm, working length 80 mm	\$ 175.91
A-9	8302.101	OBTURATOR FOR CANNULA OD 3.2MM - WL 103mm, sharp, with slanted tip, reusable	\$ 108.81
A-9	8307011	HANDPIECE MAX. 1000RPM - for use with rotation morcellators, control by footswitch, reusable	\$ 1,902.44
A-9	8307012	CUTTING TUBE Ø 12MM - PACK=1 PC, WL 200mm, for use with handpiece 8307011, for fragmentation of tissue, in gynecology, reusable	\$ 301.33
A-9	8307015	CUTTING TUBE Ø 15MM - PACK=1 PC, WL 200mm, for use with handpiece 8307011, for fragmentation of tissue, in gynecology, reusable	\$ 301.33
A-9	8307020	CUTTING TUBE Ø 20MM - PACK=1 PC, WL 210mm, for use with handpiece 8307011, for fragmentation of tissue, in gynecology, reusable	\$ 301.33
A-9	8307112	TROCAR SLEEVE CAP 12MM WL 184MM - stainless steel-sheath tube smooth, with distal tissue positioner, with automatic butterfly valve seal, reusable	\$ 610.16
A-9	8307115	TROCAR SLEEVE CAP 15MM WL 186MM - stainless steel-sheath tube smooth, with distal tissue positioner, with automatic butterfly valve seal, reusable	\$ 592.17

A-9	8307120	TROCAR SLEEVE CAP 20MM WL 196MM - plastic-sheath tube smooth, with distal tissue positioner, with automatic butterfly valve seal, reusable	\$ 736.09
A-8B	8307501	ADAPTER FOR TROCAR SLEEVE SZ 12/15/20MM - reusable	\$ 137.93
A-9	8307502	TISSUE SEAL BLACK Ø 12/15MM - reusable	\$ 323.81
A-9	8307503	INSTRUMENT SEAL BLUE Ø 12/15/20MM - reusable	\$ 193.39
A-9	8309.012	TROCAR SLEEVE CAP 2.5MM WL 55MM - stainless steel-sheath tube smooth, distal tip straight, with rubber cap, with insufflation valve, reusable	\$ 321.29
A-9	8309.014	TROCAR SLEEVE CAP 2.5MM WL 95MM - stainless steel-sheath tube smooth, distal tip straight, with rubber cap, with insufflation valve, reusable	\$ 321.29
A-9	8309.072	TROCAR SLEEVE CAP 2.2MM WL 60MM - plastic-sheath tube with thread, distal tip straight, with rubber cap, without insufflation stopcock, reusable	\$ 89.33
A-9	8309.121	TROCAR TIP TRIANGULAR SZ 2.2MM WL 82MM - distal tip triangular, reusable	\$ 119.35
A-9	8309.123	TROCAR TIP TRIANGULAR SZ 2.2MM WL 119MM - distal tip triangular, reusable	\$ 119.55
A-9	8309.261	CANNULA FOR LIVER BIOPSY Ø 2MM WL 250MM - tip Ø 1.6mm, with Luer connection, reusable	\$ 133.79
A-9	8370.501	UTERUS MANIPULATOR Ø 12MM WL 430MM - for uterus fixation, distally angled, TL 659mm, with Luer connection, reusable	\$ 3,766.35
A-9	8370.511	UTERUS PROBE SZ SHORT Ø 7.5MM WL 37MM - curved upwards, compatible with uterus manipulator 8370501, reusable	\$ 160.74
A-9	8370.512	UTERUS PROBE SZ MEDIUM Ø 7.5MM WL 56MM - curved upwards, compatible with uterus manipulator 8370501, reusable	\$ 160.74
A-9	8370.513	UTERUS PROBE SZ LONG Ø 10MM WL 77MM - curved upwards, compatible with uterus manipulator 8370501, reusable	\$ 160.74
A-9	8378001	INTRAUTERINE PROBES BNDL - reusable	\$ 433.81
A-9	8379.452	HOOK ELECTRODE MONO Ø 3.5MM WL 310MM - reusable	\$ 217.14
A-9	8379.462	COAG ELECTRODE MONO Ø 3.5MM WL 310MM - reusable	\$ 167.66
A-9	8379.482	NEEDLE ELECTRODE MONO Ø 3.5MM WL 310MM - reusable	\$ 217.14
A-8B	8379.672	PROBE 3.5MM WL 250MM - graduated, reusable	\$ 68.70
A-9	8379.732	CANNULA FOR INJECTION Ø 3MM WL 340MM - tip Ø 1.4mm, with Luer connection, reusable	\$ 132.29
A-41	8383.141	GRASPING FORCEPS MONO Ø 5MM WL 320MM - reusable	\$ 395.77

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-41	8383.210	SCISSOR STYLE HANDLE WL 320MM BIPO - reusable	\$ 418.20
A-41	8383.240	SYRINGE STYLE HANDLE WL 320MM BIPO - reusable	\$ 388.33
A-9	8383.311	GRASPING FORCEPS Ø 5MM WL 295MM - for cholangiography-Catheter, working length 295 mm	\$ 869.89
A-9	8383.423	HOOK ELECTRODE MONO Ø 5MM WL 340MM - reusable	\$ 236.87
A-9	8383.425	J HOOK ELECTRODE Ø 5MM WL 340MM MONO - reusable	\$ 224.51
A-8B	8383.426	NEEDLE ELECTRODE MONO Ø 5MM WL 340MM - reusable	\$ 182.78
A-8B	8383.428	BLADE ELECTRODE MONO Ø 5MM WL 340MM - reusable	\$ 163.30
A-9	8383.429	MYOMA DISSECTOR MONO Ø 5MM WL 340MM - for laparoscopic operations, triangular tip with fine teeth, reusable	\$ 393.97
A-9	8383.533	NEEDLE HOLDER Ø 5.0MM WL 300MM - straight, 300 mm NL	\$ 1,719.92
A-10	8383.552	KNOT PUSHER Ø 5MM WL 330MM - by Buess, with distal notch and lateral opening, atraumatic tip for use as a probe, TL 380mm, for extracorporeal knots, reusable	\$ 245.55
A-9	8383.611	MYOMA DRILL Ø 5MM WL 320MM - rigid, TL 400mm, reusable	\$ 290.29
A-9	8383.661	PROBE Ø 5MM WL 320MM - reusable	\$ 110.67
A-9	8383.691	TISSUE RETRACTOR Ø 5MM WL 320MM - reusable	\$ 1,909.94
A-9	8383.732	SUCTION-IRRIGATION TUBE, Ø 5 MM - with central and lateral openings, 290 mm WL	\$ 325.70
A-9	8383.811	HF SUCT./IRRIG. TUBE Ø 5.2MM WL 317MM - for use with suction irrigation handle 8385.901, insulated with integrated HF spatula probe, with monopolar HF connection, capacity 3.7mm, reusable	\$ 293.97
A-9	8383.812	HF SUCT./IRRIG. TUBE Ø 5.2MM WL 317MM - for use with suction irrigation handle 8385.901, insulated with integrated HF hook electrode, with monopolar HF connection, capacity 3.7mm, reusable	\$ 293.97
A-9	8383.813	HF SUCT./IRRIG. TUBE Ø 5.2MM WL 317MM - for use with suction irrigation handle 8385.901, with distal openings, insulated with integrated HF button electrode, with monopolar HF connection, capacity 3.7mm, reusable	\$ 293.97
A-9	8383.819	IRRIGATION ADAPTOR - with two-way tap, reusable	\$ 236.38
A-8B	8383.951	BOTTLE ADAPTER FOR TEM - reusable	\$ 373.29

A-9	8383.974	OUTER TUBE WITH HANDLE Ø 4.7MM SL 285MM - with bipolar HF-connection, reusable	\$ 470.00
A-8B	8384.210	SCISSOR STYLE HANDLE WL 450MM BIPO - reusable	\$ 426.13
A-8B	8384.240	SYRINGE STYLE HANDLE WL 450MM BIPO - reusable	\$ 398.49
A-9	8384.423	HOOK ELECTRODE MONO Ø 5MM WL 420MM - reusable	\$ 239.25
A-9	8384.425	J HOOK ELECTRODE Ø 5MM WL 420MM MONO - reusable	\$ 218.47
A-8B	8384.661	PROBE Ø 5MM WL 450MM - reusable	\$ 103.27
A-9	8384.662	PROBE Ø 5MM WL 445MM - reusable	\$ 184.45
A-9	8384.732	SUCTION-IRRIGATION TUBE, Ø 5MM - with central and lateral openings, 450mm WL	\$ 313.33
A-9	8384.974	OUTER TUBE WITH HANDLE Ø 4.7MM SL 410MM - with bipolar HF-connection, reusable	\$ 476.86
A-9	8385.181	CLAW GRASPING FORCEPS Ø 10MM WL 400MM - reusable	\$ 1,940.79
A-9	8385.301	MYOMA DRILL Ø 10MM - WL 340mm, reusable	\$ 301.63
A-9	8385.901	SUCTION-IRRIGATION HANDLE - reusable	\$ 1,175.10
A-41	8389.991	INTRODUCTION SLEEVE 10MM WL 80MM - for clip applicator 8389.911, with sealing cap, reusable	\$ 79.14
A-9	8390.204	GRASP. FORCEPS INSERT SHEATH Ø 3.5MM - atraumatic, fine cross toothing, WL 260mm, double action, insulated sheath with flushing port, reusable	\$ 625.27
A-8B	8390207	DISSECTION FORCEPS INSERT Ø 3.5MM - curved, jaw length 15mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390208	GRASP. FORCEPS INSERT Ø 3.5MM - atraumatic, single fenestration, jaw length 14mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390209	UNIVERSAL-FORCEPS-INSERT Ø 3.5MM - jaw length 14mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390210	BABCOCK FORCEPS INSERT Ø 3.5MM - jaw length 19mm, for SL 240mm, double action, reusable	\$ 245.52
A-9	8390215	METZENBAUM SCISSORS INSERT Ø 3.5MM - jaw length 16mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390216	DOUBLE SPOON FORCEPS INSERT Ø 3.5MM - by Hürtgen, jaw length 12mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390217	FRIEDEL PUNCH INSERT Ø 3.5MM - jaw length 10mm, for SL 240mm, single action, reusable	\$ 245.52
A-8B	8390218	GRASP. FORCEPS INSERT Ø 3.5MM - atraumatic, single fenestration, jaw length 174mm, for SL 240mm, single action, reusable	\$ 245.52

A-8B	8390219	GRASP. FORCEPS INSERT Ø 3.5MM - jaw length 13mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390220	GRASP. FORCEPS INSERT Ø 3.5MM - 2x4 teeth, jaw length 14mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390221	DISSECTION FORCEPS INSERT Ø 3.5MM - fine tip, jaw length 18mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390222	DISSECTION FORCEPS INSERT Ø 3.5MM - fine tip, jaw length 14mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390223	DISSECTION FORCEPS INSERT Ø 3.5MM - angled, jaw length 14mm, for SL 240mm, double action, reusable	\$ 245.52
A-9	8390224	METZENBAUM SCISSORS INSERT Ø 3.5MM - fine-toothed, jaw length 14mm, for SL 240mm, double action, reusable	\$ 245.52
A-8B	8390225	GRASP. FORCEPS INSERT Ø 3.5MM - atraumatic, curved, jaw length 17mm, for SL 240mm, single action, reusable	\$ 245.52
A-8B	8390226	GRASP. FORCEPS INSERT Ø 3.5MM - atraumatic, single fenestration, jaw length 19mm, for SL 240mm, double action, reusable	\$ 245.52
A-9	8390227	HOOK SCISSORS INSERT Ø 3.5MM - jaw length 8mm, for SL 240mm, single action, reusable	\$ 245.52
A-8B	8390228	PYLORUS SPREADER INSERT Ø 3.5MM - by Saxena, jaw length 14mm, for SL 240mm, double action, reusable	\$ 245.52
A-9	8390.255	BABCOCK INSERT WITH SHEATH Ø 3.5MM - WL 260mm, double action, insulated sheath with flushing port, reusable	\$ 614.28
A-8B	8390933	SHEATH TUBE INSULATED Ø 3.5MM SL 240MM - Compatible with all ERAGONmodular 3.5mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles, reusable	\$ 296.40
A-8B	8390934	SHEATH TUBE Ø 3.5MM SL 240MM - compatible with all ERAGONmodular mini 3.5mm inserts and respective lengths, and ERAGONmodular and ERAGONaxial handles without HF connection, reusable	\$ 260.06
A-9	8391.014	HOOKE SCISSORS INSERT SHEATH Ø 3.5MM - WL 323mm, single action, insulated sheath with flushing port, reusable	\$ 735.22
A-9	8391.204	GRASP. FORCEPS INSERT SHEATH Ø 3.5MM - atraumatic, fine cross toothing, WL 330mm, double action, insulated sheath with flushing port, reusable	\$ 601.92

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8391207	DISSECTION FORCEPS INSERT Ø 3.5MM - curved, jaw length 15mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391208	GRASP. FORCEPS INSERT Ø 3.5MM - atraumatic, single fenestration, jaw length 14mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391209	UNIVERSAL-FORCEPS-INSERT Ø 3.5MM - jaw length 14mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391210	BABCOCK FORCEPS INSERT Ø 3.5MM - jaw length 19mm, for SL 330mm, double action, reusable	\$ 245.52
A-9	8391215	METZENBAUM SCISSORS INSERT Ø 3.5MM - jaw length 16mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391216	DOUBLE SPOON FORCEPS INSERT Ø 3.5MM - by Hürtgen, jaw length 12mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391217	FRIEDEL PUNCH INSERT Ø 3.5MM - jaw length 10mm, for SL 330mm, single action, reusable	\$ 245.52
A-8B	8391218	GRASP. FORCEPS INSERT Ø 3.5MM - atraumatic, single fenestration, jaw length 17mm, for SL 330mm, single action, reusable	\$ 245.52
A-8B	8391219	GRASP. FORCEPS INSERT Ø 3.5MM - jaw length 13mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391220	GRASP. FORCEPS INSERT Ø 3.5MM - 2x4 teeth, jaw length 14mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391221	DISSECTION FORCEPS INSERT Ø 3.5MM - fine tip, jaw length 18mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391222	DISSECTION FORCEPS INSERT Ø 3.5MM - fine tip, jaw length 14mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391223	DISSECTION FORCEPS INSERT Ø 3.5MM - angled, jaw length 14mm, for SL 330mm, double action, reusable	\$ 245.52
A-9	8391224	METZENBAUM SCISSORS INSERT Ø 3.5MM - fine-toothed, jaw length 8mm, for SL 330mm, double action, reusable	\$ 245.52
A-8B	8391225	GRASP. FORCEPS INSERT Ø 3.5MM - atraumatic, curved, jaw length 17mm, for SL 330mm, single action, reusable	\$ 245.52
A-8B	8391226	GRASP. FORCEPS INSERT Ø 3.5MM - atraumatic, single fenestration, jaw length 19mm, for SL 330mm, double action, reusable	\$ 245.52
A-9	8391227	HOOK SCISSORS INSERT Ø 3.5MM - jaw length 8mm, for SL 330mm, single action, reusable	\$ 245.52

A-8B	8391228	PYLORUS SPREADER INSERT Ø 3.5MM - by Saxena, jaw length 14mm, for SL 330mm, double action, reusable	\$ 245.52
A-9	8391.254	GRASP. FORCEPS INSERT SHEATH Ø 3.5MM - WL 330mm, double action, insulated sheath with flushing port, reusable	\$ 628.03
A-9	8391.255	BABCOCK INSERT WITH SHEATH Ø 3.5MM - WL 330mm, double action, insulated sheath with flushing port, reusable	\$ 618.78
A-9	8391.406	BIOPSY FORCEPS INSERT SHEATH Ø 3.5MM - spoon-shaped, WL 326mm, double action, insulated sheath with flushing port, reusable	\$ 577.18
A-9	8391.501	NEEDLE HOLDER Ø 3.5MM BNDL - 2 part, SL 340mm	\$ 868.83
A-9	8391.504	NEEDLE HOLDER INSERT WITH SHEATH Ø 3.5MM - straight with carbide insert, WL 310mm, with irrigation connection, reusable	\$ 615.66
A-9	8391.715	GRASP. FORCEPS INSERT Ø 3.5MM - spring, jaw length 39mm, double action, reusable	\$ 497.91
A-9	8391716	GRASP. FORCEPS INSERT Ø 3.5MM - spring, jaw length 38mm, double action, reusable	\$ 377.43
A-10	8391.742	GRASPING FORCEPS BIPO Ø 3.5MM BNDL - 4 part, SL 340mm	\$ 858.89
A-9	8391743	GRASPING FORCEPS BIPO Ø 3.5MM BNDL - 4 part, SL 340mm	\$ 1,086.57
A-9	8391.911	SUCT./IRRIG. TUBE Ø 3.5MM WL 300MM - for use with suction irrigation handle 8385.901, with distal openings, capacity 2mm, reusable	\$ 140.55
A-9	8391.921	OUTER TUBE Ø 3.5MM SL 348MM - reusable	\$ 127.21
A-8B	8391933	SHEATH TUBE INSULATED Ø 3.5MM SL 330MM - Compatible with all ERAGONmodular 3.5mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles, reusable	\$ 287.52
A-8B	8391934	SHEATH TUBE Ø 3.5MM SL 330MM - compatible with all ERAGONmodular mini 3.5mm inserts and respective lengths, and ERAGONmodular and ERAGONaxial handles without HF connection, reusable	\$ 255.22
A-8B	8392.181	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, single fenestration with cross toothing, jaw length 19mm, for SL 240mm, double action, reusable	\$ 294.09
A-8B	8392.913	SHEATH TUBE INSULATED Ø 5MM SL 240MM - reusable	\$ 207.52

A-8B	8392933	SHEATH TUBE INSULATED Ø 5MM SL 260MM - Compatible with all ERAGONmodular 5mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles, reusable	\$ 218.50
A-8B	8393.041	METZENBAUM SCISSORS INSERT Ø 5MM - jaw length 23mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.044	MICRO METZENBAUM SCISSORS INSERT Ø 5MM - jaw length 18mm, for SL 320mm, double action, reusable	\$ 369.66
A-8B	8393.045	SCISSORS INSERT Ø 5MM - straight, jaw length 20mm, for SL 330mm, double action, reusable	\$ 312.46
A-8B	8393.081	HOOK SCISSORS INSERT Ø 5MM - toothed, jaw length 14mm, for SL 330mm, single action, reusable	\$ 302.33
A-8B	8393.091	BIOPSY FORCEPS INSERT Ø 5MM - with spikes, jaw length 13mm, for SL 330mm, double action, reusable	\$ 313.33
A-8B	8393.092	BIOPSY FORCEPS INSERT Ø 5MM - through cutting, jaw length 14mm, for SL 330mm, single action, reusable	\$ 369.66
A-8B	8393.093	BIOPSY FORCEPS INSERT Ø 5MM - jaw length 20mm, for SL 330mm, single action, reusable	\$ 382.17
A-8B	8393.181	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, single fenestration with cross toothing, jaw length 19mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.182	PLATE SHAPED GRASP.FORCEPS INS. Ø 5MM - single fenestration with cross toothing, jaw length 18mm, for SL 330mm, double action, reusable	\$ 459.01
A-8B	8393.183	GRASP. FORCEPS INSERT Ø 5MM - with cross toothing, jaw length 21mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.184	GRASP. FORCEPS INSERT Ø 5MM - single fenestration with cross toothing, jaw length 26mm, for SL 330mm, single action, reusable	\$ 376.63
A-8B	8393.185	GRASP. FORCEPS INSERT Ø 5MM - single fenestration with cross toothing, jaw length 21mm, for SL 330mm, single action, reusable	\$ 376.53
A-8B	8393.186	BABCOCK FORCEPS INSERT Ø 5MM - grasping surface with cross toothing, jaw length 24mm, for SL 330mm, double action, reusable	\$ 378.78
A-8B	8393.187	BABCOCK FORCEPS INSERT Ø 5MM - large distal grasping surface with cross toothing, jaw length 26mm, for SL 330mm, double action	\$ 369.66
A-8B	8393.188	GRASP. FORCEPS INSERT Ø 5MM - spring-loaded fenestrated toothed jaw, jaw length 37mm, for SL 330mm, double action, reusable	\$ 416.38

A-8B	8393.189	GRASP. FORCEPS INSERT Ø 5MM - spring-loaded fenestrated toothed jaw, jaw length 47mm, for SL 330mm, double action, reusable	\$ 432.11
A-8B	8393190	DEBAKEY FORCEPS-INSERT Ø 5MM - atraumatic, jaw length 39mm, for SL 330mm, double action, reusable	\$ 369.66
A-8B	8393191	DEBAKEY FORCEPS-INSERT Ø 5MM - atraumatic, jaw length 48mm, for SL 330mm, double action, reusable	\$ 380.49
A-9	8393192	DISSECTION FORCEPS INSERT Ø 5MM - angled, jaw length 18mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393193	GRASP. FORCEPS INSERT Ø 5MM - jaw length 16mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393194	DISSECTION FORCEPS INSERT Ø 5MM - jaw length 24mm, for SL 330mm, double action, reusable	\$ 472.76
A-8B	8393.195	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, smooth, jaw length 18mm, for SL 330mm, double action, reusable	\$ 302.33
A-9	8393197	DISSECTION FORCEPS INSERT Ø 5MM - jaw length 30mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393198	DISSECTION FORCEPS INSERT Ø 5MM - fine tip, jaw length 33mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393199	DISSECTION FORCEPS INSERT Ø 5MM - fine tip, jaw length 32mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393200	DISSECTION FORCEPS INSERT Ø 5MM - fine tip, jaw length 19mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393210	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, with cross toothing, jaw length 16mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393220	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, with cross toothing, jaw length 19mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393223	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, with pyramid shaped teeth and cross toothing, jaw length 29mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393229	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, double fenestration and curved, jaw length 32mm, for SL 330mm, single action, reusable	\$ 472.76
A-9	8393230	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, narrow and rounded, jaw length 15mm, for SL 330mm, double action, reusable	\$ 472.76

A-9	8393240	DISSECTION FORCEPS INSERT Ø 5MM - curved, jaw length 19mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393242	BABCOCK FORCEPS INSERT Ø 5MM - single fenestration, jaw length 17mm, for SL 330mm, single action, reusable	\$ 472.76
A-9	8393243	METZENBAUM SCISSORS INSERT Ø 5MM - jaw length 21mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393246	SCISSORS INSERT Ø 5MM - curved and toothed, jaw length 26mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393248	SCISSORS INSERT Ø 5MM - fine tip, jaw length 22mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393249	INTESTINE GRASP. FORCEPS INSERT Ø 5MM - atraumatic, single fenestration with cross toothing, jaw length 38mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393250	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, single fenestration with cross toothing, jaw length 25mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393253	BAND MANIPULATOR INSERT Ø 5MM - 90° bendable with distal oblong hole, jaw length 45mm, for SL 330mm, reusable	\$ 472.76
A-9	8393256	DEBAKEY FORCEPS-INSERT Ø 5MM - curved, jaw length 35mm, for SL 330mm, double action, reusable	\$ 472.76
A-9	8393258	DEBAKEY FORCEPS-INSERT Ø 5MM - jaw length 47mm, for SL 330mm, double action, reusable	\$ 472.76
A-8B	8393.281	MARYLAND DISSECTOR-INSERT Ø 5MM - with cross toothing, jaw length 21mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.282	PETELIN DISSECTOR INSERT Ø 5MM - with cross toothing, jaw length 17mm, for SL 330mm, double action, reusable	\$ 369.66
A-8B	8393.283	MIXTER DISSECTOR INSERT Ø 5MM - curved with pyramid-shaped teeth, jaw length 22mm, for SL 330mm, double action, reusable	\$ 487.25
A-8B	8393.285	DOLPHIN DISSECTOR INSERT Ø 5MM - with cross toothing jaw, jaw length 17mm, for SL 330mm, double action, reusable	\$ 313.33
A-8B	8393.287	GRASP. FORCEPS INSERT Ø 5MM - with distal cross toothing and jaw, jaw length 15mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.288	GRASP. FORCEPS INSERT Ø 5MM - fine with pyramid-shaped teeth, jaw length 19mm, for SL 330mm, double action, reusable	\$ 423.27

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8393.289	DISSECTION FORCEPS INSERT Ø 5MM - with pyramid shaped teeth, jaw length 23mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.291	DEBAKEY FORCEPS-INSERT Ø 5MM - atraumatic, spring-loaded toothed jaw, jaw length 47mm, for SL 330mm, double action, reusable	\$ 470.00
A-8B	8393.292	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, jaw with wavy edge, jaw length 26mm, for SL 330mm, single action, reusable	\$ 283.31
A-9	8393.293	GRASP. FORCEPS INSERT Ø 5MM - jaw with wavy edge, jaw length 26mm, for SL 330mm, double action, reusable	\$ 487.25
A-8B	8393.345	KNOT PUSHER INSERT Ø 5MM - with distal opening, jaw length 17mm, for SL 330mm, double action, reusable	\$ 439.75
A-8B	8393.481	UNIVERSAL-FORCEPS-INSERT Ø 5MM - with pyramid shaped teeth and cross toothing, jaw length 18mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.482	UNIVERSAL-FORCEPS-INSERT Ø 5MM - with pyramid shaped teeth and cross toothing, jaw length 26mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.483	GRASP. FORCEPS INSERT Ø 5MM - pike-mouth, jaw length 20mm, for SL 330mm, double action, reusable	\$ 472.74
A-8B	8393.485	GRASP. FORCEPS INSERT Ø 5MM - with row of teeth, jaw length 17mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.486	GRASP. FORCEPS INSERT Ø 5MM - with one tooth and cross toothing, jaw length 19mm, for SL 330mm, double action, reusable	\$ 302.33
A-8B	8393.487	GRASP. FORCEPS INSERT Ø 5MM - with two teeth and cross toothing, jaw length 17mm, for SL 330mm, single action, reusable	\$ 302.33
A-8B	8393.488	MYOMA GRASP. FORCEPS INSERT Ø 5MM - 2/3 clawed, jaw length 29mm, for SL 330mm, single action, reusable	\$ 322.54
A-8B	8393.490	GRASP. FORCEPS INSERT Ø 5MM - with two teeth and wavy grasping surface, jaw length 26mm, for SL 330mm, double action, reusable	\$ 369.66
A-9	8393.491	CLAW GRASPING FORCEPS Ø 5MM BNDL	\$ 823.12
A-8B	8393.494	CLAW GRASP. FORCEPS INSERT Ø 5MM - jaw length 27mm, for SL 330mm, double action, reusable	\$ 487.25
A-8B	8393.501	NEEDLE HOLDER Ø 5MM BNDL - 2 part, SL 340mm	\$ 684.68
A-9	8393.502	NEEDLE HOLDER Ø 5MM BNDL - 2 part, SL 340mm	\$ 804.95

A-9	8393.503	SARBU NEEDLE HOLDER Ø 5MM BNDL - 2 part, SL 340mm	\$ 776.88
A-9	8393.504	NEEDLE HOLDER INSERT WITH SHEATH Ø 5MM - deep teeth for straight needles, WL 320mm, with irrigation connection, reusable	\$ 419.14
A-9	8393.505	NEEDLE HOLDER INSERT WITH SHEATH Ø 5MM - straight with carbide insert, WL 320mm, with irrigation connection, reusable	\$ 577.18
A-9	8393.506	NEEDLE HOLDER INSERT WITH SHEATH Ø 5MM - by Sarbu, WL 325mm, with irrigation connection, reusable	\$ 523.07
A-9	8393.511	NEEDLE HOLDER Ø 5MM BNDL - 2 part, SL 340mm	\$ 809.17
A-9	8393.512	NEEDLE HOLDER Ø 5MM BNDL - 2 part, SL 340mm	\$ 868.83
A-9	8393.514	NEEDLE HOLDER INSERT WITH SHEATH Ø 5MM - curved right with carbide metal insert, WL 320mm, with irrigation connection, reusable	\$ 615.66
A-9	8393.515	NEEDLE HOLDER INSERT WITH SHEATH Ø 5MM - curved left with carbide insert, WL 320mm, with irrigation connection, reusable	\$ 615.66
A-9	8393.704	UNIV.GRASP. FORCEPS INSERT Ø 5MM - atraumatic, spring, jaw length 53mm, double action, with insulated sheath tube and irrigation connection, reusable	\$ 548.53
A-9	8393.705	GRASP. FORCEPS INSERT Ø 5MM - spring-loaded with Teflon teeth, jaw length 52mm, double action, with insulated sheath tube and irrigation connection, reusable	\$ 537.49
A-9	8393.714	KLEPPINGER GRASP. FORCEPS INSERT Ø 5MM - atraumatic, spring, jaw length 53mm, double action, with insulated sheath tube and irrigation connection, reusable	\$ 452.21
A-8B	8393.724	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, spring-loaded straight with long jaw, jaw length 53mm, double action, with insulated sheath tube and irrigation connection, reusable	\$ 586.34
A-8B	8393.725	REICH COAG FORCEPS INSERT Ø 5MM - atraumatic, spring, jaw length 42mm, double action, with insulated sheath tube and irrigation connection, reusable	\$ 439.93
A-9	8393.726	COAG FORCEPS INSERT Ø 5MM - atraumatic, spring, jaw length 42mm, double action, with insulated sheath tube and irrigation connection, reusable	\$ 540.17
A-8B	8393.731	UNIV. GRASPING FORCEPS BIPO Ø 5MM BNDL - 4 part, SL 300mm	\$ 789.69
A-8B	8393.732	GRASPING FORCEPS BIPO Ø 5MM BNDL - 4 part, SL 300mm	\$ 795.22

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8393.741	KLEPPINGER GRASP.FORCEPS BIPO Ø 5MM BNDL - 4 part, SL 300mm	\$ 1,086.29
A-9	8393.781	GRASPING FORCEPS BIPO Ø 5MM BNDL - 4 part, SL 300mm	\$ 1,248.96
A-8B	8393.793	COAGULATION FORCEPS BIPO Ø 5MM BNDL - 4 part, SL 300mm	\$ 789.69
A-8B	8393.803	REICH COAGULAT. FORCEPS BIPO Ø 5MM BNDL - 4 part, SL 300mm	\$ 789.69
A-8B	8393.913	SHEATH TUBE INSULATED Ø 5MM SL 310MM - reusable	\$ 140.09
A-9	8393.923	CENTERING SLEEVE SL 319MM - reusable	\$ 81.64
A-9	8393.925	OUTER TUBE Ø 5MM SL 237MM - reusable	\$ 117.84
A-9	8393932	SHEATH TUBE INSULATED Ø 5MM SL 330MM - with distal cm marking, Compatible with all ERAGONmodular 5mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles, reusable	\$ 275.78
A-8B	8393933	SHEATH TUBE INSULATED Ø 5MM SL 330MM - Compatible with all ERAGONmodular 5mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles, reusable	\$ 225.11
A-8B	8393.941	NEEDLE HOLDER HANDLE AXIAL - with locking mechanism, non-rotatable, for use with needle holder, Moduline and RIWO-GRIP sheath tubes, reusable	\$ 300.93
A-9	8393.975	SPRING HANDLE BIPO - non-rotatable, with bipolar HF-connection, for use with grasping forceps inserts 8393704, 8393705, 8393714, 8393724, 8393725, 8393727, reusable	\$ 376.53
A-9	8393.976	SCREW CAP Ø 5MM SL 41MM - for use with grasping forceps inserts 8393704, 8393705, 8393714, 8393724, 8393725, 8393726, reusable	\$ 243.48
A-8B	8393.978	SCREW CAP WITH SLEEVE Ø 5MM SL 107MM - for use with grasping forceps inserts 8393704, 8393705, 8393714, 8393724, 8393725, 8393726, reusable	\$ 120.41
A-8B	8394.041	METZENBAUM SCISSORS INSERT Ø 5MM - jaw length 23mm, for SL 450mm, double action, reusable	\$ 313.33
A-8B	8394.081	HOOK SCISSORS INSERT Ø 5MM - toothed, jaw length 14mm, for SL 450mm, single action, reusable	\$ 302.33
A-9	8394.091	BIOPSY FORCEPS INSERT Ø 5MM - with spikes, jaw length 13mm, for SL 450mm, double action, reusable	\$ 338.03

A-8B	8394.092	BIOPSY FORCEPS INSERT Ø 5MM - through cutting, jaw length 14mm, for SL 450mm, single action, reusable	\$ 524.02
A-8B	8394.181	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, single fenestration with cross toothing, jaw length 19mm, for SL 450mm, double action, reusable	\$ 302.33
A-8B	8394.184	GRASP. FORCEPS INSERT Ø 5MM - single fenestration with cross toothing, jaw length 26mm, for SL 450mm, single action, reusable	\$ 385.47
A-8B	8394.187	BABCOCK FORCEPS INSERT Ø 5MM - large distal grasping surface with cross toothing, jaw length 26mm, for SL 450mm, double action, reusable	\$ 369.66
A-8B	8394.189	GRASP. FORCEPS INSERT Ø 5MM - spring-loaded fenestrated toothed jaw, jaw length 47mm, for SL 450mm, double action, reusable	\$ 416.38
A-9	8394192	DISSECTION FORCEPS INSERT Ø 5MM - angled, jaw length 18mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394193	GRASP. FORCEPS INSERT Ø 5MM - jaw length 16mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394194	DISSECTION FORCEPS INSERT Ø 5MM - jaw length 24mm, for SL 450mm, double action, reusable	\$ 590.95
A-8B	8394.195	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, smooth, jaw length 18mm, for SL 450mm, double action, reusable	\$ 302.33
A-9	8394197	DISSECTION FORCEPS INSERT Ø 5MM - jaw length 30mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394198	DISSECTION FORCEPS INSERT Ø 5MM - fine tip, jaw length 33mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394199	DISSECTION FORCEPS INSERT Ø 5MM - fine tip, jaw length 32mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394200	DISSECTION FORCEPS INSERT Ø 5MM - fine tip, jaw length 19mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394220	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, with cross toothing, jaw length 19mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394223	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, with pyramid shaped teeth and cross toothing, jaw length 29mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394229	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, double fenestration and curved, jaw length 32mm, for SL 450mm, single action, reusable	\$ 590.95

A-9	8394230	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, narrow and rounded, jaw length 15mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394240	DISSECTION FORCEPS INSERT Ø 5MM - curved, jaw length 19mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394242	BABCOCK FORCEPS INSERT Ø 5MM - single fenestration, jaw length 17mm, for SL 450mm, single action, reusable	\$ 590.95
A-9	8394243	METZENBAUM SCISSORS INSERT Ø 5MM - jaw length 21mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394246	SCISSORS INSERT Ø 5MM - curved and toothed, jaw length 26mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394248	SCISSORS INSERT Ø 5MM - fine tip, jaw length 22mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394249	INTESTINE GRASP. FORCEPS INSERT Ø 5MM - atraumatic, single fenestration with cross toothing, jaw length 38mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394250	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, single fenestration with cross toothing, jaw length 25mm, for SL 450mm, double action, reusable	\$ 590.95
A-9	8394253	BAND MANIPULATOR INSERT Ø 5MM - 90° bendable with distal oblong hole, jaw length 45mm, for SL 450mm, reusable	\$ 590.95
A-9	8394258	DEBAKEY FORCEPS-INSERT Ø 5MM - jaw length 47mm, for SL 450mm, double action	\$ 590.95
A-8B	8394.281	MARYLAND DISSECTOR-INSERT Ø 5MM - with cross toothing, jaw length 21mm, for SL 450mm, double action, reusable	\$ 302.33
A-9	8394.292	GRASP. FORCEPS INSERT Ø 5MM - atraumatic, jaw with wavy edge, jaw length 26mm, for SL 450mm, single action, reusable	\$ 443.74
A-9	8394.293	GRASP. FORCEPS INSERT Ø 5MM - jaw with wavy edge, jaw length 26mm, for SL 450mm, double action, reusable	\$ 549.70
A-9	8394345	KNOT PUSHER INSERT Ø 5MM - with distal opening, jaw length 17mm, for SL 450mm, double action	\$ 590.95
A-8B	8394.490	GRASP. FORCEPS INSERT Ø 5MM - with two teeth and wavy grasping surface, jaw length 26mm, for SL 450mm, double action, reusable	\$ 369.01
A-8B	8394.502	NEEDLE HOLDER Ø 5MM BNDL - 2 part, SL 430mm	\$ 833.10
A-8B	8394.503	SARBU NEEDLE HOLDER Ø 5MM BNDL - 2 part, SL 430mm	\$ 865.21

A-8B	8394.505	NEEDLE HOLDER INSERT WITH SHEATH Ø 5MM - straight with carbide insert, WL 410mm, with irrigation connection, reusable	\$ 556.56
A-9	8394.506	NEEDLE HOLDER INSERT WITH SHEATH Ø 5MM - by Sarbu, WL 415mm, with irrigation connection, reusable	\$ 595.78
A-8B	8394.511	NEEDLE HOLDER Ø 5MM BNDL - 2 part, SL 430mm	\$ 852.40
A-9	8394.512	NEEDLE HOLDER Ø 5MM BNDL - 2 part, SL 430mm	\$ 956.77
A-9	8394.514	NEEDLE HOLDER INSERT WITH SHEATH Ø 5MM - curved right with carbide metal insert, WL 410mm, with irrigation connection, reusable	\$ 643.39
A-9	8394.515	NEEDLE HOLDER INSERT WITH SHEATH Ø 5MM - curved left with carbide insert, WL 410mm, with irrigation connection, reusable	\$ 709.11
A-9	8394621	TEM GRASP. FORCEPS INSERT Ø 5MM - angled downward and curved right, jaw length 28mm, for SL 450mm, single action, reusable	\$ 402.93
A-9	8394622	TEM GRASP. FORCEPS INSERT Ø 5MM - angled downward and curved left, jaw length 28mm, for SL 450mm, single action, reusable	\$ 402.93
A-9	8394623	TEM GRASP. FORCEPS INSERT Ø 5MM - right curved, jaw length 25mm, for SL 450mm, single action, reusable	\$ 402.93
A-9	8394624	TEM GRASP. FORCEPS INSERT Ø 5MM - left curved, jaw length 25mm, for SL 450mm, single action, reusable	\$ 402.93
A-9	8394.704	UNIVERSAL-FORCEPS-INSERT Ø 5MM - atraumatic, spring, jaw length 53mm, double action, reusable	\$ 560.98
A-9	8394.705	GRASP. FORCEPS INSERT Ø 5MM - spring-loaded with Teflon teeth, jaw length 52mm, double action, reusable	\$ 522.36
A-9	8394.714	KLEPPINGER GRASP. FORCEPS INSERT Ø 5MM - atraumatic, spring, jaw length 53mm, double action, reusable	\$ 484.56
A-9	8394.725	REICH COAG FORCEPS INSERT Ø 5MM - atraumatic, spring, jaw length 42mm, double action, reusable	\$ 517.90
A-9	8394.741	KLEPPINGER GRASP.FORCEPS BIPO Ø 5MM BNDL - 4 part, SL 450mm	\$ 1,053.05
A-8B	8394.913	SHEATH TUBE INSULATED Ø 5MM SL 440MM - reusable	\$ 143.61
A-8B	8394.923	CENTERING SLEEVE SL 444MM - reusable	\$ 62.26
A-9	8394.925	OUTER TUBE Ø 5MM SL 362MM - reusable	\$ 118.37
A-9	8394932	SHEATH TUBE INSULATED Ø 5MM SL 450MM - with distal cm marking, Compatible with all ERAGONmodular 5mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles, reusable	\$ 315.18

A-8B	8394933	SHEATH TUBE INSULATED Ø 5MM SL 450MM - Compatible with all ERAGONmodular 5mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles, reusable	\$ 232.24
A-8B	8395.187	BABCOCK FORCEPS INSERT Ø 10MM - large distal grasping surface with cross toothing, jaw length 42mm, for SL 327mm, double action, reusable	\$ 382.73
A-9	8395.204	GRASP. FORCEPS INSERT Ø 10MM - 2/3 clawed, jaw length 49mm, for SL 327mm, single action, reusable	\$ 324.31
A-9	8395.214	BABCOCK FORCEPS INSERT Ø 10MM - jaw length 38mm, for SL 327mm, double action, reusable	\$ 324.31
A-9	8395.215	FORCEPS INSERT Ø 10MM SL 330MM - reusable	\$ 323.54
A-9	8395.225	MARYLAND DISSECTOR-INSERT Ø 10MM - jaw length 36mm, for SL 327mm, double action, reusable	\$ 335.31
A-9	8395.226	DISSECTION FORCEPS INSERT Ø 10MM - angled, jaw length 35mm, for SL 327mm, double action, reusable	\$ 335.31
A-9	8395.234	PLATE SHAPED GRASP.FORCEPS INS. Ø 10MM - jaw length 50mm, for SL 327mm, double action, reusable	\$ 317.98
A-9	8395.236	GRASP. FORCEPS INSERT Ø 10MM - pike-mouth, jaw length 20mm, for SL 327mm, double action, reusable	\$ 347.68
A-9	8395.244	SPOON FORCEPS INSERT Ø 10MM - jaw length 31mm, for SL 327mm, single action, reusable	\$ 340.56
A-8B	8395.486	CLAW GRASPING FORCEPS Ø 10MM BNDL - 3 part, SL 310mm	\$ 1,063.13
A-8B	8395.489	CLAW GRASP. FORCEPS INSERT Ø 10MM - jaw length 38mm, for SL 327mm, double action, reusable	\$ 487.25
A-9	8395490	CLAW GRASP. FORCEPS INSERT Ø 10MM - with additional row of teeth, jaw length 38mm, for SL 327mm, double action, reusable	\$ 472.76
A-9	8395.901	SHEATH TUBE Ø 10MM SL 310MM - reusable	\$ 217.70
A-9	8395902	SHEATH TUBE Ø 10MM SL 327MM - Compatible with all ERAGONmodular 10mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles without an HF connection, reusable	\$ 243.62
A-9	8396187	BABCOCK FORCEPS INSERT Ø 10MM - large distal grasping surface with cross toothing, jaw length 42mm, for SL 447mm, double action, reusable	\$ 432.58
A-9	8396204	GRASP. FORCEPS INSERT Ø 10MM - 2/3 clawed, jaw length 49mm, for SL 447mm, single action, reusable	\$ 432.58

A-9	8396215	BABCOCK FORCEPS INSERT Ø 10MM - jaw length 38mm, for SL 447mm, double action, reusable	\$ 432.58
A-9	8396225	MARYLAND DISSECTOR-INSERT Ø 10MM - jaw length 36mm, for SL 447mm, double action, reusable	\$ 432.58
A-9	8396226	DISSECTION FORCEPS INSERT Ø 10MM - angled, jaw length 35mm, for SL 447mm, double action, reusable	\$ 432.58
A-9	8396234	PLATE SHAPED GRASP.FORCEPS INS. Ø 10MM - jaw length 50mm, for SL 447mm, double action, reusable	\$ 432.58
A-9	8396236	GRASP. FORCEPS INSERT Ø 10MM - pike-mouth, jaw length 20mm, for SL 447mm, double action, reusable	\$ 495.62
A-9	8396902	SHEATH TUBE Ø 10MM SL 447MM - Compatible with all ERAGONmodular 10mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles without an HF connection, reusable	\$ 251.36
A-9	8397.655	STAPLER-HEAD-GRASP.FORCEPS INSERT Ø 10MM - 30° angled, jaw length 24mm, for SL 387mm, double action, reusable	\$ 472.76
A-9	8397.901	SHEATH TUBE Ø 10MM SL 370MM - reusable	\$ 219.45
A-9	8397902	SHEATH TUBE Ø 10MM SL 387MM - Compatible with all ERAGONmodular 10mm inserts in the respective sheath length, along with ERAGONmodular and ERAGONaxial handles without an HF connection, reusable	\$ 251.36
A-9	8399300	IRRIGATION ADAPTER - for ERAGON forceps and scissors, reusable	\$ 139.72
A-8B	8399301	HANDLE PISTOL SHAPED MONO - with locking mechanism, with switchable turning wheel for separate outer tube rotation and insert, with monopolar HF connection, for use with DUORotate / InLine sheath tubes, reusable	\$ 1,836.57
A-8B	8399302	HANDLE PISTOL SHAPED MONO - with locking mechanism, with turning wheel for insert rotation, with monopolar HF connection, for use with DUORotate / InLine sheath tubes, reusable	\$ 1,412.56
A-8B	8399310	SHEATH TUBE INSULATED Ø 5.8MM SL 380MM - distal curved, Compatible with all DUORotate and InLine inserts, along with DUORotate and InLine handles, reusable	\$ 419.97
A-8B	8399311	SHEATH TUBE INSULATED Ø 5.8MM SL 356MM - double curved, Compatible with all DUORotate and InLine inserts, along with DUORotate and InLine handles, reusable	\$ 524.16

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8399410	MIXTER DISSECTOR INSERT Ø 5.8MM - insulated, jaw length 21mm, double action, reusable	\$ 699.42
A-8B	8399412	MARYLAND DISSECTOR-INSERT Ø 5.8MM - insulated, jaw length 19mm, double action, reusable	\$ 699.42
A-8B	8399413	METZENBAUM SCISSORS INSERT Ø 5.8MM - insulated, jaw length 18mm, double action, reusable	\$ 559.69
A-8B	8399414	GRASP. FORCEPS INSERT Ø 5.8MM - insulated, jaw length 17mm, double action, reusable	\$ 699.42
A-9	8399.901	HOOK PROBE WL 115MM H 7MM - graduated, reusable	\$ 170.53
A-8B	8403.001	MENISCUS GRASPING FORCEPS Ø 4/7MM - WL 105mm	\$ 717.06
A-9	8403.925	SUCTION PUNCH Ø 4.5MM - jaw straight, with integrated suction channel, sheath straight, WL 130mm	\$ 1,525.07
A-8B	8404.017	PUNCH Ø 3.4MM - jaw angled 90° left, front- and side cutting, sheath straight, WL 130mm	\$ 952.55
A-8B	8404.018	PUNCH Ø 3.4MM - jaw angled 90° right, front- and side cutting, sheath straight, WL 130mm	\$ 952.55
A-8B	8416011	COAG ELECTRODE MONO 14.5FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent irrigation, 14.5, Fr, electrode shape: button, stem color yellow, PACK=1 PC, for MIDI-size resectoscope, unsterile, reusable	\$ 90.70
A-8B	8416031	CUTTING ELECTRODE MONO 14.5FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent irrigation, 14.5, Fr, loop: round, stem color yellow, PACK=1 PC, for MIDI-size resectoscope, unsterile, reusable	\$ 90.70
A-8B	8416091	HOOK ELECTRODE MONO 14.5FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent irrigation, 14.5, Fr, electrode shape: hook, stem color yellow, PACK=1 PC, for MIDI-size resectoscope, unsterile, reusable	\$ 90.70
A-8B	8422.235	CUTTING ELECTRODE MONO 22-26FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 22/24/24.5/25.5/26/27/28, Fr, loop: round, wire Ø 0.35mm, fork color blue, stem color red, PACK=1 PC, for E-Line resectoscope, un	\$ 76.96
A-9	8428.901	PROTECTIVE STERILIZATION SLEEVE - for connection to max 5 electrodes or urethrotome knives, reusable	\$ 77.96
A-8B	8435.901	CURETTE ROUND Ø 3MM WL 95MM - one side sharp, angled and curved upwards, cutting on push, reusable	\$ 196.51

A-9	8435.902	CURETTE ROUND Ø 4.5MM WL 95MM - one side sharp, angled and curved upwards, cutting on push, reusable	\$ 196.51
A-9	8435.903	CURETTE ROUND Ø 6MM WL 95MM - one side sharp, angled and curved upwards, cutting on push, reusable	\$ 196.51
A-9	8435.951	MICROFRACTOR WL 110MM 15° - curved, reusable	\$ 152.66
A-9	8435.952	MICROFRACTOR WL 110MM 45° - curved, reusable	\$ 152.66
A-9	8435.953	MICROFRACTOR WL 110MM 35° - curved, reusable	\$ 152.66
A-9	8435.956	MICROFRACTOR WL 110MM 60° - curved, reusable	\$ 152.66
A-8B	8435.963	MICROFRACTOR WL 110MM 30° - curved, reusable	\$ 152.66
A-8B	8435.966	MICROFRACTOR WL 110MM 60° - curved, reusable	\$ 152.66
A-9	8435.968	MICROFRACTOR WL 110MM 80° - curved, reusable	\$ 152.66
A-9	8436.101	STRAIGHT SCALPEL WL 125MM - reusable	\$ 131.55
A-8B	8436.151	ROSETTE KNIFE WL 125MM - reusable	\$ 131.55
A-9	8436.201	HOOK KNIFE WL 125MM - reusable	\$ 131.55
A-9	8436.251	BANANA KNIFE WL 125MM - reusable	\$ 131.55
A-9	8436.301	STRAIGHT ARTHRO KNIFE WL 125MM - reusable	\$ 131.55
A-9	8436.501	CARTILAGE FILE STRAIG WL 125MM W 6.25MM - rough, reusable	\$ 170.53
A-8B	8436.511	CONVEX CARTILAGE FILE WL 125MM W 6.25MM - rough, reusable	\$ 170.53
A-9	8436.521	CONCAVE CARTILAGE FILE WL 125MM W 6.25MM - rough, reusable	\$ 170.53
A-8B	8436.601	SPOON Ø 6.5X10MM WL 125MM - rough, curved, reusable	\$ 196.51
A-8B	8436.701	CURETTE ROUND Ø 5MM WL 125MM - both sides sharp, angled, reusable	\$ 152.66
A-8B	8446.221	LARYNGOSKOPE BNDL	\$ 1,648.46
A-9	8449.121	LARYNGOSKOPE BNDL	\$ 1,028.12
A-8B	8449.221	LARYNGOSKOPE BNDL	\$ 824.54
A-9	8449.321	LARYNGOSKOPE BNDL	\$ 1,028.12
A-9	8449.911	CHEST SUPPORT FOR OP LARYNGOSCOPE - reusable	\$ 963.35
A-8B	8456.011	LARYNGOSKOPE BNDL	\$ 3,408.10
A-9	8456.101	OP-LARYNGOSCOPE WL 175MM - inner dimension prox. 21.5x12mm, inner dimension dist. Ø 12mm, TL 206mm, with universal handle for all support and mounting systems, reusable	\$ 1,209.52
A-9	8457.011	OP-LARYNGOSCOPE WL 148MM - by Pototschnig adjustable, dilation prox. min. / max. 32x12.5/ 32x27.5mm, dilation dist. min. / max. 16x13.5/ 16x53mm, TL 200mm, straight blade, with contusion protection of soft tissue, outer light carrier and insufflation	\$ 3,076.91

A-9	8458.011	OP-LARYNGOSCOPE WL 153MM - outer dimension prox. 26x22mm, inner dimension Ø 14mm, TL 184mm, outer light carrier and insufflation-suction tube, with universal handle for all support and mounting systems, reusable	\$ 737.96
A-8B	8458.031	LARYNGOSCOPE BNDL	\$ 1,177.72
A-8B	8466.651	OPT. BIOPSY FORCEPS WL 474MM - by Reichle, jaw straight, for telescope 0° Ø 5.5mm, TL 535mm, reusable	\$ 904.24
A-8B	8466.652	OPT. BIOPSY FORCEPS WL 478MM - by Reichle, jaw straight, for telescope 0° Ø 5.5mm, TL 540mm, reusable	\$ 938.59
A-8B	8466.653	OPT. GRASPING FORCEPS WL 479MM - by Reichle, jaw straight, for telescope 0° Ø 5.5mm, TL 540mm, reusable	\$ 904.24
A-8B	8466.654	OPT. GRASPING FORCEPS WL 482MM - jaw straight, for telescope 0° Ø 5.5mm, TL 557mm, reusable	\$ 1,455.32
A-9	8466.801	CONTROL INSTRUMENT FOR BRONCH. OD 28MM - WL 429mm, for use with bronchoscopes, flexible forceps, scissors, cytology brushes, along with other endoscopic accessories, for use with telescopes Ø 5.5mm, reusable	\$ 1,417.54
A-8B	8471.231	TROCAR SLEEVE BNDL - with pyramidal trocar	\$ 164.90
A-8B	8471.235	SHEATH FOR SINOSCOPY OD 4.7MM - WL 86mm, distal end beveled, compatible with telescopes Ø 4mm, reusable	\$ 118.55
A-8B	8471.237	OBTURATOR Ø 4MM - WL 96mm, sharp, with three-sided tip, reusable	\$ 98.25
A-8B	8474.231	TROCAR SLEEVE BNDL - with pyramidal trocar	\$ 191.86
A-8B	8474.235	SHEATH FOR SINOSCOPY OD 3.4MM - WL 85mm, distal end beveled, compatible with telescopes Ø 4mm, reusable	\$ 104.75
A-8B	8474.237	OBTURATOR Ø 2.7MM - WL 96mm, sharp, with three-sided tip, reusable	\$ 86.07
A-9	8475.031	SUCT./IRRIG. TUBE OD 6.2MM WL 128MM - for use with suction-irrigation handle 8475.26 and telescopes 8880.541 and 8880.543, straight, reusable	\$ 760.91
A-9	8475.041	SHEATH FOR NOSE SURGERY - in combination with suction irrigation handle 847526, and telescopes Ø 4mm 45°, reusable	\$ 631.78
A-8B	8475.071	SHEATH FOR NOSE SURGERY - in combination with suction irrigation handle 847526, and telescopes Ø 4mm 70°, reusable	\$ 760.91
A-8B	8475.133	SHEATH FOR NOSE SURGERY - in combination with suction irrigation handle 847526, and telescopes Ø 2.7mm 0° and 30°, reusable	\$ 760.91

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8475.173	EXCHANGEABLE SHEATH - for 70 degr. telescope, 2,7 mm diameter (8672,435/.403)	\$ 760.91
A-9	8476.433	TELESCOPE 30° Ø 2.7MM WL 103MM - rigid, TL 161mm, rod lens system	\$ 2,679.01
A-9	8476.435	TELESCOPE 70° Ø 2.7MM WL 105MM - rigid, TL 164mm, rod lens system	\$ 2,879.90
A-8B	8482.611	GRASPING FORCEPS Ø 2MM WL 230MM - jaw curved 45° left, rippled, sheath straight, TL 322mm, reusable	\$ 416.38
A-8B	8482.612	GRASPING FORCEPS Ø 2MM WL 230MM - jaw curved 45° right, rippled, sheath straight, TL 322mm, reusable	\$ 416.38
A-8B	8482.621	GRASPING FORCEPS Ø 2MM WL 230MM - jaw curved 90° left, rippled, sheath straight, TL 320mm, reusable	\$ 404.03
A-8B	8482.622	GRASPING FORCEPS Ø 2MM WL 230MM - jaw curved 90° right, rippled, sheath straight, TL 320mm, reusable	\$ 404.03
A-8B	8482.641	DOUBLE SPOON FORCEPS Ø 2MM WL 230MM - right curved, sheath straight, TL 320mm, reusable	\$ 404.03
A-8B	8482.642	DOUBLE SPOON FORCEPS Ø 2MM WL 230MM - left curved, sheath straight, TL 320mm, reusable	\$ 404.03
A-9	8482.651	DILATING FORCEPS Ø 2MM WL 240MM - sheath straight, TL 330mm, reusable	\$ 538.70
A-8B	8486.601	HOOK PUNCH Ø 2MM - jaw straight, sheath straight, WL 60mm	\$ 865.66
A-9	8486.602	MINIATURE PUNCH Ø 2.2MM - jaw straight, sheath straight, WL 75mm	\$ 865.66
A-8B	8486.611	MINIATURE FORCEPS Ø 2MM - jaw straight, double-spoon jaw, sheath straight, WL 60mm	\$ 865.66
A-9	8486.614	MINIATURE FORCEPS Ø 2.7MM - jaw straight, double-spoon jaw, sheath straight and overload protection, WL 110mm, with irrigation connection	\$ 1,039.45
A-8B	8486.621	MINIATURE GRASPING FORCEPS Ø 2MM - jaw straight, sheath straight, WL 60mm	\$ 865.66
A-9	8486.624	MINIATURE GRASPING FORCEPS Ø 2.7MM - jaw straight, sheath straight and overload protection, WL 110mm, with irrigation connection	\$ 1,039.45
A-8B	8487.011	HOOK PUNCH Ø 2.7MM - jaw straight, with scoop, sheath left curved, WL 130mm	\$ 952.55
A-9	8487.012	HOOK PUNCH Ø 2.7MM - jaw straight, with scoop, sheath right curved, WL 130mm	\$ 952.55
A-9	8487.013	HOOK PUNCH Ø 2.7MM - jaw straight, with scoop, sheath curved upwards, WL 130mm	\$ 952.55
A-9	8487.061	HOOK PUNCH Ø 2.7MM - jaw straight, flexible toothed jaw, sheath straight, WL 130mm	\$ 952.55

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8487.063	HOOK PUNCH Ø 2.7MM - jaw curved upwards, flexible toothed jaw, sheath straight, WL 130mm	\$ 952.55
A-8B	8488.025	HOOK PUNCH Ø 3.4MM - jaw curved upwards, sheath straight, WL 130mm	\$ 952.55
A-9	8488.041	HOOK SCISSORS Ø 3.4MM - jaw straight, sheath left curved, WL 130mm	\$ 952.55
A-9	8488.042	HOOK SCISSORS Ø 3.4MM - jaw straight, sheath right curved, WL 130mm	\$ 952.55
A-8B	8488.051	MICRO SCISSORS Ø 3.4MM - jaw straight, sheath straight, WL 130mm, for precise cutting in soft structures	\$ 952.55
A-8B	8488.063	PUNCH Ø 3.4MM - jaw curved upwards, flexible toothed jaw, sheath straight, WL 130mm	\$ 952.55
A-8B	8488.096	GRASPING FORCEPS Ø 3.4MM - jaw straight, jaw toothed, handle with locking mechanism, WL 130mm	\$ 952.55
A-9	8488.121	PUNCH Ø 3.4MM - jaw straight, flexible toothed jaw, sheath straight, WL 130mm, reusable	\$ 952.55
A-8B	8488.951	HOOK PUNCH Ø 3.4MM - jaw straight, with scoop, sheath straight, WL 130mm, reusable	\$ 952.55
A-8B	8488.952	HOOK PUNCH Ø 3.4MM - jaw straight, with scoop, sheath left curved, WL 130mm, reusable	\$ 952.55
A-8B	8488.953	HOOK PUNCH Ø 3.4MM - jaw straight, with scoop, sheath right curved, WL 130mm, reusable	\$ 952.55
A-9	8488.954	HOOK PUNCH Ø 3.4MM - jaw curved upwards, with scoop, sheath curved 15° upwards, WL 130mm, reusable	\$ 952.55
A-9	8489.063	HOOK PUNCH Ø 4.5MM - jaw curved upwards, with scoop, flexible toothed jaw, sheath straight, WL 130mm, reusable	\$ 952.55
A-8B	8489.096	GRASPING FORCEPS Ø 4.5MM - finer toothed distal jaw, sheath straight, handle with ratchet, WL 134mm, reusable	\$ 952.55
A-9	8564.021	MOTOR HANDPIECE MAX. 6000RPM - for use with rotation tools, control by footswitch, reusable	\$ 8,101.22
A-9	8564.121	MOTOR HANDPIECE BNDL - max. 6000 rpm	\$ 9,381.04
A-9	8564.851	CONNECTION CABLE WL 3M - reusable	\$ 1,275.75
A-9	8568.031	RESECTOR OVAL Ø 4.5MM - color code yellow, PACK=1 PC, WL 126.5mm, for use with the motor handpiece M4, for soft tissue extraction, in Arthroscopy, reusable	\$ 392.23
A-9	8570.005	DUAL 5MM ENDOSCOPE TRAY PLASTIC - reusable	\$ 127.44
A-9	8570.010	DUAL 10MM ENDOSCOPE TRAY PLASTIC - reusable	\$ 116.19
A-9	8570.012	SMALL ENDOSCOPE TRAY PLASTIC - reusable	\$ 151.29
A-9	8570.017	LARGE ENDOSCOPE TRAY PLASTIC - reusable	\$ 127.93
A-9	8570.019	LONG ENDOSCOPE TRAY PLASTIC - reusable	\$ 402.90
A-9	8570.027	2.7MM HYSTEROSCOPE TRAY PLASTIC - reusable	\$ 457.24

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8570.040	COMPACT HYSTEROSCOPE TRAY PLASTIC - reusable	\$ 575.85
A-9	8585010	LAPAROSCOPY TRAY METAL - reusable	\$ 925.95
A-9	8585012	LONG LAPAROSCOPY TRAY METAL - reusable	\$ 958.80
A-9	8585.021	TEM INSTRUMENT TRAY METAL - reusable	\$ 908.49
A-9	8585.023	UNIVERSAL TRAY METAL - reusable	\$ 389.09
A-9	8585.025	DEEP UNIVERSAL TRAY METAL - reusable	\$ 854.01
A-8B	8585.026	MARTIN ARM TRAY METAL - reusable	\$ 609.97
A-9	8585030	CYSTOSCOPY TRAY METAL - reusable	\$ 843.10
A-9	8585032	UROLOGY TRAY METAL - reusable	\$ 843.10
A-9	8585035	URO FLEX ENDOSCOPE TRAY PLASTIC - reusable	\$ 859.18
A-9	8585038	TRAY FOR SMALL ANATOMY METAL - reusable	\$ 542.89
A-9	8585.070	SINGLE ENDOSCOPE TRAY METAL - reusable	\$ 245.05
A-9	8585.071	UNIVERSAL TRAY METAL - reusable	\$ 435.69
A-200	8585.072	UNIVERSAL TRAY METAL - reusable	\$ 383.85
A-200	8585.073	UNIVERSAL TRAY METAL - reusable	\$ 327.05
A-200	8585.101	ENDOCAM TRAY METAL - reusable	\$ 220.54
A-200	8585.145	UNIVERSAL TRAY METAL - reusable	\$ 360.87
A-9	8585.221	LAPAROSCOPIC TRAY RACK	\$ 346.68
A-9	8585.533	INSERT SILICONE - reusable	\$ 14.05
A-9	8585.740	UNIVERSAL BRACKET - reusable	\$ 42.50
A-9	8585.911	SMALL COMPARTMENT F. METAL TRAY METAL - reusable	\$ 57.78
A-9	8616.951	CANNULA FOR INJECTION 4.5FR WL 300MM - PACK=1 PC, reusable	\$ 156.67
A-8B	8625.315	ADAPTER FOR CYSTOSCOPE - TL 57mm, compatible with cystoscope 8626431, with 2 flushing ports and 1 guide port, reusable	\$ 467.73
A-8B	8626.201	CANNULA FOR INJECTION Ø 0.6MM WL 300MM - PACK=3 PCS, reusable	\$ 133.30
A-9	8626.431	CYSTOSCOPE 5° 9.5/11.5FR WL 116MM - rigid, with lateral ocular lens, working channel 5Fr, atraumatic distal tip, TL 218mm, rod lens system	\$ 5,725.32
A-9	8626.531	CYSTOSCOPE 12° 8.0/9.8FR WL 150MM - rigid, with lateral ocular lens, working channel 5Fr, atraumatic distal tip, TL 283mm, rod lens system	\$ 6,128.58
A-9	8632.024	OUTER SHEATH LASER THERAPY 21FR - color code yellow, SL 221mm, oval, slanted distal end, stainless steel, continuous irrigation, compatible with inner sheath 8632025, and telescopes Ø 4mm, 12°/30°, with 2 flushing ports, E-Line quick connection, reus	\$ 944.10
A-9	8632.025	INNER SHEATH LASER THERAPY - color code yellow, SL 235mm, oval, working channel for instruments up to 7Fr, slanted distal end, stainless steel, continuous irrigation, compatible with outer sheath 8632024, and telescopes Ø 4mm, 12°/30°, bayonet-cap, r	\$ 795.63

A-8B	8632.026	OUTER SHEATH LASER THERAPY 22.5FR - color code green, SL 196mm, oval, slanted distal end, stainless steel, continuous irrigation, compatible with inner sheath 8632027, and telescopes Ø 4mm, 12°/30°, with irrigation stopcock, E-Line quick connection,	\$ 1,023.80
A-8B	8632.027	INTERNAL SHEATH LASER THERAPY - color code green, SL 209mm, oval, slanted distal end, stainless steel, continuous irrigation, compatible with outer sheath 8632026, working insert 8632914, attachment 8632264, and telescopes Ø 4mm, 12°/30°, with irriga	\$ 584.05
A-9	8632.124	OBTURATOR LASER THERAPY 21FR - color code yellow, WL 240mm, oval, rounded distal end, compatible with outer sheath 8632024, reusable	\$ 248.74
A-8B	8632.126	OBTURATOR LASER THERAPY 22.5FR - color code green, WL 214mm, oval, rounded distal end, compatible with outer sheath 8632026, reusable	\$ 262.48
A-9	8632.225	LASER WORKING ELEMENT PASSIVE 30° - closed, round, distal sheath end slanted, compatible with inner sheath 8655344, and telescopes Ø 4mm, bayonet-cap, reusable	\$ 2,713.67
A-8B	8632.264	ADAPTER LASER THERAPY - TL 85mm, working channel for instruments up to 6.5Fr, compatible with inner sheath 8632027, and telescopes Ø 4mm, 12°/30°, with introduction port, bayonet-cap, reusable	\$ 435.63
A-9	8632.284	LASER WORKING INSERT 12/30 - round, working channel for instruments up to 6.5Fr, compatible with sheaths 8675322, 8675324, 8675524, 8632030, and telescopes Ø 4mm, with introduction port, bayonet-cap, reusable	\$ 770.48
A-9	8632.724	VIEWING OBTURATOR LASER THERAPY 21FR - color code yellow, WL 240mm, rounded distal end, compatible with sheath 8632024, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 461.74
A-8B	8632.726	VIEWING OBTURATOR LASER THERAPY 22.5FR - color code green, WL 214mm, rounded distal end, compatible with sheath 8632026, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 511.22
A-9	8632.911	LASER WORKING INSERT 12/30 - color code green, round, with pivot angle limitation, distal sheath end slanted, compatible with sheaths 8632027, 8655345, and telescopes Ø 4mm, 0°-30°, bayonet-cap, reusable	\$ 1,824.45

A-9	8632.912	LASER WORKING INSERT 30 - color code black, round, without pivot angle limitation, distal sheath end slanted, compatible with sheaths 8632027, 8655345, and telescopes Ø 4mm, 0°-30°, bayonet-cap, reusable	\$ 1,824.45
A-8B	8632.914	LASER WORKING INSERT 12/30 - round, freestyle, distal sheath end slanted, compatible with sheaths 8632027, 8632029, 8675322, 8675324, 8675525, and telescopes Ø 4mm, 0°-30°, bayonet-cap, reusable	\$ 1,318.27
A-8B	8642.403	CYSTOSCOPE 25° 14FR WL 218MM - rigid, with straight ocular lens, working channel 5Fr, atraumatic distal tip, TL 358mm, rod lens system	\$ 4,674.39
A-8B	8642.631	RIGID BIOPSY FORCEPS 5FR WL 355MM - single action, TL 470mm, non-dismantling, reusable	\$ 504.35
A-8B	8642.681	SCISSORS, RIGID 5FR WL 355MM - single action, TL 500mm, non-dismantling, reusable	\$ 523.59
A-9	8645.403	CYSTOSCOPE 25° 17FR WL 224MM - rigid, with straight ocular lens, working channel 7Fr, atraumatic distal tip, TL 224mm, rod lens system	\$ 4,584.45
A-8B	8650.204	WORKING INSERT FOR CYSTOSCOPE 0/30/70 - with Albarran-lever, compatible with sheaths 86500245, 86500345, 86500445, 86500545, and telescopes Ø 4mm, with 2 introduction ports, bayonet-cap, reusable	\$ 891.88
A-8B	8650.214	WORKING INSERT FOR CYSTOSCOPE 30/70 - with Albarran-lever, compatible with sheaths 86500245, 86500345, 86500445, 86500545, and telescopes Ø 4mm, with introduction port, bayonet-cap, reusable	\$ 841.04
A-9	8650.254	ADAPTER FOR CYSTOSCOPE - only for diagnostics, TL 60mm, compatible with sheaths 86500145, 86500245, 86500345, 86500445, 86500545, 86500645, and telescopes Ø 4mm, 0°/12°/30°/70°, without insertion port, bayonet-cap, reusable	\$ 319.01
A-8B	8650.264	ADAPTER FOR CYSTOSCOPE - TL 60mm, compatible with sheaths 86500145, 86500245, 86500345, 86500445, 86500545, 86500645, and telescopes Ø 4mm, 0°/12°/30°/70°, with introduction port, bayonet-cap, reusable	\$ 307.83
A-8B	8650.284	ADAPTER FOR CYSTOSCOPE - TL 60mm, compatible with sheaths 86500145, 86500245, 86500345, 86500445, 86500545, 86500645, and telescopes Ø 4mm, 0°/12°/30°/70°, with 2 introduction ports, bayonet-cap, reusable	\$ 373.79
A-9	8650.414	TELESCOPE 0° Ø 4MM WL 298MM - rigid, TL 365mm, rod lens system	\$ 2,678.20

A-9	8650.415	TELESCOPE 70° Ø 4MM WL 302MM - rigid, TL 364mm, rod lens system	\$ 2,696.05
A-8B	8650.604	OPT.BIOPSY FORCEPS SPOON-SHAPED - double-action, for biopsies, for sheaths from 19.5Fr, for telescope 0° Ø, for telescope 0° Ø 4mm, with twist lock, reusable	\$ 1,054.04
A-8B	8650.614	OPT.BIOPSY FORCEPS MARBURG MODEL - double-action, through cutting, for combined biopsy and haemostasis, for sheaths from 19.5Fr, for telescope 0° Ø, for telescope 0° Ø 4mm, with twist lock, reusable	\$ 1,041.67
A-8B	8650.624	COAG. BIOPSY FORCEPS BY TAUBER - double-action, through cutting, for biopsies, for sheaths from 21Fr, for telescope 0° Ø, for telescope 0° Ø 4mm, with twist lock, reusable	\$ 1,664.19
A-8B	8650.644	OPT. SCISSORS WUPPERTAL MODEL - single movement, curved downward, for cutting tissue, for sheaths from 19.5Fr, for telescope 0° Ø, for telescope 0° Ø 4mm, with twist lock, reusable	\$ 934.47
A-8B	8650.654	OPT. GRASPING FORCEPS CVD. DOWNWARDS - double-action, for grasping foreign bodies, for sheaths from 19.5Fr, for telescope 0° Ø, for telescope 0° Ø 4mm, with twist lock, reusable	\$ 934.47
A-8B	8650.664	OPT.STONE GRASP.FORCEPS CVD. DOWNWARDS - double-action, for grasping and crushing small calculi, for sheaths from 23Fr, for telescope 0° Ø, for telescope 0° Ø 4mm, with twist lock, reusable	\$ 1,328.88
A-8B	8650.684	OPT. GRASPING FORCEPS STRAIGHT - double-action, for grasping foreign bodies, for sheaths from 19.5Fr, for telescope 0° Ø, for telescope 0° Ø 4mm, with twist lock, reusable	\$ 1,074.65
A-8B	8650.714	VIEWING OBTURATOR FOR CYSTOSCOPE 17.5FR - WL 249mm, rounded distal end, compatible with sheath 86500245, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 437.01
A-8B	8650.724	VIEWING OBTURATOR FOR CYSTOSCOPE 19.5FR - WL 249mm, rounded distal end, compatible with sheath 86500345, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 437.01
A-8B	8650.734	VIEWING OBTURATOR FOR CYSTOSCOPE 21FR - WL 249mm, rounded distal end, compatible with sheath 86500445, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 420.51
A-8B	8650.744	VIEWING OBTURATOR FOR CYSTOSCOPE 23FR - WL 249mm, rounded distal end, compatible with sheath 86500545, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 437.01

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8650.774	OPT.BIOPSY FORCEPS SPOON DOWNWARDS - retrograde cutting, for biopsies, for sheaths from 19.5Fr, for telescope 0° Ø, for telescope 0° Ø 4mm, with twist lock, reusable	\$ 1,190.08
A-8B	8652.254	ADAPTER FOR CYSTOSCOPE - only for diagnostics, TL 79mm, compatible with sheaths 86520145, 86520245, 86520345, 86520445, and telescopes Ø 4mm, 0°/12°/30°/70°, without insertion port, bayonet-cap, reusable	\$ 241.82
A-8B	8652.264	ADAPTER FOR CYSTOSCOPE - TL 79mm, compatible with sheaths 86520145, 86520245, 86520345, 86520445, and telescopes Ø 4mm, 0°/12°/30°/70°, with introduction port, bayonet-cap, reusable	\$ 324.31
A-8B	8652.284	ADAPTER FOR CYSTOSCOPE - TL 79mm, compatible with sheaths 86520145, 86520245, 86520345, 86520445, and telescopes Ø 4mm, 0°/12°/30°/70°, with 2 introduction ports, bayonet-cap, reusable	\$ 388.90
A-9	8652.704	ADAPTER FOR E-LINE SHEATHS 8652 - for use with optical forceps and scissors, compatible with Fr E-Line sheaths 8652, E-Line quick connection, reusable	\$ 175.91
A-9	8652.781	WORKING ELEMENT FOR CYSTOSCOPE 30 - for incontinence therapy, open, compatible with sheath 86520446, and telescopes Ø 4mm, with introduction port, bayonet-cap, reusable	\$ 1,607.86
A-9	8652.785	CANNULA FOR INJECTION Ø 0.8MM WL 316MM - PACK=1 PC, reusable	\$ 141.55
A-9	8652.788	INSTRUMENT PORT 4FR - TL 31mm, capacity for instruments up to 4Fr, compatible with working element 8652781, with introduction port, reusable	\$ 272.14
A-9	8652.795	CANNULA FOR INJECTION Ø 1.5MM WL 315MM - PACK=1 PC, reusable	\$ 230.87
A-8B	8653.018	INNER SHEATH RESECTOSCOPE 19FR - color code black, SL 211mm, round, non-rotatable, distal end beveled, compatible with outer sheath 8653021 for Princess resectoscope 21Fr with continuous irrigation, and telescopes Ø 2.7mm, 12°, with Luer connection,	\$ 852.03
A-8B	8653019	INNER SHEATH RESECTOSCOPE 19FR - color code black, SL 239mm, round, rotatable, distal end straight, compatible with outer sheath 8653022 for Princess resectoscope 21Fr with continuous irrigation, and telescopes Ø 2.7mm, 12°, with Luer connection, E-L	\$ 982.57

A-8B	8653.021	OUTER SHEATH RESECTOSCOPE 21FR - color code black, SL 199mm, round, compatible with inner sheath 8653018 for Princess resectoscope 21Fr with continuous irrigation, and telescopes Ø 2.7mm, 12°, with Luer connection, E-Line quick connection, reusable	\$ 1,146.11
A-8B	8653022	OUTER SHEATH RESECTOSCOPE 21FR - color code black, WL 191mm, round, compatible with inner sheath 8653019 for Princess resectoscope 21Fr with continuous irrigation, and telescopes Ø 2.7mm, 12°, with Luer connection, E-Line quick connection, reusable	\$ 982.01
A-8B	8653204	WORKING ELEMENT ACTIVE MONO/BIPO - and telescopes Ø 2.7mm, 12° and 30°, bayonet-cap, reusable	\$ 2,047.62
A-8B	8653.224	WORKING ELEMENT PASSIVE MONO/BIPO - and telescopes Ø 2.7mm, 12° and 30°, bayonet-cap, reusable	\$ 2,027.01
A-8B	8653284	WORKING INSERT RESECTOSCOPE - for WL 220mm, working channel 7Fr, compatible with inner sheath 8653018 and 8653019 for Princess resectoscope 21Fr with continuous irrigation, and telescopes Ø 2.7mm, 12°, automatic click connection, reusable	\$ 839.94
A-9	8654.014	SHEATH RESECTOSCOPE 22FR - color code green, SL 215mm, round, rotatable irrigation ring, slanted distal end, intermittent flushing, compatible with telescopes Ø 4mm, 12°/30°, quick-lock, reusable	\$ 926.61
A-9	8654.024	SHEATH RESECTOSCOPE 24FR - color code yellow, SL 215mm, round, rotatable irrigation ring, slanted distal end, intermittent flushing, compatible with telescopes Ø 4mm, 12°/30°, quick-lock, reusable	\$ 926.61
A-9	8654.034	SHEATH RESECTOSCOPE 26FR - color code black, SL 215mm, round, rotatable irrigation ring, slanted distal end, intermittent flushing, compatible with telescopes Ø 4mm, 12°/30°, quick-lock, reusable	\$ 926.61
A-9	8654.064	SHEATH RESECTOSCOPE 22FR - color code green, SL 206mm, round, rotatable irrigation ring, slanted distal end, intermittent flushing, compatible with telescopes Ø 4mm, 12°/30°, quick-lock, reusable	\$ 926.61
A-9	8654.074	SHEATH RESECTOSCOPE 24FR - color code yellow, SL 206mm, round, rotatable irrigation ring, slanted distal end, intermittent flushing, compatible with telescopes Ø 4mm, 12°/30°, quick-lock, reusable	\$ 926.61

A-9	8654.084	SHEATH RESECTOSCOPE 26FR - color code black, SL 206mm, round, rotatable irrigation ring, slanted distal end, intermittent flushing, compatible with telescopes Ø 4mm, 12°/30°, quick-lock, reusable	\$ 926.61
A-8B	8654.175	DILATATIONS OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 246mm, round, rounded distal end, compatible with 24Fr sheaths, reusable	\$ 423.27
A-8B	8654.185	DILATATIONS OBTURATOR RESECTOSCOPE 26FR - color code black, WL 246mm, round, rounded distal end, compatible with 26Fr sheaths, reusable	\$ 423.27
A-9	8654.204	WORKING ELEMENT ACTIVE MONO 12/30° - open, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,637.54
A-9	8654.224	WORKING ELEMENT PASSIVE MONO 12/30° - open, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,735.66
A-8B	8654.225	WORKING ELEMENT PASSIVE MONO 12/30° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,449.82
A-9	8654.282	LASER WORKING ELEMENT PASSIVE 12/30° - open, with locking mechanism for laser fibers, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,585.87
A-9	8654.422	TELESCOPE 30° Ø 4MM WL 300MM - rigid, TL 364mm, rod lens system	\$ 2,864.81
A-9	8654.431	TELESCOPE 12° Ø 4MM WL 297MM - rigid, TL 363mm, rod lens system	\$ 2,838.84
A-9	8654.911	LASER WORKING INSERT 12/30 7.5FR - round, working channel for instruments up to 7.5Fr, compatible with 24Fr sheaths, and telescopes Ø 4mm, with introduction port, bayonet-cap, reusable	\$ 799.81
A-8B	8654.951	CANNULA FOR INJECTION Ø 0.7MM WL 450MM - PACK=1 PC, reusable	\$ 153.85
A-9	8654.981	GUIDE SHEATH LASER THERAPY 1000µM 24FR - distal end straight, compatible with working element 8654282, reusable	\$ 89.33
A-9	8654.982	GUIDE SHEATH LASER THERAPY 600µM 24FR - for urethrotomy, slightly curved distal end, compatible with working element 8654282, reusable	\$ 97.58
A-9	8654.985	GUIDE SHEATH LASER THERAPY 600µM 24FR - slanted distal end, compatible with working element 8654282, reusable	\$ 89.33
A-9	8654.986	GUIDE SHEATH LASER THERAPY 600µM 24FR - distal end with ring, compatible with working element 8654282, reusable	\$ 89.33

A-9	8655.074	OUTER SHEATH RESECTOSCOPE 27FR - color code yellow, SL 201mm, round, non-rotatable, slanted distal end, continuous irrigation, compatible with inner sheath 8655084, and telescopes Ø 4mm, 12°/30°, E-Line quick connection, reusable	\$ 631.93
A-9	8655.084	INTERNAL SHEATH RESECTOSCOPE 24FR - color code yellow, SL 208mm, round, rotatable irrigation ring, slanted distal end, ceramic, continuous irrigation, compatible with outer sheath 8655074, and telescopes Ø 4mm, 12°/30°, with 2 flushing ports, quick-l	\$ 1,289.07
A-9	8655.134	OUTER SHEATH RESECTOSCOPE 25.5FR - color code green, SL 192, round, non-rotatable, slanted distal end, continuous irrigation, compatible with inner sheath 8655144, and telescopes Ø 4mm, 12°/30°, E-Line quick connection, reusable	\$ 631.93
A-9	8655.144	INTERNAL SHEATH RESECTOSCOPE 22.5FR - color code green, SL 200, round, rotatable irrigation ring, slanted distal end, ceramic, continuous irrigation, compatible with outer sheath 8655134, and telescopes Ø 4mm, 12°/30°, with 2 flushing ports, quick-lo	\$ 1,289.07
A-9	8655314	OUTER SHEATH LASER THERAPY 24.5FR - color code green, SL 191mm, round, non-rotatable, distal end straight, continuous irrigation, compatible with inner sheath 8655324, and telescopes Ø 4mm, 12°/30°, with irrigation stopcock, E-Line quick connection,	\$ 472.76
A-9	8655324	INTERNAL SHEATH LASER THERAPY 22FR - color code green, SL 206mm, round, slanted distal end, stainless steel, continuous irrigation, compatible with outer sheath 8655314, and telescopes Ø 4mm, 12°/30°, with irrigation stopcock, quick-lock, reusable	\$ 945.53
A-8B	8655.334	OUTER SHEATH RESECTOSCOPE 24.5FR - color code green, SL 191mm, round, non-rotatable, distal end straight, continuous irrigation, compatible with inner sheath 8655344, and telescopes Ø 4mm, 30°, with irrigation stopcock, E-Line quick connection, reus	\$ 555.20
A-8B	8655.344	INTERNAL SHEATH RESECTOSCOPE 22FR - color code green, SL 203mm, round, rotatable, straight distal end, ceramic, continuous irrigation, compatible with outer sheath 8655334, and telescopes Ø 4mm, 30°, with irrigation stopcock, quick-lock, reusable	\$ 1,054.04

A-9	8655.374	OUTER SHEATH RESECTOSCOPE 26FR - color code yellow, SL 191mm, round, non-rotatable, distal end straight, continuous irrigation, compatible with inner sheath 8655384, and telescopes Ø 4mm, 0°, with irrigation stopcock, E-Line quick connection, reusable	\$ 571.69
A-9	8655.384	INNER SHEATH RESECTOSCOPE 24FR - color code yellow, SL 204mm, round, rotatable, straight distal end, ceramic, continuous irrigation, compatible with outer sheath 8655374, and telescopes Ø 4mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 1,117.26
A-8B	8655.393	OUTER SHEATH RESECTOSCOPE 28FR - color code black, SL 191mm, round, non-rotatable, distal end straight, continuous irrigation, compatible with inner sheath 8655394, and telescopes Ø 4mm, 0°, with irrigation stopcock, E-Line quick connection, reusable	\$ 534.57
A-8B	8655.394	INNER SHEATH RESECTOSCOPE 26FR - color code black, SL 204mm, round, rotatable, straight distal end, ceramic, continuous irrigation, compatible with outer sheath 8655393, and telescopes Ø 4mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 1,059.54
A-9	8655.984	GUIDE WASHER RESECTOSCOPE - REMOVABLE, for use of continuous irrigation inserts as intermittent sheaths, reusable	\$ 64.59
A-9	8655.996	SEAL - Resectoscope, PACK=6 PCS, reusable	\$ 17.39
A-9	8656.422	TELESCOPE 30° Ø 3.3MM WL 299MM - rigid, TL 360mm, rod lens system	\$ 4,028.25
A-8B	8659.071	OUTER SHEATH RESECTOSCOPE 27FR - color code yellow, WL 184mm, round, distal end straight, compatible with outer sheath 8659071 for Resection Master Resectoscope 27Fr with integrated chip suction, and telescopes Ø 3.3mm, 30°, with Luer connection, E-L	\$ 875.39
A-8B	8659.175	OBTURATOR RESECTOSCOPE - color code yellow, for WL 202mm, round, distal tip dull, compatible with outer sheath 8659071 for Resection Master Resectoscope 27Fr with integrated chip suction, reusable	\$ 148.42
A-9	8661.074	SHEATH RESECTOSCOPE 24FR - color code yellow, SL 204mm, round, non-rotatable, slanted distal end, ceramic, intermittent flushing, compatible with telescopes Ø 4mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 926.61
A-9	8661.204	WORKING ELEMENT ACTIVE MONO 0° - open, SL 222mm, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,804.60

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8661.225	WORKING ELEMENT PASSIVE MONO 0° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,753.33
A-9	8661.374	SHEATH RESECTOSCOPE 24FR - color code yellow, SL 195mm, round, rotatable, straight distal end, ceramic, intermittent flushing, compatible with telescopes Ø 4mm, 0°/12°/30°, with fixed irrigation tap, quick-lock, reusable	\$ 1,301.40
A-9	8661.384	SHEATH RESECTOSCOPE 26FR - color code black, SL 195mm, round, rotatable, straight distal end, ceramic, intermittent flushing, compatible with telescopes Ø 4mm, 0°/12°/30°, with fixed irrigation tap, quick-lock, reusable	\$ 1,513.49
A-9	8663.024	SHEATH RESECTOSCOPE 24FR - color code yellow, SL 205mm, round, non-rotatable, slanted distal end, ceramic, intermittent flushing, compatible with telescopes Ø 4mm, 12°/30°, with central tap, quick-lock, reusable	\$ 1,188.21
A-9	8663.064	SHEATH RESECTOSCOPE 22FR - color code green, SL 197mm, round, non-rotatable, slanted distal end, ceramic, intermittent flushing, compatible with telescopes Ø 4mm, 0°/12°/30°, with central tap, quick-lock, reusable	\$ 1,188.21
A-9	8663.084	SHEATH RESECTOSCOPE 26FR - color code black, SL 197mm, round, non-rotatable, slanted distal end, ceramic, intermittent flushing, compatible with telescopes Ø 4mm, 0°/12°/30°, with central tap, quick-lock, reusable	\$ 1,188.21
A-9	8667.011	SHEATH FOR URETHROTOME 20.5FR - SL 195mm, oval, non-rotatable, slanted distal end, stainless steel, continuous irrigation, compatible with telescopes Ø 4mm, 0°, with introduction port, quick-lock, reusable	\$ 854.77
A-9	8667.111	OBTURATOR FOR URETHROTOME 20.5FR - WL 231mm, oval, cannulated, rounded distal end, compatible with sheath 8667011, reusable	\$ 346.31
A-8B	8667.161	OUTER SHEATH FOR URETHROTOME 20.5FR - SL 187mm, oval, lateral opening, compatible with sheath 8667011, reusable	\$ 258.35
A-9	8667.911	WORKING ELEMENT URETHRO PASSIVE 0/12° - holder for stricture scalpels, closed, compatible with sheath 8667011, and telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,214.81

A-9	8667.955	SCALPEL 20.5FR WAVE-SHAPED - for optical urethrotome, telescope Ø 4mm, central channel for 4Fr guide catheter, 12 O'clock cutting position, for slitting of urethral (transurethral) and ureteral (percutaneous) stenosis, reusable	\$ 125.06
A-9	8667.961	SCALPEL 20.5FR CERAMIC SEMICIRCULAR - for optical urethrotome, telescope Ø 4mm, massive, 12 O'clock cutting position, for slitting of urethral (transurethral) and ureteral (percutaneous) stenosis, reusable	\$ 316.07
A-9	8667.965	SCALPEL 20.5FR SEMICIRCULAR - for optical urethrotome, telescope Ø 4mm, central channel for 4Fr guide catheter, 12 O'clock cutting position, for slitting of urethral (transurethral) and ureteral (percutaneous) stenosis, reusable	\$ 125.06
A-9	8667.966	SCALPEL 20.5FR CERAMIC SEMICIRCULAR - for optical urethrotome, telescope Ø 4mm, central channel for 4Fr guide catheter, 12 O'clock cutting position, for slitting of urethral (transurethral) and ureteral (percutaneous) stenosis, reusable	\$ 328.44
A-9	8667.971	SCALPEL 20.5FR CERAMIC SHARK FIN - for optical urethrotome, telescope Ø 4mm, central channel for 4Fr ureter catheter, 12 O'clock cutting position, for slitting of urethral (transurethral) and ureteral (percutaneous) stenosis, reusable	\$ 316.07
A-9	8667.981	SCALPEL 20.5FR CERAMIC LANCET-SHAPED - for optical urethrotome, telescope Ø 4mm, massive, 12 O'clock cutting position, for slitting of urethral (transurethral) and ureteral (percutaneous) stenosis, reusable	\$ 328.44
A-8B	8668.024	LONG SHEATH RESECTOSCOPE 24FR - color code yellow, SL 257mm, round, rotatable irrigation ring, slanted distal end, ceramic, intermittent flushing, compatible with telescopes Ø 4mm, 25°, quick-lock, reusable	\$ 786.07
A-8B	8668.204	WORKING ELEMENT ACTIVE MONO 25° - open, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,639.46
A-8B	8668.225	WORKING ELEMENT PASSIVE MONO 25° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,591.37
A-9	8668.433	TELESCOPE 25° Ø 4MM WL 342MM - rigid, TL 404mm, rod lens system	\$ 4,170.67
A-9	8670.061	OUTER SHEATH FOR URETHROTOME 19.5FR - SL 172mm, oval, lateral opening, continuous irrigation, compatible with sheath 8670011, reusable	\$ 559.10

A-9	8670.111	OBTURATOR FOR URETHROTOME 16.5FR - WL 229mm, oval, cannulated, rounded distal end, compatible with sheath 8670011, reusable	\$ 334.13
A-8B	8670.161	OUTER SHEATH FOR URETHROTOME 16.5FR - SL 187mm, oval, lateral opening, compatible with sheath 8670011, reusable	\$ 262.48
A-8B	8670.911	WORKING ELEMENT URETHRO PASSIVE 0° - holder for stricture scalpels, closed, compatible with sheath 8670011, and telescopes Ø 3.3mm, 0°, bayonet-cap, reusable	\$ 1,118.63
A-9	8670.961	SCALPEL 16.5FR CERAMIC SEMICIRCULAR - for optical urethrotome, telescope Ø 3.3mm, massive, 12 O'clock cutting position, for slitting of urethral (transurethral) and ureteral (percutaneous) stenosis, reusable	\$ 328.44
A-9	8670.965	SCALPEL 16.5FR CERAMIC SEMICIRCULAR - for optical urethrotome, telescope Ø 3.3mm, central channel for 4Fr guide catheter, 12 O'clock cutting position, for slitting of urethral (transurethral) and ureteral (percutaneous) stenosis, reusable	\$ 328.44
A-9	8670.981	SCALPEL 16.5FR CERAMIC LANCET-SHAPED - for optical urethrotome, telescope Ø 3.3mm, cutting position 12 O'clock, for slitting of urethral (transurethral) and ureteral (percutaneous) stenosis, reusable	\$ 328.44
A-9	8672.214	WORKING INSERT FOR CYSTOSCOPE 0/30/70 - with Albarran-lever, compatible with sheath 86720445, and telescopes Ø 2.7mm, 0°/30°/70°, with introduction port, bayonet-cap, reusable	\$ 1,007.31
A-9	8672.224	WORKING INSERT FOR CYSTOSCOPE 0/30/70 - SL 132mm, with Albarran-lever, compatible with sheath 86720445, compatible with telescopes Ø 2.7mm, 0°/30°/70°, with 2 introduction ports, bayonet-cap, reusable	\$ 1,231.32
A-8B	8672.264	ADAPTER FOR CYSTOSCOPE - TL 55mm, compatible with sheath 86720445, compatible with telescopes Ø 2.7mm, 0°/30°/70°, with introduction port, bayonet-cap, reusable	\$ 320.20
A-8B	8672.265	ADAPTER FOR CYSTOSCOPE - TL 65mm, compatible with sheath 86720255, 86720455, 86720445, compatible with telescopes Ø 2.7mm, 0°/30°/70°, with introduction port, bayonet-cap, reusable	\$ 374.27
A-9	8672.421	TELESCOPE 0° Ø 2.7MM WL 182MM - rigid, TL 249mm, rod lens system	\$ 3,716.42
A-9	8672.422	TELESCOPE 30° Ø 2.7MM WL 182MM - rigid, TL 247mm, rod lens system	\$ 3,857.35

A-9	8672.425	TELESCOPE 70° Ø 2.7MM WL 185MM - rigid, TL 247mm, rod lens system	\$ 4,035.75
A-9	8672430	TELESCOPE 0° Ø 2.7MM WL 267MM - rigid, TL 334mm, rod lens system	\$ 3,564.43
A-8B	8672432	TELESCOPE 30° Ø 2.7MM WL 267MM - rigid, TL 331mm, rod lens system	\$ 3,343.14
A-8B	8672.604	OPT.BIOPSY FORCEPS SPOON-SHAPED - double-action, through cutting, for biopsies, for sheaths from 14Fr, for telescope 0° Ø, for telescope 0° Ø 2.7mm, with twist lock, reusable	\$ 1,102.14
A-8B	8672.654	OPT. GRASPING FORCEPS PIKE-MOUTH - double-action, for grasping foreign bodies, for sheaths from 14Fr, for telescope 0° Ø, for telescope 0° Ø 2.7mm, with twist lock, reusable	\$ 1,062.28
A-9	8673022	OBTURATOR RESECTOSCOPE 22FR - color code green, WL 232mm, round, rounded distal end, compatible with Shark inner sheath 8675322, reusable	\$ 144.98
A-9	8673024	OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 233mm, round, rounded distal end, compatible with Shark inner sheath 8675324, 8676324, 8676424, reusable	\$ 144.98
A-9	8673026	OBTURATOR RESECTOSCOPE 26FR - color code black, WL 233mm, round, rounded distal end, compatible with Shark inner sheath 8676326, 8676426, reusable	\$ 148.60
A-9	8673122	VIEWING OBTURATOR RESECTOSCOPE 22FR - color code green, WL 232mm, rounded distal end, compatible with Shark inner sheath 8675322, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 554.71
A-9	8673124	VIEWING OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 232mm, rounded distal end, compatible with Shark sheaths 8675324, 8676324, 8676424, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 554.71
A-9	8673126	VIEWING OBTURATOR RESECTOSCOPE 26FR - color code black, WL 232mm, rounded distal end, compatible with Shark sheaths 8676326, 8676426, and telescopes Ø 4mm, 0°/12°/30°, bayonet-cap, reusable	\$ 568.57
A-8B	8673224	DILATATIONS OBTURATOR RESECTOSCOPE 24FR - color code yellow, WL 247mm, round, rounded distal end, compatible with Shark sheaths 8675324, 8676324, 8676424, reusable	\$ 554.71

A-8B	8673226	DILATATIONS OBTURATOR RESECTOSCOPE 26FR - color code black, WL 248mm, round, rounded distal end, compatible with Shark sheaths 8676326, 8676426, reusable	\$ 568.57
A-9	8674205	WORKING ELEMENT ACTIVE MONO 12/30° - closed, SL 132mm, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,935.91
A-9	8674224	WORKING ELEMENT PASSIVE MONO 12/30° - open, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,888.69
A-9	8674225	WORKING ELEMENT PASSIVE MONO 12/30° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 2,034.27
A-9	8674234	WORKING ELEMENT ACTIVE MONO 12/30° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,888.69
A-8B	8675322	INTERNAL SHEATH RESECTOSCOPE 22FR - color code green, SL 205mm, round, rotatable, slanted distal end, ceramic, continuous irrigation, compatible with Shark outer sheath 8675424, and telescopes Ø 4mm, 0°/12°/30°, Snap-On lock, reusable	\$ 1,285.92
A-8B	8675324	INTERNAL SHEATH RESECTOSCOPE 24FR - color code yellow, SL 205mm, round, rotatable, slanted distal end, ceramic, continuous irrigation, compatible with Shark outer sheath 8675426, and telescopes Ø 4mm, 0°/12°/30°, Snap-On lock, reusable	\$ 1,285.92
A-9	8675424	OUTER SHEATH RESECTOSCOPE 24FR - SL 189mm, round, rotatable, distal end straight, continuous irrigation, compatible with Shark inner sheath 8675322, and telescopes Ø 4mm, 0°/12°/30°, Snap-On lock, reusable	\$ 642.95
A-9	8675426	OUTER SHEATH RESECTOSCOPE 26FR - SL 189mm, round, rotatable, distal end straight, continuous irrigation, compatible with Shark inner sheath 8675324, and telescopes Ø 4mm, 0°/12°/30°, Snap-On lock, reusable	\$ 642.95
A-9	8676324	SHEATH RESECTOSCOPE 24FR - color code yellow, SL 200mm, round, rotatable, slanted distal end, ceramic, intermittent flushing, compatible with Shark irrigation adaptor 8676354 or 8676361, and telescopes Ø 4mm, 0°/12°/30°, Snap-On lock, reusable	\$ 988.55

A-9	8676326	SHEATH RESECTOSCOPE 26FR - color code black, SL 201mm, round, rotatable, slanted distal end, ceramic, intermittent flushing, compatible with Shark irrigation adaptor 8676354 or 8676361, and telescopes Ø 4mm, 0°/12°/30°, Snap-On lock, reusable	\$ 988.55
A-8B	8676342	CONNECTING PART RESECTOSCOPE 24FR - color code yellow, non-rotatable, intermittent flushing, compatible with Shark sheath 8676424, reusable	\$ 568.57
A-8B	8676343	CONNECTING PART RESECTOSCOPE 26FR - color code black, non-rotatable, intermittent flushing, compatible with Shark sheath 8676426, reusable	\$ 568.57
A-9	8676354	IRRIGATION ADAPTOR RESECTOSCOPE 24/26FR - rotatable, intermittent flushing, compatible with Shark sheath 8676324 and 8676326, with Luer connection, reusable	\$ 230.98
A-9	8676361	IRRIGATION ADAPTOR RESECTOSCOPE 24/26FR - rotatable, intermittent flushing, compatible with Shark sheath 8676324 and 8676326, with Luer connection, reusable	\$ 230.98
A-9	8676424	SHEATH RESECTOSCOPE 24FR - color code yellow, SL 195mm, round, non-rotatable, slanted distal end, ceramic, intermittent flushing, compatible with telescopes Ø 4mm, 0°/12°/30°, with central tap, Snap-On lock, reusable	\$ 1,235.69
A-9	8676426	SHEATH RESECTOSCOPE 26FR - color code black, SL 195mm, round, non-rotatable, slanted distal end, ceramic, intermittent flushing, compatible with telescopes Ø 4mm, 0°/12°/30°, with central tap, Snap-On lock, reusable	\$ 1,235.69
A-8B	8677.224	WORKING ELEMENT ACTIVE MONO 0° - closed, compatible with telescopes Ø 2.7mm, bayonet-cap, reusable	\$ 1,162.60
A-8B	8677.254	ADAPTER FOR URETHROTOME/RESECTOSCOPE - only for diagnostics, TL 68mm, compatible with sheath 8677.0141, and telescopes Ø 2.7mm, without insertion port, bayonet-cap, reusable	\$ 242.25
A-8B	8677931	SCALPEL 14.5FR SICKLE SHAPED - for small caliber resectoscope, telescope Ø 2.7mm, cutting position 6 O'clock, for cutting urethral strictures, reusable	\$ 98.94
A-8B	8677.961	SCALPEL 11.5FR CERAMIC SEMICIRCULAR - resectoscope for small children, telescope Ø 2.7 mm, cutting position 6 O'clock, for cutting urethral strictures, reusable	\$ 316.07
A-8B	8677981	SCALPEL 14.5FR LANCET SHAPED - for small caliber resectoscope, telescope Ø 2.7mm, cutting position 6 O'clock, for cutting urethral strictures, reusable	\$ 98.94

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8680.204	WORKING ELEMENT ACTIVE BIPO 0/12/30° - open, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 2,393.04
A-9	8680.205	WORKING ELEMENT ACTIVE BIPO 0/12/30° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 2,393.04
A-8B	8680.224	WORKING ELEMENT PASSIVE BIPO 0/12/30° - open, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,332.32
A-9	8680.225	WORKING ELEMENT PASSIVE BIPO 0/12/30° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 2,106.16
A-9	8681205	WORKING ELEMENT ACTIVE MONO 0° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,935.91
A-9	8681224	WORKING ELEMENT PASSIVE MONO 0° - open, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,935.91
A-9	8686.414	TELESCOPE 0° Ø 1.9MM WL 178MM - rigid, TL 243mm, rod lens system	\$ 3,072.60
A-9	8686.415	TELESCOPE 30° Ø 1.9MM WL 179MM - rigid, TL 241mm, rod lens system	\$ 3,034.63
A-8B	8688.224	WORKING ELEMENT PASSIVE MONO 30° - closed, compatible with sheath 86880141, and telescopes Ø 1.9mm, reusable	\$ 1,206.58
A-8B	8688.264	ADAPTER RESECTOSCOPE - TL 66mm, compatible with sheath 86880141, and telescopes Ø 1.9mm, with introduction port, bayonet-cap, reusable	\$ 307.83
A-8B	8693.914	WORKING ELEMENT URETHRO PASSIVE 0° - holder for stricture scalpels, closed, compatible with sheath 86930141, and telescopes Ø 1.9mm, bayonet-cap, reusable	\$ 1,206.58
A-8B	8693.961	SCALPEL 9FR CERAMIC SEMICIRCULAR - resectoscope for newborns and small children, telescope Ø 1.9mm, cutting position 6 O'clock, for cutting urethral strictures, reusable	\$ 316.07
A-8B	8701517	URETERORENOSCOPE 5° 4.5/6.5FR WL 330MM - semi-rigid, with straight ocular lens, working channel 3Fr, atraumatic distal tip, TL 465mm, fiber image carrier	\$ 7,776.17
A-8B	8701518	URETERORENOSCOPE 5° 4.5/6.5FR WL 430MM - semi-rigid, with straight ocular lens, working channel 3.4Fr, atraumatic distal tip, TL 565mm, fiber image carrier	\$ 7,816.64

A-9	8701.533	URETERORENOSCOPE 5° 4.5/6.5FR WL 315MM - semi-rigid, with lateral ocular lens, working channel 3Fr, atraumatic distal tip, TL 440mm, fiber image carrier	\$ 8,114.70
A-8B	8701.534	URETERORENOSCOPE 5° 4.5/6.5FR WL 430MM - semi-rigid, with lateral ocular lens, working channel 3Fr, atraumatic distal tip, TL 555mm, fiber image carrier	\$ 7,500.44
A-8B	8702.251	GUIDE FOR URETERO-RENOSKOP - for LITHOCLAST handpiece for ureterorenoscopes, reusable	\$ 225.38
A-9	8702.261	HANDLE FOR E-LINE URETERO RENOSCOPES - TL 67mm, compatible with E-Line Ureterorenoscopes, reusable	\$ 157.76
A-9	8702.517	URETERORENOSCOPE 5° 6/7.5FR WL 330MM - semi-rigid, with straight ocular lens, working channel 1x4 (2x2.2)Fr, atraumatic distal tip, TL 458mm, without flushing ports, fiber image carrier, reusable	\$ 4,997.53
A-9	8702.518	URETERORENOSCOPE 5° 6/7.5FR WL 430MM - semi-rigid, with straight ocular lens, working channel 1x4 (2x2.2)Fr, atraumatic distal tip, TL 572mm, fiber image carrier	\$ 4,997.53
A-9	8702.523	URETERORENOSCOPE 5° 6/7.5FR WL 315MM - semi-rigid, with lateral ocular lens, working channel 1x4 (2x2.2)Fr, atraumatic distal tip, TL 484mm, fiber image carrier	\$ 7,839.27
A-9	8702.524	URETERORENOSCOPE 5° 6/7.5FR WL 430MM - semi-rigid, with lateral ocular lens, working channel 1x4 (2x2.2)Fr, atraumatic distal tip, TL 599mm, fiber image carrier	\$ 7,692.52
A-9	8702.533	URETERORENOSCOPE 5° 6/7.5FR WL 315MM - semi-rigid, with lateral ocular lens, working channel 1x4 (2x2.2)Fr, atraumatic distal tip, TL 448mm, fiber image carrier	\$ 7,881.28
A-9	8702.534	URETERORENOSCOPE 5° 6/7.5FR WL 430MM - semi-rigid, with lateral ocular lens, working channel 1x4 (2x2.2)Fr, atraumatic distal tip, TL 563mm, fiber image carrier	\$ 7,371.40
A-9	8703.517	URETERORENOSCOPE 12° 8/9.8FR WL 330MM	\$ 4,386.52
A-9	8703.518	URETERORENOSCOPE 12° 8/9.8FR WL 430MM - semi-rigid, with straight ocular lens, working channel 1x5Fr, atraumatic distal tip, TL 566mm, fiber image carrier, reusable	\$ 4,350.12
A-9	8703.523	URETERORENOSCOPE 12° 8/9.8FR WL 315MM - semi-rigid, with lateral ocular lens, working channel 1x5 (2x3)Fr, atraumatic distal tip, TL 484mm, fiber image carrier	\$ 8,066.46

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8703.524	URETERORENOSCOPE 12° 8/9.8FR WL 430MM - semi-rigid, with lateral ocular lens, working channel 1x5 (2x3)Fr, atraumatic distal tip, TL 599mm, fiber image carrier	\$ 7,101.55
A-9	8703.533	URETERORENOSCOPE 12° 8/9.8FR WL 315MM - semi-rigid, with lateral ocular lens, working channel 1x5 (2x3)Fr, atraumatic distal tip, TL 448mm, fiber image carrier	\$ 7,798.02
A-9	8703.534	URETERORENOSCOPE 12° 8/9.8FR WL 430MM - semi-rigid, with lateral ocular lens, working channel 1x5 (2x3)Fr, atraumatic distal tip, TL 563mm, fiber image carrier	\$ 7,371.40
A-9	8704.523	URETERORENOSCOPE 12° 8.5/11.5FR WL 315MM - semi-rigid, with lateral ocular lens, working channel 1x6 (2x4)Fr, atraumatic distal tip, TL 484mm, fiber image carrier	\$ 7,988.65
A-9	8704.524	URETERORENOSCOPE 12° 8.5/11.5FR WL 430MM - semi-rigid, with lateral ocular lens, working channel 1x6 (2x4)Fr, atraumatic distal tip, TL 599mm, fiber image carrier	\$ 7,272.44
A-9	8708.517	URETERORENOSCOPE 5° 6.5/8.5FR WL 330MM - semi-rigid, with straight ocular lens, working channel 1: 1x4 (2x2.2)Fr, working channel 2: 2.4Fr, atraumatic distal tip, TL 473mm, fiber image carrier, reusable	\$ 5,015.18
A-9	8708.518	URETERORENOSCOPE 5° 6.5/8.5FR WL 430MM - semi-rigid, with straight ocular lens, working channel 1: 1x4 (2x2.2)Fr, working channel 2: 2.4Fr, atraumatic distal tip, TL 572mm, fiber image carrier	\$ 5,034.26
A-9	8708.533	URETERORENOSCOPE 5° 6.5/8.5FR WL 315MM - semi-rigid, with lateral ocular lens, working channel 1: 4.2Fr, working channel 2: 2.4Fr, atraumatic distal tip, TL 448mm, fiber image carrier	\$ 7,408.20
A-9	8708.534	URETERORENOSCOPE 5° 6.5/8.5FR WL 430MM - semi-rigid, with lateral ocular lens, working channel 1: 4.2FR, working channel 2: 2.4FR, atraumatic distal tip, TL 563mm, fiber image carrier	\$ 7,408.20
A-8B	8715401	CYSTOSCOPE 5° 4.5/6.5FR WL 120MM - rigid, with lateral ocular lens, working channel for instruments up to 3Fr, atraumatic distal tip, TL 247mm, fiber image carrier	\$ 6,272.78
A-9	8720.401	TELESCOPE 0° Ø 2.2/2.7MM WL 482MM - rigid, with straight ocular lens, TL 565mm, rod lens system	\$ 5,515.43

A-8B	8724.021	SHEATH FOR URETERAL RESECTOSCOPE 11.5FR - SL 405mm, round, fixed irrigation tap, distal end straight, intermittent flushing, compatible with telescope 8720401 Ø 2.2/2.7mm, 0°, quick-lock, reusable	\$ 830.04
A-9	8724.911	COAG ELECTRODE MONO 11.5FR 0° - for ureteral resectoscope, electrode shape: ball, PACK=1 PC, unsterile, reusable	\$ 126.21
A-8B	8724.921	HOOK ELECTRODE MONO 11.5FR 0° - for ureteral resectoscope, electrode shape: hook, PACK=1 PC, unsterile, reusable	\$ 126.42
A-9	8724.931	CUTTING ELECTRODE MONO 11.5FR 0° - for ureteral resectoscope, loop: round, PACK=1 PC, unsterile, reusable	\$ 126.42
A-9	8724.981	SCALPEL 11.5FR HOOK-SHAPED - for ureter resectoscope, cutting position 6 O'clock, for cutting strictures, reusable	\$ 154.96
A-8B	8734.606	FLEX. BIOPSY FORCEPS 4FR WL 600MM - double action, TL 730mm, non-dismantling, reusable	\$ 773.07
A-8B	8734.608	FLEX. BIOPSY FORCEPS 4FR WL 850MM - double action, TL 970mm, non-dismantling, reusable	\$ 802.31
A-8B	8734.656	FLEX. GRASP. FORCEPS 4FR WL 600MM - pike-mouth, double action, TL 750mm, non-dismantling, reusable	\$ 773.07
A-8B	8734.658	FLEX. GRASP. FORCEPS 4FR WL 850MM - pike-mouth, double action, TL 850mm, non-dismantling, reusable	\$ 802.31
A-8B	8734.686	FLEX. GRASP. FORCEPS 4FR WL 600MM - mouse tooth, double action, TL 750mm, non-dismantling, reusable	\$ 802.31
A-8B	8734.688	FLEX. GRASP. FORCEPS 4FR WL 850MM - mouse tooth, double action, TL 970mm, non-dismantling, reusable	\$ 773.07
A-9	8735.685	FLEX. GRASP. FORCEPS 5FR WL 550MM - double action, TL 680mm, non-dismantling, reusable	\$ 842.89
A-8B	8736.684	FLEX. GRASP. FORCEPS 6.5FR WL 430MM - with mouse tooth, double action, TL 580mm, non-dismantling, reusable	\$ 764.82
A-9	8736.685	FLEX. GRASP. FORCEPS 6.6FR WL 550MM - mouse tooth, double action, TL 690mm, non-dismantling, reusable	\$ 842.89
A-9	8746.401	OP-ENDOSCOPE 12° Ø 3.8MM WL 300MM - rigid, with parallel ocular lens, working channel Ø 1.7mm, TL 422mm, rod lens system	\$ 7,098.55
A-8B	8746.601	RIGID BIOPSY FORCEPS 5FR WL 380MM - straight, double action, TL 500mm, non-dismantling, reusable	\$ 522.95

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8746.621	RIGID GRASP. FORCEPS 5FR WL 385MM - with fine teeth, double action, TL 504mm, non-dismantling, reusable	\$ 519.46
A-9	8746.701	PROBE Ø 1.6MM WL 410MM - TL 442mm, reusable	\$ 149.79
A-9	8754.201	VERES CANNULA Ø 2.3MM WL 250MM - reusable	\$ 601.92
A-9	8754.202	VERES CANNULA Ø 2.3MM WL 170MM - reusable	\$ 578.55
A-9	8754.211	VERES CANNULA Ø 2.3MM WL 274MM - with insufflation stopcock and Luer connection, reusable	\$ 169.41
A-9	8754.212	VERES CANNULA Ø 2.3MM WL 164MM - with insufflation stopcock and Luer connection, reusable	\$ 175.71
A-9	8754.221	OUTER SHEATH Ø 2.8MM WL 250MM - with insufflation valve, reusable	\$ 463.13
A-9	8754.222	OUTER SHEATH Ø 2.8MM WL 141MM - with insufflation valve, reusable	\$ 430.13
A-9	8754.401	TELESCOPE 0° Ø 2MM WL 268MM - rigid, TL 365mm, semi-rigid image carrier	\$ 4,188.66
A-9	8754.451	TELESCOPE 0° Ø 2MM WL 158MM - rigid, TL 255mm, semi-rigid image carrier	\$ 4,238.14
A-9	8756.201	NEEDLE FORCEPS Ø 2.45MM WL 160MM - with single action jaw to carry suture diamètre 2 mm, WL 160 mm	\$ 681.62
A-9	8756.205	FASCIAL CLOSURE KIT, - "INCLUDES: 8756.201 FORCEPS; 8934.915 GUIDE CONE 10- 12MM;" "8943.915 GUIDE CONE 12- 15MM; 8945.915 GUIDE CONE 15- 20MM;" 8585.091M TRAY	\$ 2,034.17
A-9	8783.701	SUCTION TUBE OD 3.2MM TL 176MM - for use with Richard Wolf video mediastinoscopes, straight, reusable	\$ 186.78
A-9	8783.721	SUCT./IRRIG. TUBE OD 2.5MM WL 165MM - for use with Richard Wolf video mediastinoscopes, straight, reusable	\$ 247.37
A-9	8783.741	ASPIRATION TUBE Ø 3.0MM WL 220MM - reusable	\$ 180.27
A-9	8783.901	SCOPE HOLDER FOR - 8783.412 & 8783.411 INCLUDES: 8840.9722, 84400.1700, 84400.2010	\$ 3,574.63
A-9	8784.411	VIDEO-MEDIASTINOSCOPE WL 160MM - reusable	\$ 6,187.80
A-8B	8791.601	RONGEUR 4.3X4.5MM WL 247MM - jaw section 12mm long, TL 320mm, reusable	\$ 803.52
A-8B	8791.691	RONGEUR 4.3X5MM WL 247MM - jaw section 6mm long, TL 320mm, reusable	\$ 803.52
A-8B	8791.701	POSITIONING ROD Ø 5MM WL 400MM - graduated, pointed, reusable	\$ 199.90
A-8B	8791.751	CONE ADAPTOR	\$ 489.95
A-8B	8792.451	MEMBRANE ATTACHMENT - reusable	\$ 199.90
A-8B	8792.452	SEALING TOP ADAPTOR - reusable	\$ 74.47
A-8B	8792.503	TREPHINE Ø 3MM WL 200MM - sharp, reusable	\$ 309.65
A-8B	8792.504	TREPHINE Ø 5.3MM WL 200MM - sharp, reusable	\$ 309.65

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8792.581	ANNULOTOME Ø 2.5MM WL 350MM - one ended, reusable	\$ 223.42
A-8B	8792.591	DISSECTOR Ø 2.5MM WL 350MM - atraumatic, reusable	\$ 223.42
A-8B	8792.603	INTRADISC FORCEPS Ø 5.2MM WL 208MM - reusable	\$ 2,583.02
A-8B	8792.621	GRASPING FORCEPS Ø 3.4MM WL 240MM - TL 330mm, reusable	\$ 1,328.74
A-8B	8792.623	INTRADISC FORCEPS Ø 5.2MM WL 244MM - color code white, TL 393mm, with irrigation connection, reusable	\$ 2,614.37
A-8B	8792.632	RONGEUR Ø 2.6MM WL 360MM - color code orange, TL 460mm, with irrigation connection, reusable	\$ 1,328.74
A-8B	8792.636	RONGEUR Ø 2.6MM WL 360MM - color code orange, TL 460mm, with irrigation connection, reusable	\$ 1,328.74
A-8B	8792.671	PUNCH Ø 2.6MM WL 360MM - color code orange, TL 460mm, with irrigation connection, reusable	\$ 1,328.74
A-9	8792.691	TRIGGER FLEX. HANDLE - for disposable bipolar navigational Trigger Flex Electrode	\$ 388.04
A-8B	8792.695	TRIGGER-FLEX	\$ 22.73
A-8B	8792.764	DILATOR ID 1.3MM OD 5.9MM - for single-stage dilatation, TL 225mm, reusable	\$ 427.24
A-8B	8793.856	INSTRUMENT HOLDING FORCEPS TL 208MM - reusable	\$ 199.90
A-8B	8840.021	TEM TUBE BNDL - 40mm Ø, 120mm long	\$ 1,350.33
A-8B	8840.025	TEM TUBE Ø 40MM WL 137MM - WL 137mm, for 8840.20, slanted, reusable	\$ 878.55
A-8B	8840.027	TEM OBTURATOR Ø 36MM WL 175MM - WL 175mm, reusable	\$ 471.78
A-8B	8840.031	TEM TUBE Ø 40MM WL 137MM - WL 137mm, for 8840.21, straight, reusable	\$ 876.58
A-8B	8840.041	TEM TUBE BNDL - 40mm Ø, WL 200mm	\$ 1,352.30
A-8B	8840.045	TEM TUBE Ø 40MM WL 217MM - WL 217mm, for 8840.22, slanted, reusable	\$ 818.47
A-8B	8840.047	TEM OBTURATOR Ø 36MM WL 255MM - WL 255mm, reusable	\$ 533.83
A-9	8840.241	WORKING INSERT FOR TEM - for main element 8840.20 and silicone sealing insert 8840.242, reusable	\$ 2,068.34
A-8B	8840.242	SILICONE SEALING INSERT - with three valve accesses, PACK=3 PCS, reusable	\$ 256.08
A-8B	8840.512	INSERT - for irrigation and insufflation with telescope 8840.402, reusable	\$ 2,016.37

A-9	8840513	TELESCOPE COVER TUBE BNDL - Ø 13,8 mm, WL 265 mm, For combination with 10 mm telescopes 8934,432 (30°) and 8934,433 (50°)	\$ 1,248.88
A-8B	8840.604	NEEDLE HOLDER Ø 5MM - angled downward, WL 400mm, with irrigation connection, reusable	\$ 1,581.79
A-8B	8840.605	NEEDLE HOLDER Ø 5MM - straight, WL 400mm, with irrigation connection, reusable	\$ 1,617.25
A-9	8840.621	TEM GRASPING FORCEPS Ø 4.8MM WL 410MM - angled downward and curved right, with monopolar HF connection, TL 522mm, reusable	\$ 968.18
A-9	8840.622	TEM GRASPING FORCEPS Ø 4.8MM WL 410MM - angled downward and curved left, with monopolar HF connection, TL 525mm, reusable	\$ 968.18
A-9	8840.623	TEM GRASPING FORCEPS Ø 4.8MM WL 410MM - right curved, with monopolar HF connection, TL 535mm, reusable	\$ 968.18
A-9	8840.624	TEM GRASPING FORCEPS Ø 4.8MM WL 410MM - left curved, with monopolar HF connection, TL 533mm, reusable	\$ 968.18
A-8B	8840.711	HF KNIFE Ø 4.5MM WL 433MM - right-handed, curved, with ceramic insulation, with monopolar HF connection, TL 486mm, reusable	\$ 688.63
A-8B	8840.712	HF KNIFE Ø 4.5MM WL 433MM - left-handed, curved, with ceramic insulation, with monopolar HF connection, TL 486mm, reusable	\$ 688.63
A-9	8840.731	HF SUCTION TUBE TEM Ø 5.6MM WL 305MM - curved, integrated HF-electrode, with monopolar HF connection, capacity 3mm, reusable	\$ 318.13
A-8B	8840.762	TEM CLIP APPLICATOR Ø 6MM WL 435MM - TL 555mm, take-apart, reusable	\$ 1,231.16
A-8B	8840.763	TEM CLIP REMOVER - reusable	\$ 30.26
A-8B	8860453	TELESCOPE 30° Ø 1.9MM SL 61MM - rigid, TL 121mm, rod lens system	\$ 3,228.30
A-8B	8866.018	STAGED IMPACTOR Ø 12/6MM WL 150MM - cannulated Ø 2.5mm, reusable	\$ 986.65
A-8B	8866.926	CONDITIONING HOOK - for tendon and transplant preparation, compatible with 88669023, modular, reusable	\$ 995.59
A-9	8866.931	IMPINGEMENT TESTER SZ 9MM - reusable	\$ 326.44
A-9	8866.956	ACL HAMMER TL 248MM - reusable	\$ 406.04
A-8B	8869.821	HANDLE FOR CANNULATED DRILL	\$ 551.39
A-9	8869.843	HOLLOW BURR ID 9.4MM OD 10.5MM - PACK=1 PC, WL 90mm, distal end 270° toothed, for use with the compressed air drill 8869911, for extraction of bone block from the patella via the BT or BTB technique, reusable	\$ 604.99

A-9	8869.851	HOLLOW DRILL ID 8.4MM OD 9.4MM - PACK=1 PC, WL 185mm, distal end 360° toothed, for use with the compressed air drill 8869911, for extraction of a bone block from the tibia via drilling channel, reusable	\$ 890.03
A-9	8869.852	EJECTOR ID 2.6MM OD 8MM - PACK=1 PC, TL 326mm, for use with the hollow drill 8869851, for internal guidance, reusable	\$ 274.48
A-9	8869.911	COMPRESSED AIR DRILL 3000RPM - Synthes pressurized air hose required, for operation of burs and drills, with one function button, with quick connector and cap, reusable	\$ 9,203.19
A-9	8869.991	CURVED PLUNGER WL 110MM - for insertion of bone blocks, reusable	\$ 265.55
A-8B	8871.412	TELESCOPE 30° Ø 2.4MM SL 80MM - rigid, TL 137mm, rod lens system	\$ 3,372.24
A-8B	8871413	TELESCOPE 30° Ø 2.4MM SL 98MM - rigid, TL 156mm, rod lens system	\$ 3,390.14
A-8B	8871.562	SPOON Ø 2.4X1MM WL 100MM - straight, reusable	\$ 115.44
A-8B	8871.571	CURETTE ROUND Ø 1.45MM WL 100MM - reusable	\$ 115.44
A-8B	8871.586	KNIFE WITH HANDLE WL 100MM - with handle, WL 100 mm	\$ 115.44
A-8B	8871.721	HOOK PROBE WL 100MM H 2MM - reusable	\$ 117.75
A-9	8874.011	ADJUSTABLE ALIGNMENT DEVICE BNDL - for ACL reconstruction	\$ 3,992.14
A-9	8874.012	ADJUSTABLE ALIGNMENT DEVICE BNDL - for ACL reconstruction	\$ 3,992.14
A-9	8874.013	ADJUSTABLE ALIGNMENT DEVICE BNDL - for ACL reconstruction	\$ 3,124.03
A-9	8874.014	ADJUSTABLE ALIGNMENT DEVICE BNDL - for ACL reconstruction	\$ 3,124.03
A-9	8874.111	BASE SECTION FOR TIBIAL DRILL - by Boszotta and Huber, graduated, modular, reusable	\$ 1,473.10
A-9	8874.113	BASE SECTION FOR STANDARD TIBIAL - graduated, modular, reusable	\$ 1,473.10
A-9	8874.121	AIMING HOOK ZG TIBIAL - modular, reusable	\$ 933.88
A-9	8874.123	AIMING SPOON AD TIBIAL ACL - modular, reusable	\$ 933.88
A-9	8874.131	DRILL GUIDE ZG TIBIAL STANDARD SZ 2.5MM - for K-wire, modular, reusable	\$ 630.16
A-9	8874.151	DRILL GUIDE AD TIBIAL HOLLOW SZ 2.5MM - by Boszotta and Huber, for K-wire, modular, reusable	\$ 630.16
A-9	8874.152	DRILL GUIDE AD TIBIAL HOLLOW SZ 9.7MM - by Boszotta and Huber, for drill 8869851 OD 9.5mm, modular, reusable	\$ 890.03
A-9	8874.153	DRILL GUIDE AD TIBIAL HOLLOW SZ 10.8MM - by Boszotta and Huber, for drill 8869853 OD 10.5mm, modular, reusable	\$ 890.03

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8874.154	DRILL GUIDE AD TIBIAL HOLLOW SZ 11.9MM - by Boszotta and Huber, for drill 8869855 OD 11.6mm, modular, reusable	\$ 890.03
A-9	8880.451	ENDOSCOPE HANDLE ID 4.1MM - reusable	\$ 164.03
A-9	8880.541	TELESCOPE 0° Ø 4MM SL 170MM - rigid, TL 233mm, rod lens system	\$ 3,134.43
A-9	8880.543	TELESCOPE 30° Ø 4MM SL 170MM - rigid, TL 233mm, rod lens system	\$ 3,134.43
A-9	8880.544	TELESCOPE 45° Ø 4MM SL 170MM	\$ 3,354.26
A-9	8880.545	TELESCOPE 70° Ø 4MM SL 176MM - rigid, TL 238mm, rod lens system	\$ 3,134.43
A-9	8880547	TELESCOPE 70° Ø 4MM SL 171MM - rigid, TL 238mm, rod lens system	\$ 3,381.05
A-9	8881541	TELESCOPE BNDL - Ø 4mm, WL 175mm, with adapter for the connection of RICHARD WOLF and KARL STORZ light cables	\$ 3,215.85
A-9	8881543	TELESCOPE BNDL - Ø 4mm, WL 175mm, with adapter for the connection of RICHARD WOLF and KARL STORZ light cables	\$ 3,215.85
A-9	8881544	TELESCOPE BNDL - Ø 4mm, WL 175mm, with adapter for the connection of RICHARD WOLF and KARL STORZ light cables	\$ 3,215.85
A-9	8881545	TELESCOPE BNDL - Ø 4mm, WL 175mm, with adapter for the connection of RICHARD WOLF and KARL STORZ light cables	\$ 3,215.85
A-9	8885.443	WIDE ANGLE TELESCOPE 30° Ø 4MM SL 170MM - rigid, TL 231mm, rod lens system	\$ 3,737.17
A-9	8885.445	WIDE ANGLE TELESCOPE 70° Ø 4MM SL 176MM - rigid, TL 236mm, rod lens system	\$ 3,737.17
A-9	8885.901	PLUG-ON-CONNECTOR - for connecting lenses with C-mount to endoscope telescope with plug-on connector	\$ 140.48
A-9	8903.014	TROCAR SLEEVE STRAI. CAP 3.5MM WL 100MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 339.44
A-9	8903.034	TROCAR SLEEVE STRAI. CAP 3.5MM WL 100MM - plastic-sheath tube with thread, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 327.07
A-8B	8903.072	TROCAR SLEEVE STRAI. CAP 3.5MM WL 60MM - plastic-sheath tube with thread, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 338.03
A-8B	8903.101	TROCAR TIP DULL SZ 3.5MM WL 129MM - distal tip rounded-dull, reusable	\$ 101.65

A-9	8903.103	TROCAR TIP DULL SZ 3.5MM WL 169MM - distal tip rounded-dull, reusable	\$ 81.39
A-9	8903.121	TROCAR TIP TRIANGULAR SZ 3.5MM WL 129MM - distal tip triangular, reusable	\$ 133.17
A-9	8903.123	TROCAR TIP TRIANGULAR SZ 3.5MM WL 169MM - distal tip triangular, reusable	\$ 96.19
A-9	8904.014	TROCAR SLEEVE STRAI. CAP 3.8MM WL 100MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 390.03
A-9	8904.016	TROCAR SLEEVE STRAI. CAP 3.8MM WL 150MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 325.70
A-8B	8904.123	TROCAR TIP TRIANGULAR SZ 3.8MM WL 169MM - distal tip triangular, reusable	\$ 52.22
A-8B	8904.125	TROCAR TIP TRIANGULAR SZ 3.8MM WL 219MM - distal tip triangular, reusable	\$ 54.96
A-8B	8905.331	TROCAR SLEEVE STRAI. CAP 5.8MM WL 62MM - flexible plastic sheath with thread, distal tip straight, with membrane valve, reusable	\$ 177.68
A-9	8905.351	TROCAR SLEEVE STRAI. CAP 5.8MM WL 102MM - flexible plastic sheath with thread, distal tip straight, with membrane valve, reusable	\$ 184.15
A-9	8906.001	TROCAR SLEEVE FLEX CAP 7MM WL 74MM - color code brown, PACK=1 PC, ribbed plastic sleeve, distal tip straight, with universal sealing valve, without insufflation stopcock, reusable	\$ 271.51
A-9	8906.011	TROCAR SLEEVE FLEX CAP 10MM WL 56MM - color code red orange, PACK=1 PC, ribbed plastic sleeve, distal tip straight, with universal sealing valve, without insufflation stopcock, reusable	\$ 125.06
A-9	8906.031	TROCAR SLEEVE FLEX CAP 12.5MM WL 57MM - color code blue, PACK=1 PC, ribbed plastic sleeve, distal tip straight, with universal sealing valve, without insufflation stopcock, reusable	\$ 125.06
A-9	8906.051	TROCAR SLEEVE SLANT. CAP 5.7MM WL 60MM - flexible plastic sheath with thread, distal tip beveled, with rubber cap, reusable	\$ 139.67
A-8B	8906.052	TROCAR SLEEVE STRAI. CAP 5.5MM WL 60MM - insulated flexible plastic sheath with thread, distal tip straight, with universal sealing valve, without insufflation stopcock, reusable	\$ 130.54
A-9	8906.081	TROCAR SLEEVE CAP 13.6X18MM WL 56MM - PACK=1 PC, ribbed stainless steel sheath, distal tip straight, without insufflation stopcock, reusable	\$ 173.16

A-9	8906.111	TROCAR TIP DULL SZ 10MM TL 85MM - PACK=1 PC, distal tip rounded-dull, reusable	\$ 98.94
A-9	8906.131	TROCAR TIP DULL SZ 12.5MM TL 86MM - PACK=1 PC, distal tip dull, reusable	\$ 94.81
A-9	8906.151	TROCAR TIP DULL SZ 5.5MM WL 83MM - distal tip rounded-dull, reusable	\$ 94.20
A-9	8906.181	TROCAR TIP DULL SZ 13.5X18MM TL 78MM - PACK=1 PC, distal tip dull, reusable	\$ 118.18
A-9	8911.311	INLET VALVE - with membrane seal, 47mm effective length for OP-Laparoscope with 5mm working channel	\$ 231.32
A-9	8911.316	DETACHAB. INSTRUMENT PORT ID 8.5MM - reusable	\$ 253.03
A-9	8912.402	OP-ENDOSCOPE 0° Ø 10MM WL 267MM - rigid, with parallel ocular lens, working channel Ø 5.1mm, TL 390mm, rod lens system	\$ 4,782.47
A-9	8914.315	LOCKING TAP ID 8.5MM - reusable	\$ 260.80
A-9	8914.402	OPERATING LAPAROSCOPE Ø 12.5MM WL 267MM - reusable	\$ 5,232.21
A-9	8919.331	TROCAR SLEEVE STRAI. CAP 5.5MM WL 62MM - flexible plastic sheath with thread, distal tip straight, with membrane valve, reusable	\$ 131.65
A-9	8919.333	TROCAR SLEEVE STRAI. CAP 5.5MM WL 62MM - flexible plastic sheath with thread, distal tip straight, with membrane valve, with insufflation valve, reusable	\$ 167.36
A-9	8919.351	TROCAR SLEEVE STRAI. CAP 5.5MM WL 102MM - flexible plastic sheath with thread, distal tip straight, with membrane valve, reusable	\$ 131.65
A-8B	8919.353	TROCAR SLEEVE STRAI. CAP 5.5MM WL 102MM - flexible plastic sheath with thread, distal tip straight, with membrane valve, with insufflation valve, reusable	\$ 156.78
A-9	8920.311	AUTOMATIC VALVE ID 5.7MM - reusable	\$ 65.40
A-9	8920.401	OP-ENDOSCOPE 0° Ø 5.5MM SL 215MM - rigid, with lateral ocular lens, working channel Ø 3.5mm, TL 370mm, rod lens system	\$ 6,035.34
A-9	8920505	MINI THORACOSCOPY SET	\$ 7,973.17
A-9	8921.013	TROCAR SLEEVE SLANT. CAP 5.5MM WL 100MM - stainless steel-sheath tube smooth, distal tip beveled, with Magnet-ball valve, with insufflation valve, reusable	\$ 365.55
A-8B	8921.014	TROCAR SLEEVE STRAI. CAP 5.5MM WL 100MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 339.44

A-9	8921.016	TROCAR SLEEVE STRAI. CAP 5.5MM WL 150MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 296.83
A-8B	8921.023	TROCAR SLEEVE SLANT. CAP 5.5MM WL 100MM - stainless steel-sheath tube with thread, distal tip beveled, with Magnet-ball valve, with insufflation valve, reusable	\$ 408.14
A-8B	8921.024	TROCAR SLEEVE STRAI. CAP 5.5MM WL 100MM - stainless steel-sheath tube with thread, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 383.40
A-9	8921.026	TROCAR SLEEVE STRAI. CAP 5.5MM WL 150MM - stainless steel-sheath tube with thread, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 424.64
A-9	8921.034	TROCAR SLEEVE STRAI. CAP 5.5MM WL 100MM - plastic-sheath tube with thread, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 348.99
A-8B	8921.051	TROCAR SLEEVE SLANT. CAP 5.5MM WL 60MM - stainless steel-sheath tube smooth, distal tip beveled, with Magnet-ball valve, without insufflation stopcock, reusable	\$ 272.10
A-9	8921.052	TROCAR SLEEVE STRAI. CAP 5.5MM WL 60MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, without insufflation stopcock, reusable	\$ 377.97
A-9	8921.062	TROCAR SLEEVE STRAI. CAP 5.5MM WL 60MM - stainless steel-sheath tube with thread, distal tip straight, with Magnet-ball valve, without insufflation stopcock, reusable	\$ 313.33
A-8B	8921.101	TROCAR TIP DULL SZ 5.5MM WL 129MM - distal tip rounded-dull, reusable	\$ 92.07
A-8B	8921.103	TROCAR TIP DULL SZ 5.5MM WL 169MM - distal tip rounded-dull, reusable	\$ 92.07
A-8B	8921.105	TROCAR TIP DULL SZ 5.5MM WL 219MM - distal tip rounded-dull, reusable	\$ 102.62
A-8B	8921.111	TROCAR TIP POINTED SZ 5.5MM WL 129MM - distal tip rounded -pointed, reusable	\$ 86.57
A-9	8921.113	TROCAR TIP POINTED SZ 5.5MM WL 169MM - distal tip rounded -pointed, reusable	\$ 97.60
A-8B	8921.115	TROCAR TIP POINTED SZ 5.5MM WL 219MM - distal tip rounded -pointed, reusable	\$ 96.49
A-8B	8921.121	TROCAR TIP TRIANGULAR SZ 5.5MM WL 129MM - distal tip triangular, reusable	\$ 96.19

A-9	8921.123	TROCAR TIP TRIANGULAR SZ 5.5MM WL 169MM - distal tip triangular, reusable	\$ 100.31
A-9	8921.125	TROCAR TIP TRIANGULAR SZ 5.5MM WL 219MM - distal tip triangular, reusable	\$ 116.59
A-8B	8921.132	SHEATH W. TROCAR TIP SZ 5.5MM WL 181MM - distal tip conical, with automatic protection function, reusable	\$ 147.80
A-8B	8921.901	SPARE BALL CAP 5.5MM - reusable	\$ 27.77
A-8B	8921.951	SPARE O-RINGS CAP 3.5MM - reusable	\$ 27.77
A-9	8922.014	TROCAR SLEEVE STRAI. CAP 7.3MM WL 92MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 347.68
A-8B	8922.123	TROCAR TIP TRIANGULAR SZ 7.3MM WL 159MM - distal tip triangular, reusable	\$ 91.66
A-8B	8923.013	TROCAR SLEEVE SLANT. CAP 10MM WL 100MM - stainless steel-sheath tube smooth, distal tip beveled, with Magnet-ball valve, with insufflation valve, reusable	\$ 361.42
A-8B	8923.014	TROCAR SLEEVE STRAI. CAP 10MM WL 100MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 335.31
A-9	8923.016	TROCAR SLEEVE STRAI. CAP 10MM WL 150MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 379.29
A-9	8923.023	TROCAR SLEEVE SLANT. CAP 10MM WL 100MM - stainless steel-sheath tube with thread, distal tip beveled, with Magnet-ball valve, with insufflation valve, reusable	\$ 416.38
A-9	8923.024	TROCAR SLEEVE STRAI. CAP 10MM WL 100MM - stainless steel-sheath tube with thread, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 391.66
A-8B	8923.026	TROCAR SLEEVE STRAI. CAP 10MM WL 150MM - stainless steel-sheath tube with thread, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 549.98
A-8B	8923.103	TROCAR TIP DULL SZ 10MM WL 164MM - distal tip rounded-dull, reusable	\$ 96.19
A-8B	8923.113	TROCAR TIP POINTED SZ 10MM WL 164MM - distal tip rounded-pointed, reusable	\$ 80.91
A-9	8923.115	TROCAR TIP POINTED SZ 10MM WL 214MM - distal tip rounded-pointed, reusable	\$ 107.18
A-8B	8923.123	TROCAR TIP TRIANGULAR SZ 10MM WL 164MM - distal tip triangular, reusable	\$ 91.67

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8923.125	TROCAR TIP TRIANGULAR SZ 10MM WL 214MM - distal tip triangular, reusable	\$ 119.55
A-9	8923.134	SHEATH W. TROCAR TIP SZ 10MM WL 181MM - distal tip two-sided, with automatic protection function, reusable	\$ 232.24
A-9	8923.135	SPRING LOADED PROTECTION ROD WL 184MM - for all TROTEC sheaths with trocar tip, reusable	\$ 180.27
A-9	8923.802	REDUCTION ADAPTER - for reduction from Ø 7mm, Ø 10mm and Ø 12.5 to Ø 5.5mm for RIWO-ART trocars, PACK=5 PCS, reusable	\$ 215.76
A-8B	8923.901	SPARE BALL CAP 7MM - reusable	\$ 28.74
A-8B	8923.951	SPARE O-RINGS CAP 7MM - reusable	\$ 26.79
A-8B	8924.013	TROCAR SLEEVE SLANT. CAP 12.7MM WL 100MM - stainless steel-sheath tube smooth, distal tip beveled, with Magnet-ball valve, with insufflation valve, reusable	\$ 376.53
A-8B	8924.014	TROCAR SLEEVE STRAI. CAP 12.7MM WL 100MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 365.55
A-9	8924.016	TROCAR SLEEVE STRAI. CAP 12.7MM WL 150MM - stainless steel-sheath tube smooth, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 391.66
A-9	8924.026	TROCAR SLEEVE STRAI. CAP 12.7MM WL 150MM - stainless steel-sheath tube with thread, distal tip straight, with Magnet-ball valve, with insufflation valve, reusable	\$ 489.24
A-9	8924.103	TROCAR TIP DULL SZ 12.7MM WL 164MM - distal tip rounded-dull, reusable	\$ 115.44
A-8B	8924.113	TROCAR TIP POINTED SZ 12.7MM WL 164MM - distal tip rounded -pointed, reusable	\$ 96.26
A-9	8924.115	TROCAR TIP POINTED SZ 12.7MM WL 214MM - distal tip rounded -pointed, reusable	\$ 120.92
A-8B	8924.123	TROCAR TIP TRIANGULAR SZ 12.7MM WL 164MM - distal tip triangular, reusable	\$ 115.44
A-9	8924.125	TROCAR TIP TRIANGULAR SZ 12.7MM WL 214MM - distal tip triangular, reusable	\$ 136.05
A-9	8924.134	SHEATH W. TROCAR TIP SZ 12.5MM WL 181MM - distal tip two-sided, with automatic protection function, reusable	\$ 232.24
A-9	8930.421	TELESCOPE 0° Ø 3.5MM WL 300MM - rigid, TL 361mm, rod lens system	\$ 4,648.06
A-8B	8930.422	TELESCOPE 30° Ø 3.5MM WL 300MM - rigid, TL 362mm, rod lens system	\$ 4,212.65
A-8B	8930.461	TELESCOPE 0° Ø 3.5MM WL 180MM - rigid, TL 232mm, rod lens system	\$ 4,146.69

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8930.462	TELESCOPE 30° Ø 3.5MM WL 180MM - rigid, TL 233mm, rod lens system	\$ 5,003.42
A-8B	8933.431	TELESCOPE 0° Ø 7MM WL 297MM - rigid, TL 368mm, rod lens system	\$ 4,127.20
A-8B	8933.432	TELESCOPE 30° Ø 7MM WL 297MM - rigid, TL 368mm, rod lens system	\$ 4,484.01
A-8B	8933.433	TELESCOPE 50° Ø 7MM WL 300MM - rigid, TL 369mm, rod lens system	\$ 4,884.90
A-9	8934.175	OBTURATOR DULL Ø 10MM TL 224MM - TL 224mm, for 8923.016 and 8934.901, reusable	\$ 114.05
A-9	8934.301	SELF-RETAINING SLEEVE 12.1MM WL 35MM - for smooth trocar sleeves, reusable	\$ 182.78
A-9	8934.431	TELESCOPE 0° Ø 10MM WL 307MM - rigid, TL 375mm, rod lens system	\$ 2,616.52
A-9	8934.432	TELESCOPE 30° Ø 10MM WL 307MM - rigid, TL 375mm, rod lens system	\$ 3,007.54
A-9	8934.433	TELESCOPE 50° Ø 10MM WL 310MM - rigid, TL 378mm, rod lens system	\$ 4,460.10
A-9	8934.901	SLIDING CONE - by Becker, to fit over standard trocar sleeves, reusable	\$ 743.46
A-9	8934.915	SEALING CONE Ø 10-12MM - for subcutaneous fascia suture, reusable	\$ 384.78
A-9	8934.951	GUIDE ROD 5MM TL 500MM - reusable	\$ 55.37
A-9	8934.981	INTRODUCTION SLEEVE 10MM WL 80MM - with sealing cap, reusable	\$ 67.75
A-9	8935.441	TELESCOPE 0° Ø 5.3MM WL 303MM - rigid, TL 372mm, rod lens system	\$ 3,539.62
A-9	8935.442	TELESCOPE 30° Ø 5.3MM WL 303MM - rigid, TL 373mm, rod lens system	\$ 3,349.97
A-8B	8935.443	TELESCOPE 50° Ø 5.3MM WL 309MM - rigid, TL 377mm, rod lens system	\$ 4,107.71
A-9	8935461	TELESCOPE Ø 5.5MM WL 300MM - reusable	\$ 3,197.81
A-9	8935462	TELESCOPE Ø 5.5MM WL 300MM - reusable	\$ 3,197.81
A-9	8943.915	SEALING CONE Ø 12-15MM - for subcutaneous fascia suture, reusable	\$ 384.78
A-8B	8945.915	SEALING CONE Ø 15-20MM - for subcutaneous fascia suture, reusable	\$ 371.05
A-8B	8952.313	INSTRUMENT PORT - TL 56mm, capacity for instruments up to 5Fr or 2x3Fr, compatible with ureterorenoscope 8705402, with 2 flushing ports and 2 guide ports, reusable	\$ 514.84
A-8B	8952.611	RIGID GRASP. FORCEPS 4FR WL 580MM - mouse tooth, double action, TL 655mm, non-dismantling, reusable	\$ 485.11
A-9	8954.415	SONOTRODE Ø 1.5MM WL 580MM - straight, reusable	\$ 173.96

A-9	8954.515	SONOTRODE Ø 1.5MM WL 564MM - straight, exchangeable, reusable	\$ 198.49
A-9	8954.519	SONOTRODE Ø 1.9MM WL 562MM - straight, exchangeable, reusable	\$ 186.92
A-9	8955.185	TELESCOPE DILATOR 9-18FR - set with 4 pcs, gradation 3Fr, TL 230mm, reusable	\$ 731.76
A-8B	8955.308	DILATOR 30FR - fits on 27Fr dilator from 895527, TL 230mm, reusable	\$ 75.59
A-9	8959.515	SONOTRODE Ø 1.5MM WL 444MM - straight, exchangeable, reusable	\$ 203.47
A-8B	8959.611	RIGID GRASP. FORCEPS 4FR WL 415MM - mouse tooth, double action, TL 560mm, non-dismantling, reusable	\$ 492.31
A-8B	896.0001	STOPCOCK BNDL CAP 2.5MM - reusable	\$ 61.72
A-8B	896.0002	STOPCOCK BNDL CAP 3.0MM - reusable	\$ 61.72
A-8B	896.0003	STOPCOCK BNDL CAP 4.2MM - reusable	\$ 60.09
A-8B	8962.249	BOUGIE 24FR - for introducing a second guide wire, for use over a 15Fr dilator, TL 220mm, reusable	\$ 303.14
A-9	8962.519	SONOTRODE Ø 1.9MM WL 361MM - straight, exchangeable, reusable	\$ 261.12
A-8B	8962.524	SONOTRODE Ø 2.4MM WL 359MM - straight, exchangeable, reusable	\$ 162.17
A-8B	8962.541	SONOTRODE Ø 4MM WL 360MM - straight, reusable	\$ 155.30
A-8B	8962.641	SONOTRODE Ø 4MM WL 360MM - straight, with drill crown, reusable	\$ 174.53
A-8B	8962.675	GRASP. FORCEPS INSERT 12FR WL 73MM - three-armed, TL mm, reusable	\$ 159.42
A-8B	8963.535	SONOTRODE Ø 3.5MM WL 358MM - exchangeable, reusable	\$ 160.79
A-9	8963.635	SONOTRODE Ø 3.5MM WL 370MM - straight, with drill crown, reusable	\$ 202.01
A-9	8964.021	SHEATH FOR NEPHROSCOPE 20.8FR - SL 204mm, round, rotatable stopcock, distal end straight, compatible with nephroscope 8964401, quick-lock, reusable	\$ 917.99
A-9	8964.041	AMPLATZ SHEATH FOR NEPHROSCOPE 24.3FR - SL 150mm, round, fixed irrigation tap, distal end straight, compatible with nephroscopes to 24Fr, reusable	\$ 988.78
A-8B	8964.121	OBTURATOR FOR NEPHROSCOPE 20.8FR - WL 230mm, round, cannulated, rounded distal end, compatible with sheath 8964021, reusable	\$ 208.88
A-9	8964.401	NEPHROSCOPE 12° 20.8FR WL 224MM - rigid, with parallel ocular lens, working channel for instruments up to 10.5Fr, TL 387mm, rod lens system	\$ 6,497.38

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8964.601	RIGID GRASP. FORCEPS 10.5FR WL 340MM - double action, TL 440mm, non-dismantling, reusable	\$ 562.07
A-9	8964.671	RIGID GRASP. FORCEPS 10.5FR WL 365MM - three-armed, TL 410mm, take-apart, reusable	\$ 144.29
A-9	8964.675	GRASP. FORCEPS INSERT 10.5FR WL 350MM - three-armed, take-apart, reusable	\$ 54.42
A-9	8964.711	IRRIGATION ADAPTOR FOR NEPHROSCOPE - TL 33mm, with irrigation stopcock, reusable	\$ 365.55
A-9	8965.041	SHEATH FOR NEPHROSCOPE 24FR - SL 204mm, round, rotatable stopcock, distal end straight, compatible with nephroscope 8965411, 8965401, quick-lock, reusable	\$ 916.36
A-9	8965.141	OBTURATOR FOR NEPHROSCOPE 24FR - WL 229mm, round, cannulated, rounded distal end, compatible with sheath 8965041, reusable	\$ 232.83
A-9	8965.401	NEPHROSCOPE 20° 24FR WL 224MM - rigid, with parallel ocular lens, working channel for instruments up to 10.5Fr, TL 387mm, rod lens system	\$ 5,905.21
A-8B	8965.411	NEPHROSCOPE 20° 24FR WL 224MM - rigid, with lateral ocular lens, working channel for instruments up to 10.5Fr, TL 356mm, rod lens system	\$ 5,419.48
A-8B	8966.051	SHEATH FOR NEPHROSCOPE 27FR - SL 230mm, round, rotatable stopcock, distal end straight, compatible with nephroscope 89664011, quick-lock, reusable	\$ 677.50
A-8B	8966.151	OBTURATOR FOR NEPHROSCOPE 27FR - WL 256mm, round, cannulated, rounded distal end, compatible with sheath 8966051, reusable	\$ 138.79
A-9	8966.401	NEPHROSCOPE 12° 27FR WL 250MM - rigid, with parallel ocular lens, working channel for instruments up to 12Fr, TL 397mm, rod lens system	\$ 4,170.47
A-9	8968.001	SHEATH FOR NEPHROSCOPE 15FR - SL 205mm, round, rotatable stopcock, distal end straight, compatible with nephroscope 8968421, quick-lock, reusable	\$ 927.60
A-9	8968.011	SHEATH FOR NEPHROSCOPE 18FR - SL 205mm, round, rotatable stopcock, distal end straight, compatible with nephroscope 8968421, quick-lock, reusable	\$ 927.60
A-9	8968.012	DILATOR 12FR - for "One-Step" - Bougie application, TL 320mm, cannulated, reusable	\$ 162.17
A-9	8968.015	DILATOR 15FR - for "One-Step" - Bougie application, TL 320mm, cannulated, reusable	\$ 162.17
A-9	8968.041	SHEATH FOR NEPHROSCOPE 18FR - SL 150mm, round, fixed irrigation tap, distal end straight, compatible with nephroscope 8968421, reusable	\$ 325.70

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8968.101	OBTURATOR FOR NEPHROSCOPE 15FR - WL 229mm, round, cannulated, rounded distal end, compatible with sheath 8968001, reusable	\$ 217.14
A-9	8968.111	OBTURATOR FOR NEPHROSCOPE 18FR - WL 229mm, round, cannulated, rounded distal end, compatible with sheath 8968011, reusable	\$ 217.14
A-9	8968.421	NEPHROSCOPE 12° 12FR WL 225MM - rigid, with lateral ocular lens, working channel for instruments up to 6Fr, TL 406mm, rod lens system	\$ 7,371.40
A-8B	8968.601	RIGID GRASP. FORCEPS 6FR WL 365MM - mouse tooth, double action, TL 455mm, non-dismantling, reusable	\$ 507.10
A-9	8968.671	RIGID GRASP. FORCEPS 6FR WL 365MM - three-armed, TL 410mm, take-apart, reusable	\$ 310.69
A-9	8968.675	GRASP. FORCEPS INSERT 6FR - three-armed, WL 365mm, take-apart, reusable	\$ 63.23
A-8B	8970010	ROTATIONS-MORCELLATOR Ø 4.8MM WL 385MM - for MORCESCOPE Storz, for morcellation following laser prostate enucleation, reusable	\$ 388.16
A-9	8970.011	ROTATIONS-MORCELLATOR Ø 4.8MM WL 350MM - for MORCESCOPE, for morcellation following laser prostate enucleation, reusable	\$ 378.42
A-9	8970.026	E-LINE ADAPTER FOR MORCESCOPE 26FR - TL 40mm, compatible with sheaths 8655334, 8655374, compatible with telescope 8970401, with irrigation stopcock, reusable	\$ 771.30
A-9	8970.401	MORCESCOPE 12° 24FR WL 224MM - rigid, with parallel ocular lens, working channel for instruments up to 4.8mm, irrigation via 24.5/26Ch sheath and attachment, suction via morcellator, TL 386mm, rod lens system	\$ 6,497.38
A-8B	8970402	MORCESCOPE 12° 24.5FR WL 199MM - rigid, with parallel ocular lens, working channel for instruments up to 4.8mm, irrigation via 24.5/26Ch sheath and attachment, suction via morcellator, TL 387mm, rod lens system	\$ 6,775.61
A-9	8974.121	SHEATH FOR HYSTEROSCOPE 12FR - WL 246mm, oval, working channel 3Fr, distal end beveled, and telescopes Ø 4mm, 30°, with Luer connection, bayonet-cap, reusable	\$ 1,004.35
A-9	8974.152	OUTER SHEATH FOR HYSTEROSCOPE 15FR - WL 205mm, oval, distal end beveled, compatible with inner sheath 8974251, and telescopes Ø 2.7mm, 12° and 30°, with Luer connection, bayonet-cap, reusable	\$ 618.16

A-8B	8974.251	INNER SHEATH FOR HYSTEROSCOPE - SL 226mm, working channel 5Fr, compatible with outer sheath 8974152, reusable	\$ 683.14
A-9	8974351	SHEATH FOR HYSTEROSCOPE 16.5FR - WL 219mm, round, working channel 5Fr, Optiflow sheath, distal end beveled, compatible with telescopes Ø 2.7mm, 12° and 30°, with Luer connection, automatic click connection, reusable	\$ 1,341.24
A-8B	8974.402	TELESCOPE 30° Ø 2.7MM SL 310MM - rigid, TL 370mm, rod lens system	\$ 3,523.57
A-8B	8974.412	TELESCOPE 12° Ø 2.7MM SL 310MM - rigid, TL 373mm, rod lens system	\$ 3,906.72
A-9	8983.201	INSTRUMENT PORT	\$ 331.72
A-9	8986.401	HYSTEROSCOPE 20° Ø 5MM WL 217MM - rigid, with lateral ocular lens, working channel Ø 1.8mm, TL 348mm, rod lens system	\$ 5,034.93
A-8B	8986402	HYSTEROSCOPE 30° Ø 3.9MM WL 217MM - rigid, with lateral ocular lens, working channel Ø 1.8mm, TL 352mm, rod lens system	\$ 6,085.49
A-9	8988.031	OUTER SHEATH FOR HYSTEROSCOPE 21FR - WL 204mm, oval, distal end beveled, compatible with telescopes Ø 4mm, with Luer connection, E-Line quick connection, reusable	\$ 1,103.12
A-9	8988.131	OBTURATOR FOR HYSTEROSCOPE OD 5MM - for WL 224mm, compatible with outer sheath 8988031 for diagnostic hysteroscopy, reusable	\$ 236.38
A-9	8988.231	WORKING INSERT FOR HYSTEROSCOPE 21FR - with deflection lever, working channel 7Fr, compatible with outer sheath 8988031 for diagnostic hysteroscopy, and telescopes Ø 4mm, with Luer connection, bayonet-cap, reusable	\$ 1,339.50
A-9	8988.241	WORKING INSERT FOR HYSTEROSCOPE 21FR - with ramp, working channel 7Fr, compatible with outer sheath 8988031 for diagnostic hysteroscopy, and telescopes Ø 4mm, with Luer connection, bayonet-cap, reusable	\$ 945.53
A-8B	8989.031	SHEATH FOR HYSTEROSCOPE 15FR - WL 230mm, oval, working channel 5Fr, distal end beveled, compatible with telescopes Ø 4mm, with Luer connection, bayonet-cap, reusable	\$ 869.65
A-8B	8989.151	SHEATH FOR HYSTEROSCOPE 15FR - WL 255mm, round, distal end beveled, compatible with telescopes Ø 4mm, with Luer connection, bayonet-cap, reusable	\$ 453.25
A-8B	8989.412	TELESCOPE 30° Ø 4MM SL 299MM - rigid, TL 372mm, rod lens system	\$ 3,201.01

A-9	8992.621	RIGID PREPARATION FORCEPS 7FR WL 371MM - by Gallinat, internal and external toothings, double action, TL 460mm, with irrigation connection, non-dismantling, reusable	\$ 801.18
A-9	9500.056	TÜBINGER MIC TRAINER - with 3 abdominal walls (rubber sponge), reusable	\$ 9,356.78
A-9	9500.069	REPLACEMENT O-RING FOR 8238,502	\$ 50.95
A-9	9500.071	REPLACEMENT O-RING FOR 15401,071 (5 PCS)	\$ 15.76
A-8B	9500.113	REPLACEMENT O-RING FOR 15461,034 (10pc)	\$ 50.48
A-9	9500118	O-RINGS	\$ 11.82
A-9	15023205	LUER SEALING CAP	\$ 4.77
A-9	15114052	SEALING VALVE CPL. (20 PCS)	\$ 156.78
A-9	15114068	SEALING VALVE, BLUE (PACK=20 PCS)	\$ 193.24
A-9	15161049	LOOP (PACK=25 PIECES)	\$ 500.14
A-9	15176097	SEALING CAP	\$ 13.80
A-9	15176.141	SPARE SEALING	\$ 16.46
A-9	15176142	SPARE SEALING	\$ 22.81
A-8B	15208.255	DISCOSCOPE WORKING SLEEVE ID 6MM OD 7MM - TL 166mm, with distal viewing window, graduated, reusable	\$ 256.08
A-8B	15208.257	DISCOSCOPE WORKING SLEEVE ID 6MM OD 7MM - TL 166mm, distal end beveled, graduated, reusable	\$ 256.08
A-8B	15208.258	DISCOSCOPE WORKING SLEEVE ID 6MM OD 7MM - TL 166mm, distal end with elevator tip, graduated, reusable	\$ 256.08
A-8B	15208.260	DISCOSCOPE WORKING SLEEVE ID 6MM OD 7MM - TL 166mm, double fenestrated distal end, graduated, reusable	\$ 256.08
A-8B	15208.261	DISCOSCOPE WORKING SLEEVE ID 6MM OD 7MM - TL 166mm, distal end straight, graduated, reusable	\$ 256.08
A-8B	15208.262	DISCOSCOPE WORKING SLEEVE ID 7MM OD 8MM - TL 166mm, distal end beveled, graduated, reusable	\$ 256.08
A-8B	15208.264	DISCOSCOPE WORKING SLEEVE ID 7MM OD 8MM - TL 166mm, distal end straight, graduated, reusable	\$ 256.08
A-8B	15208.265	DISCOSCOPE WORKING SLEEVE ID 7MM OD 8MM - TL 166mm, distal end with elevator tip, graduated, reusable	\$ 256.08
A-8B	15208.266	DISCOSCOPE WORKING SLEEVE ID 7MM OD 8MM - TL 166mm, fenestrated distal end for foraminoplasty, graduated, reusable	\$ 256.08
A-9	15256.382	MOUNTING	\$ 47.28
A-9	15360021	DILATOR	\$ 169.41
A-9	15360022	DILATOR	\$ 169.41
A-9	15360023	DILATOR	\$ 169.41
A-9	15369108	LASER ADJUSTMENT UNIT, CPL.	\$ 197.77
A-9	15374.009	SPARE NEEDLE - (PACK=10 PCS)	\$ 59.10
A-9	15479.014	MEMBRANE (20 PCS)	\$ 105.59

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	20301031	FOOTSWITCH 1 PEDAL - for smoke evacuation, reusable	\$ 156.80
A-9	20301211	FOOTSWITCH - reusable	\$ 461.82
A-8B	20951.011	COMBIDRIVE EN SET, INCL: - "20951.0201 CONTROL UNIT; 20951.0401 FOOT PEDAL; 80951.0002" "ELECTRONIC MOTOR MEDIUM; 82950.1301 ENDOSCOPIC ANGLED" "HANDPIECE; 40900.1201 SPRAY ATTACHMENT FOR HANDPIECES" "40900.1202 SPRAY ATTACHMENT FOR MOTORS; 40900.100	\$ 13,949.85
A-9	2137.1505	EHL PROBE Ø 5FR WL 770MM - for single use	\$ 957.04
A-9	22030115	FLUID CONTROL SET	\$ 5,922.94
A-8B	22080110	PUMP, SUCTION FOR PIRANHA	\$ 9,114.20
A-8B	2232.6411	TEM INSUFFLATOR W/ACCESSORIES - KIT INCLUDES: 2232.641 INSUFFLATOR, 2232.981 INTERFACE CABLE, 2232.852 CONNECTING CABLE SET OF TWO	\$ 8,743.18
A-8B	2232.6441	TEM PUMP WITH ACCESSORIES - KIT INCLUDES: 2232.644 PUMP, 2232.841 BOTTLE HOLDER, 2030.231 FOOT SWITCH	\$ 7,583.92
A-9	22356015	INSUFFLATOR HIGHFLOW 45 BASIC SET	\$ 9,375.70
A-9	22356115	INSUFFLATOR HIGHFLOW 45 EVAC SET	\$ 9,585.32
A-9	23030111	RIWO DRIVE GENERATOR USA SET	\$ 10,418.85
A-9	23040071	MOTOR SYSTEM 2304 BNDL	\$ 8,073.60
A-8B	23070120	MORCELLATOR, MORCE POWER PLUS, - 12 MM COMPLETE SYSTEM, INCLUDING: CONTROL UNIT 2307.101, FOOTSWITCH 2307.102, MOTOR 80951.0002, HANDPIECE 8307.011, HANDLE 8307.0111, SEALING UNIT 8307.5011, TROCAR SLEEVE 8307.112, TROCAR 8307.1121, CUTTING TUBE 8307	\$ 8,588.42
A-8B	23070150	MORCELLATOR, MORCE POWER PLUS, - 15 MM COMPLETE SYSTEM, INCLUDING: CONTROL UNIT 2307.101, FOOTSWITCH 2307.102, MOTOR 80951.0002, HANDPIECE 8307.011, HANDLE 8307.0111, SEALING UNIT 8307.5011, TROCAR SLEEVE 8307.115, TROCAR 8307.1151, CUTTING TUBE 8307	\$ 8,588.42
A-8B	23070200	MORCELLATOR, MORCE POWER PLUS, - 20 MM COMPLETE SYSTEM, INCLUDING: CONTROL UNIT 2307.101, FOOTSWITCH 2307.102, MOTOR 80951.0002, HANDPIECE 8307.011, HANDLE 8307.0111, SEALING UNIT 8307.5021, TROCAR SLEEVE 8307.120, TROCAR 8307.1201, CUTTING TUBE 8307	\$ 8,735.35
A-8B	2345.0011	SURGI-MAX® PLUS KIT	\$ 19,986.03
A-9	2460.8110	TUBE - for single use	\$ 75.77

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	31100.922	DEVICE CONNECTING CABLE - 90 cm long	\$ 15.76
A-9	32114.321	DEVICE CONNECTING CABLE 0.6M - 100-230 V, VDE / UL-version	\$ 15.76
A-9	32114.323	DEVICE CONNECTING CABLE 3M - 100-230V, VDE/UL-version	\$ 35.28
A-9	32114457	MONITOR HANDLE VESA MOUNTING - universal useable for all 17" to 24" monitors with VESA 75/100, can be combined with the autoclavable handles colour white (RAL 9016)	\$ 417.61
A-9	32114.521	INFUSION BOTTLE HOLDER - height adjustable up 1,6 to 2,6 m, max. weight 8 kg	\$ 433.37
A-9	32114.535	CO2 BOTTLE HOLDER 10 L - for bottles diameter up to 160 mm, max. weight 35 kg, colour white (RAL 9016)	\$ 275.78
A-9	32116013	UNIT CART PREMIUM-ELEC. 100-120VAC - "Universal video trolley with heavy duty bridge to hold a support arm. Including back panel and integrated cable duct. 3 shelves (370mm wide), 2 individually adjustable. 4 double caster wheels, 2 featuring a doubl	\$ 4,727.64
A-9	32116093	FLEXION-PORT 350+300 (93CM) - Support arm (two pieces) with effective length of 93cm (measured between rotating axis). VESA 100. Integrated cable channel, mechanical transport locking. Load: 8-12kg. Colour: White, RAL 9016	\$ 1,654.67
A-9	32116413	KEYBOARD DRAWER MOUSEPAD - For RIWOmobil 32116xxx. Inner dimensions (w x d x h): 334 x 216 x 54 mm, Colour: White RAL 9016.	\$ 709.15
A-9	32116414	DRAWER SHORT POWER SUPPLY STORAGE - For RIWOmobil 32116xxx, rear accessible storage room for external power supplies. Inner dimensions of drawer (w x d x h): 307 x 276 x 100mm. Colour: White RAL 9016.	\$ 472.76
A-9	32116451	MONITOR MOUNT LATERAL VESA 75/100 - LCD monitor mount VESA 75/100 and adapter plate for sideways fixation on RIWOmobil. Including mounting kit. Maximum load: 15 kg, Length: 5,5 cm can be mounted tiltable or pivotable	\$ 126.07
A-9	32116473	MOUNT EXTENSION ARM PROFILE - Adapter for mounting a support arm in the aluminium profile of RIWOmobil.	\$ 118.19
A-9	32116474	MOUNT EXTENSION ARM BRIDGE - Adapter for mounting a support arm at the monitor bridge of RIWOmobil.	\$ 126.07

A-9	32116701	CONN. USB, ETHERNET, BNC - Cable adapter for USB (incl. 0,5 m extension), RJ45 CAT.6A for Ethernet and BNC (for Composite, SDI, HD-SDI and 3G-SDI)	\$ 78.79
A-9	35100.115	SOUND ABSORBER	\$ 24.94
A-9	37500.002	ENDOMOTION SUPPORT ARM - mechanical arm with 360°rotatable joints which can bereleased and moved by pressing the handle. Unhanding the handle creates a lockingof the joints. Flying range: 640 mm Action distance: 604,5 mm, Weight: 6 kg	\$ 9,645.11
A-9	37500.005	FIXING CLAMP - for save fixation of the ENDOfmotion-Arm (375000,002) on OR-Table-Standard fixations	\$ 2,567.07
A-9	37500.010	CASE	\$ 348.09
A-8B	38043012	REPROCESS BASKET - Machine reprocessing and sterilization of TEM stereo endoscope and documentation endoscope Dimensions: LxWxH approx. 458/479* x 196 x 139 mm weight: approx. 1,2 kg* = with lock	\$ 924.11
A-9	38044.411	REPROCESS BASKET - for mechanic reprocessing and sterilisation for Discoscope 89210,xxxx	\$ 708.36
A-9	38201.321	PEG MATS SET - for accessories containerinner dimensions: 300x120	\$ 36.28
A-200	38201.322	PEG MATS SET - for accessories containerinner dimensions: 300x200	\$ 61.72
A-9	38201.323	PEG MATS SET - for accessories container	\$ 67.04
A-9	38201.324	PEG MATS SET - for accessories container	\$ 116.61
A-9	38201.326	PEG MATS SET - for accessories container	\$ 173.64
A-9	38201.386	STERI CONTAINER W 200MM L 300MM H 60MM - 60 mm high, consisting of: instrument container with peg mat inlay lid with fixed peg mat, 1 coding plate (white), each for container and lid 1 marker pen (black)inner dimensions: width 300/depth 200mm	\$ 613.81
A-9	4106.0330	HF CABLE TL 10FT MONO - for single use	\$ 75.82
A-8B	41702208	TUBE FOR SUCTION - PVC, PACK=10 PCS, sterile, for single use	\$ 240.36
A-9	4170.2228	TUBE SET RESECTION PUMP 2228 - PVC, PACK=10 PCS, for Resection Pump 2228, sterile, for single use	\$ 542.01
A-8B	4228.8015	COLLECTING CONTAINER - for single use	\$ 118.19
A-8B	4393.2865	CUT&COAG FORCEPS Ø 5MM WL 310MM BIPO - for single use	\$ 1,410.56
A-8B	4393.3865	CUT&COAG FORCEPS Ø 5MM WL 310MM BIPO - for single use	\$ 1,421.12
A-8B	4394.2865	CUT&COAG FORCEPS Ø 5MM WL 430MM BIPO - for single use	\$ 1,545.37

A-8B	4394.3865	CUT&COAG FORCEPS Ø 5MM WL 430MM BIPO - for single use	\$ 1,558.36
A-9	4609.0313	CUTTING ELECTRODE BIPO 24FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, loop: round, wire Ø 0.3mm, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, sterile, for	\$ 1,073.33
A-9	4609.2513	CUTTING ELECTRODE BIPO 24FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, loop: round, wire Ø 0.25mm, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, sterile, fo	\$ 1,073.33
A-9	4622.1313	CUTTING ELECTRODE BIPO 24FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, loop: round, wire Ø 0.3mm, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, sterile,	\$ 1,073.33
A-9	4622.1333	CUTTING ELECTRODE BIPO 22FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, continuous irrigation, 22/24, Fr, loop: round, wire Ø 0.3mm, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, sterile, for single u	\$ 1,073.33
A-9	4622.2513	CUTTING ELECTRODE BIPO 24-26FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, loop: round, wire Ø 0.25mm, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, ster	\$ 1,073.33
A-9	4622.2533	CUTTING ELECTRODE BIPO 22FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, continuous irrigation, 22/24, Fr, loop: round, wire Ø 0.25mm, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, sterile, for single	\$ 1,073.33
A-9	4623.0223	COAG ELECTRODE BIPO 24-26FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, electrode shape: cylinder, wire Ø 1.2mm, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectosc	\$ 1,073.33

A-9	4623.0243	COAG ELECTRODE BIPO 22FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, continuous irrigation, 22/24, Fr, electrode shape: cylinder, wire Ø 1.2mm, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, sterile, f	\$ 1,073.33
A-9	4624.1313	CUTTING ELECTRODE BIPO 26FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent irrigation, 26, Fr, loop: round, wire Ø 0.3mm, fork color green, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, sterile, for single u	\$ 1,073.33
A-9	46300223	BIVAP ELECTRODE BIPO 22FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, continuous irrigation, 22/24, Fr, electrode shape: torus, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, sterile, for single use	\$ 1,073.33
A-9	46300243	BIVAP ELECTRODE BIPO 24-26FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, electrode shape: torus, fork color blue, stem color blue, PACK=3 PCS, for Shark and S-Line Resectoscopes, sterile, f	\$ 1,073.33
A-9	46530213	BIVAP ELECTRODE BIPO 21FR - for hysteroscopy, for continuous irrigation sheaths, 21, Fr, electrode shape: torus, fork color blue, stem color blue, PACK=3 PCS, for use in combination with the Princess resectoscope, sterile, for single use	\$ 937.65
A-9	46530243	BIVAP ELECTRODE BIPO 24.5FR - for hysteroscopy, for continuous irrigation sheaths, 24.5, Fr, electrode shape: torus, fork color blue, stem color blue, PACK=3 PCS, for use in combination with the Princess resectoscope, sterile, for single use	\$ 937.65
A-9	46531313	CUTTING ELECTRODE BIPO 21FR - for hysteroscopy, for continuous irrigation sheaths, 21, Fr, loop: round, wire Ø 0.3mm, fork color transparent, stem color blue, PACK=3 PCS, for use in combination with the Princess resectoscope, sterile, for single use	\$ 1,073.33
A-9	4653.1323	CUTTING ELECTRODE BIPO 24.5FR - for hysteroscopy, for continuous irrigation sheaths, 24.5, Fr, loop: round, wire Ø 0.3mm, fork color transparent, stem color blue, PACK=3 PCS, for use in combination with the Princess resectoscope, sterile, for single	\$ 1,073.33

A-9	4659.1613	CUTTING ELECTRODE BIPO 27FR - for hysteroscopy, for sheaths with chip suction, 27, Fr, loop: round, wire Ø 0.25mm, PACK=3 PCS, for use in combination with the Resection Master resectoscope, sterile, for single use	\$ 1,073.33
A-9	4659.1623	ROLLER ELECTRODE BIPO 27FR - for hysteroscopy, for sheaths with chip suction, 27, Fr, electrode shape: roller, PACK=3 PCS, for use in combination with the Resection Master resectoscope, sterile, for single use	\$ 1,073.33
A-9	46782201	COAG ELECTRODE MONO 22-24FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 22/24/26, Fr, electrode shape: roller, fork color green, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, fo	\$ 390.03
A-9	46782202	COAG ELECTRODE MONO 22-24FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 22/24/26, Fr, electrode shape: ball, fork color green, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, for	\$ 390.03
A-9	46782203	COAG ELECTRODE MONO 22-24FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 22/24/26, Fr, electrode shape: button, fork color green, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, fo	\$ 390.03
A-9	46782204	KNIFE ELECTRODE MONO 22-24FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 22/24/26, Fr, electrode shape: knife, fork color green, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, fo	\$ 390.03
A-9	46782205	HOOK ELECTRODE MONO 24FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 22/24/26, Fr, electrode shape: hook, fork color green, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, for sin	\$ 390.03
A-9	46782225	CUTTING ELECTRODE MONO 22FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, continuous irrigation, 22/24, Fr, loop: round, wire Ø 0.25mm, fork color green, stem color transparent, PACK=10 PCS, for Shark Resectoscope, sterile, for single use	\$ 784.00

A-9	46782235	CUTTING ELECTRODE MONO 22FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, continuous irrigation, 22/24, Fr, loop: round, wire Ø 0.35mm, fork color green, stem color transparent, PACK=10 PCS, for Shark Resectoscope, sterile, for single use	\$ 784.00
A-9	46782425	CUTTING ELECTRODE MONO 24FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, loop: round, wire Ø 0.25mm, fork color yellow, stem color transparent, PACK=10 PCS, for Shark Resectoscope, sterile,	\$ 784.00
A-9	46782435	CUTTING ELECTRODE MONO 24FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, loop: round, wire Ø 0.35mm, fork color yellow, stem color transparent, PACK=10 PCS, for Shark Resectoscope, sterile,	\$ 784.00
A-9	46782480	CUTTING ELECTRODE MONO 24FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, loop: round, wire Ø 0.8mm, fork color yellow, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, fo	\$ 390.03
A-9	46782603	COAG ELECTRODE MONO 26FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent irrigation, 26, Fr, electrode shape: button, fork color black, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, for single use	\$ 390.03
A-9	46782604	KNIFE ELECTRODE MONO 26FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent irrigation, 26, Fr, electrode shape: knife, fork color black, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, for single use	\$ 390.03
A-9	46782605	HOOK ELECTRODE MONO 26FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent irrigation, 26, Fr, electrode shape: hook, fork color black, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, for single use	\$ 390.03

A-9	46782635	CUTTING ELECTRODE MONO 26FR 12/30° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent irrigation, 26, Fr, loop: round, wire Ø 0.35mm, fork color black, stem color transparent, PACK=10 PCS, for Shark Resectoscope, sterile, for single use	\$ 784.00
A-9	46792201	COAG ELECTRODE MONO 24FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, electrode shape: roller, fork color green, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, for single u	\$ 390.03
A-9	46792204	KNIFE ELECTRODE MONO 24FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, electrode shape: knife, fork color transparent, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, for si	\$ 390.03
A-9	46792205	HOOK ELECTRODE MONO 24FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, electrode shape: hook, fork color transparent, stem color transparent, PACK=5 PCS, for E-Line resectoscope, sterile, for sin	\$ 390.03
A-9	46792235	CUTTING ELECTRODE MONO 0° 22FR	\$ 390.03
A-9	46792435	CUTTING ELECTRODE MONO 24FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent/continuous irrigation, 24/26, Fr, loop: round, wire Ø 0.35mm, fork color yellow, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, for s	\$ 390.03
A-9	46792635	CUTTING ELECTRODE MONO 26FR 0° - for resectoscopes, telescope Ø 4mm, for sheaths, intermittent irrigation, 26, Fr, loop: round, wire Ø 0.35mm, fork color black, stem color transparent, PACK=5 PCS, for Shark Resectoscope, sterile, for single use	\$ 390.03
A-9	4792.6912	FLEX. BIPOL. ELECTR (PACK=6 PIECES) - Trigger, navigational, 2 mm diameter, disposable	\$ 1,763.82
A-9	49700103	ROTATIONS-MORCELLATOR Ø 4.8MM WL 385MM - for MORCESCOPE Storz, for morcellation following laser prostate enucleation, sterile	\$ 988.55
A-9	49700113	ROTATIONS-MORCELLATOR Ø 4.8MM WL 335MM - for MORCESCOPE, for morcellation following laser prostate enucleation, sterile	\$ 988.55
A-8B	4974.0010	HYSTEROSCOPY PACK - for single use	\$ 378.16
A-8B	4975.0010	HYSTEROSCOPY PACK - for single use	\$ 266.17

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	51420011	LIGHT SOURCE X 300 BNDL	\$ 5,657.11
A-9	51420021	LIGHT SOURCE X 300 BNDL	\$ 8,808.51
A-9	51630011	LIGHT SOURCE LED 2.1 BNDL	\$ 5,483.52
A-9	51640011	LIGHT SOURCE LED 2.2 BNDL	\$ 6,267.44
A-9	51660011	LIGHT SOURCE FLEX LED BNDL	\$ 2,347.84
A-9	5365.0211	COLOR PRINT PACK - reusable	\$ 114.99
A-8B	5365.7363	MEDICAL USB KEYBOARD - reusable	\$ 371.05
A-8B	5365.7364	INFRARED REMOTE CONTROL - reusable	\$ 167.55
A-9	53657365	SONY DIGITAL HD RECORDER KIT	\$ 9,146.50
A-8B	5365.8551	PRINT PACK - reusable	\$ 157.90
A-8B	5365.8552	USB PRINTER CABLE - reusable	\$ 13.83
A-9	5370.6215	21 HD LCD MONITOR - reusable	\$ 1,372.98
A-9	53706275	27" LCD MONITOR SET - Includes monitor and dust cover	\$ 6,178.07
A-8B	5371.6003	ZEROWIRE ACCESSORIES BNDL - reusable	\$ 292.72
A-8B	5371.6005	ZEROWIRE TABLE STAND - reusable	\$ 127.44
A-8B	5371.6006	ZEROWIRE VESA BRACKET - reusable	\$ 121.82
A-8B	5371.6007	ZEROWIRE POWER CONNECTOR - reusable	\$ 132.29
A-9	53716010	ZEROWIRE ULTRA TRANSMITTER - reusable	\$ 3,286.49
A-9	53716012	ZEROWIRE ULTRA RECEIVER - reusable	\$ 1,643.64
A-9	55211011	FLEX HD CAMERA CONTROLLER BNDL	\$ 2,880.90
A-9	55251061	LOGIC HD CAMERA CONTROLLER BNDL - Controller incl. Accessories	\$ 17,359.86
A-9	55252011	LOGIC HD LITE CAMERA CONTROLLER BNDL	\$ 11,904.78
A-9	55920011	CORE.CONTROL COMPACT BNDL - User terminal for controlling the core nova system	\$ 8,231.16
A-9	55921011	BASIC INTRAOPERATIVE NETWORK BNDL - Basic intraoperative network for connection to copper networks	\$ 701.61
A-9	55926011	CORE.CONNECT OR-TABLE BNDL BERCHTOLD	\$ 1,642.31
A-9	55926021	CORE.CONNECT OR-TABLE BNDL MAQUET	\$ 3,527.64
A-9	55926051	CORE.CONNECT MONITOR BNDL NDS	\$ 1,642.31
A-9	55926061	CORE.CONNECT HF UNIT BNDL KLS MARTIN	\$ 1,642.31
A-9	55926071	CORE.CONNECT OR LIGHTING BNDL TRUMPF	\$ 1,642.31
A-9	55926091	CORE.CONNECT OR LIGHTING BNDL BERCHTOLD	\$ 1,646.23
A-9	55930011	CORE.MEDIA MEDIA PLATFORM BNDL	\$ 16,458.39
A-9	55931011	BASIC VIDEO CABLE BNDL - Basic cable set for video and network signals in core nova installations.	\$ 1,250.35
A-9	55931021	BASIC CONNECTION PLATE BNDL - Basic connection plate set for cable connections in core nova installations.	\$ 858.39
A-9	55931031	CABLE BNDL AUDIO SMALL	\$ 293.97
A-9	55931032	CABLE BNDL AUDIO LARGE	\$ 1,250.35
A-8B	5654.0051	KIT, USB 200 RECORDER AND KEY-BOARD, INCL: 1 X 5654.005 RECORDER, 1 X 5365.7363 KEYBOARD	\$ 2,476.78

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	5654.0052	NETWORK ADAPTER - reusable	\$ 53.51
A-8B	5654.0071	KIT, USB 300 RECORDER AND KEY- - BOARD, INCL: 1 X 5654.007 RECORDER, 1 X 5365.7363 KEYBOARD	\$ 6,362.95
A-9	64360816	5525 DVD LICENSE OPEN-SOURCE-SOFTWARE	\$ 15.26
A-8B	72658512	BIOPSY VALVE BNDL	\$ 343.50
A-9	73250715	FIBER-URETERO-RENSCOPE SET	\$ 8,662.41
A-9	73250765	FIBER-URETERO-RENSCOPE SET	\$ 9,462.67
A-9	73251225	FIBER HYSTEROSCOPY SET	\$ 8,354.34
A-9	73251525	FIBER CHOLEDOCHOSCOPE SET	\$ 8,461.54
A-8B	73260011	COBRA LASER DIAL REPLACEMENT - KIT, INCLUDES LASER ADJUSTMENT UNIT 15369108 AND STEEL ADAPTER WITH BLUE O-RING 163914	\$ 297.73
A-9	73550711	SENSOR-URETERORENSCOPE BNDL	\$ 17,728.64
A-9	73550761	SENSOR-URETERORENSCOPE BNDL	\$ 19,087.66
A-9	73560711	SENSOR-URETERORENSCOPE BNDL	\$ 19,304.52
A-9	73560761	SENSOR-URETERORENSCOPE BNDL	\$ 20,784.06
A-9	74007.055	CO2 PRESSURE REDUCER, CON. DIN EN ISO 407	\$ 613.02
A-9	74021.029	PRESSURE TUBE 1500MM	\$ 163.89
A-9	80655030	FIBER LIGHT CABLE Ø 5MM TL 3M - temperature stable, color code gray	\$ 555.56
A-9	80661630	FIBER LIGHT CABLE Ø 1.6MM TL 3M - color code blue	\$ 365.70
A-9	80662530	FIBER LIGHT CABLE Ø 2.5MM TL 3M - color code green	\$ 365.70
A-9	80663530	FIBER LIGHT CABLE Ø 3.5MM TL 3M - color code orange	\$ 365.70
A-9	8170.6554	CONNECTION TUBE RECTO PUMP - for Recto Pump (connection from device to secretion holder), reusable	\$ 53.60
A-8B	82140645	BRONCHOSCOPE TUBE, HEMER, KIT,	\$ 796.33
A-8B	82140745	BRONCHOSCOPE TUBE, HEMER, KIT,	\$ 796.33
A-8B	8214.0821	BRONCHOSCOPE-TUBE BNDL	\$ 1,137.87
A-9	82140845	BRONCHOSCOPE TUBE, HEMER, KIT,	\$ 744.83
A-8B	8214.0921	BRONCHOSCOPE-TUBE BNDL	\$ 1,137.87
A-8B	82140945	BRONCHOSCOPE TUBE, HEMER, KIT,	\$ 796.33
A-8B	8214.1021	BRONCHOSCOPE-TUBE BNDL	\$ 1,216.30
A-9	82141045	BRONCHOSCOPE TUBE, HEMER, KIT	\$ 744.83
A-9	82141245	BRONCHOSCOPE TUBE, HEMER, KIT	\$ 744.83
A-9	82141265	TUBE, BRONCHOSCOPE, HEMER	\$ 1,091.93
A-9	82141285	TRACHEOSCOPE TUBE, HEMER, KIT,	\$ 1,358.45
A-8B	82141445	BRONCHOSCOPE TUBE, HEMER, KIT,	\$ 1,358.45
A-8B	8238.5021	JET VENTILATION ADAPTER BNDL	\$ 293.90
A-9	82512.431	TELESCOPE 0° Ø 2MM WL 296MM - semi-rigid, TL 388mm, semi-rigid image carrier	\$ 4,390.69
A-9	82514.431	TELESCOPE 0° Ø 4MM WL 519MM - rigid, TL 388mm, rod lens system	\$ 4,268.11

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	82514.433	TELESCOPE 30° Ø 4MM WL 519MM - rigid, TL 388mm, rod lens system	\$ 4,428.53
A-8B	8267.6011	CONE TROCAR BNDL	\$ 1,817.19
A-9	83070111	ERGONOMIC HANDLE FOR MORCELLATOR - reusable	\$ 418.27
A-9	83070115	O-RING FOR MORCELLATOR HANDPIECE - reusable	\$ 73.47
A-9	83070128	PROTECTION SLEEVE CAP 12MM WL 184MM - stainless steel-sheath tube smooth, with distal tissue positioner, reusable	\$ 379.59
A-9	83070158	PROTECTION SLEEVE CAP 15MM WL 186MM - stainless steel-sheath tube smooth, with distal tissue positioner, reusable	\$ 379.59
A-9	83070208	PROTECTION SLEEVE CAP 20MM WL 197MM - stainless steel-sheath tube smooth, with distal tissue positioner, reusable	\$ 411.90
A-9	83071121	TROCAR TIP POINTED SZ 12MM WL 315MM - distal tip rounded -pointed, reusable	\$ 253.36
A-9	83071122	TROCAR TIP POINTED SZ 12MM WL 255MM - for Morce Power trocar sleeve 8307112, distal tip rounded -pointed, reusable	\$ 245.87
A-9	83071123	O-RING FOR TROCAR SLEEVE Ø 12/15MM - reusable	\$ 59.97
A-9	83071125	SEAL FOR TROCAR SLEEVE YELLOW Ø 12/15MM - reusable	\$ 215.89
A-9	83071151	TROCAR TIP POINTED SZ 15MM WL 335MM - for Morce Power, distal tip rounded -pointed, reusable	\$ 260.85
A-9	83071152	TROCAR TIP POINTED SZ 15MM WL 265MM - for Morce Power trocar sleeve 8307115, distal tip rounded -pointed, reusable	\$ 245.87
A-9	83071201	TROCAR TIP POINTED SZ 20MM WL 355MM - distal tip rounded -pointed, reusable	\$ 260.85
A-9	83071202	TROCAR TIP POINTED SZ 20MM WL 297MM - for Morce Power trocar sleeve 8307120, distal tip rounded -pointed, reusable	\$ 245.87
A-9	83071203	O-RING FOR TROCAR SLEEVE Ø 20MM - reusable	\$ 62.96
A-9	83071205	SEAL FOR TROCAR SLEEVE BLUE Ø 20MM - reusable	\$ 232.37
A-9	83075011	SEALING BNDL MORCELLATOR Ø 12/15MM - reusable	\$ 367.30
A-9	83075021	SEALING BNDL MORCELLATOR Ø 20MM - reusable	\$ 415.27
A-9	83075022	TISSUE SEAL BLACK Ø 20MM - reusable	\$ 329.82
A-9	83750.001	ENDOSCOPE-MOUNTING - for Laparoscopes and auxiliary Instruments from 5 to 10 mm diameter, consisting of: Basic element (83750,100), fixed gripping jaw (83750 ,101), unfixed gripping jaw (83750,102), Spring in stainless steel (83750,103), Gripping nut	\$ 2,012.25

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	8383.2101	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.210 HANDLE AND 8393.704 T-GRASPER TONG	\$ 1,086.29
A-9	8383.2102	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.210 HANDLE AND 8393.705 TEFLON TOOTH TONG	\$ 1,086.29
A-9	8383.2103	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.210 HANDLE AND 8393.714 KLEPPINGER TONG	\$ 1,137.96
A-9	8383.2104	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.210 HANDLE AND 8393.724 TWEEZER TONG	\$ 1,086.29
A-9	8383.2105	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.210 HANDLE AND 8393.725 REICH PADDLE TONG	\$ 1,086.29
A-9	8383.2106	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.210 HANDLE AND 8393.726 MICRO TONG	\$ 1,086.29
A-9	8383.2401	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.240 HANDLE AND 8393.704 T-GRASPER TONG	\$ 1,086.29
A-9	8383.2402	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.240 HANDLE AND 8393.705 TEFLON TOOTH TONG	\$ 1,086.29
A-9	8383.2403	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.240 HANDLE AND 8393.714 KLEPPINGER TONG	\$ 1,099.14
A-9	8383.2404	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.240 HANDLE AND 8393.724 TWEEZER TONG	\$ 1,086.29
A-9	8383.2405	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.240 HANDLE AND 8393.725 INSERT, BIPOLAR, REICH PADDLE TONG	\$ 1,086.29
A-9	8383.2406	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 320MM WL, COMPLETE INSTRUMENT INCL: 8383.240 HANDLE AND 8393.726 MICRO TONG	\$ 1,086.29
A-8B	8383.2925	WAVE SIDE GRASP FORCEPS Ø 5MM WL 310MM - reusable	\$ 676.22
A-9	8383.2927	WAVE SIDE GRASP FORCEPS Ø 5MM WL 310MM - reusable	\$ 650.94

A-8B	8383.2935	WAVE SIDE GRASP FORCEPS Ø 5MM WL 310MM - reusable	\$ 667.97
A-9	8383.2937	WAVE SIDE GRASP FORCEPS Ø 5MM WL 310MM - reusable	\$ 650.88
A-9	8383.4897	GRASPING FORCEPS Ø 5MM WL 310MM - reusable	\$ 640.60
A-9	8384.2101	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 450MM WL, COMPLETE INSTRUMENT INCL: 8384.210 HANDLE AND 8394.704 T-GRASPER TONG	\$ 1,086.29
A-9	8384.2102	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 450MM WL, COMPLETE INSTRUMENT INCL: 8384.210 HANDLE AND 8394.705 TEFLON TOOTH TONG	\$ 1,086.29
A-9	8384.2103	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 450MM WL, COMPLETE INSTRUMENT INCL: 8384.210 HANDLE AND 8394.714 KLEPPINGER TONG	\$ 1,131.78
A-9	8384.2105	FORCEPS, BIPOLAR, KLEPPINGER - SCISSOR STYLE, 450MM WL, COMPLETE INSTRUMENT INCL: 8384.210 HANDLE AND 8394.725 REICH PADDLE TONG	\$ 1,086.29
A-9	8384.2401	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 450MM WL, COMPLETE INSTRUMENT INCL: 8384.240 HANDLE AND 8394.704 T-GRASPER TONG	\$ 1,086.29
A-9	8384.2402	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 450MM WL, COMPLETE INSTRUMENT INCL: 8384.240 HANDLE AND 8394.705 TEFLON TOOTH TONG	\$ 1,086.29
A-9	8384.2403	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 450MM WL, COMPLETE INSTRUMENT INCL: 8384.240 HANDLE AND 8394.714 KLEPPINGER TONG	\$ 1,050.36
A-9	8384.2405	FORCEPS, BIPOLAR, KLEPPINGER - SYRINGE STYLE, 450MM WL, COMPLETE INSTRUMENT INCL: 8384.240 HANDLE AND 8394.725 REICH PADDLE TONG	\$ 1,086.29
A-9	8390.2044	ATRAUMAT.GRASP.FORCEPS MONO Ø 3.5MM BNDL - 2 part, SL 240mm	\$ 813.57
A-9	8390.2053	FORCEPS, MARYLAND DISSECTOR, - CURVED LEFT, DOUBLE ACTION, 3.5MM X 24CM, COMPLETE "INSTR.INCLUDES: 8390.205 INSERT/SHEATH; 8393.0003 HANDLE"	\$ 705.74
A-8B	83902077	DISSECTION FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 790.67
A-8B	83902087	ATRAUMAT.GRASP.FORCEPS Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 754.33
A-8B	83902097	UNIV. GRASPING FORCEPS Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 754.33

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	83902107	BABCOCK FORCEPS Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 754.33
A-8B	83902157	METZENBAUM SCISSORS MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 699.42
A-8B	83902167	DOUBLE SPOON FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 790.67
A-8B	83902177	FRIEDEN PUNCH MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 790.67
A-8B	83902187	ATRAUMAT.GRASP.FORCEPS Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 754.33
A-8B	83902197	GRASPING FORCEPS Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 754.33
A-8B	83902207	GRASPING FORCEPS Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 754.33
A-8B	83902217	DISSECTION FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 790.67
A-8B	83902227	DISSECTION FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 790.67
A-8B	83902237	DISSECTION FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 790.67
A-8B	83902247	METZENBAUM SCISSORS MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 699.42
A-8B	83902257	ATRAUMAT.GRASP.FORCEPS Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 754.33
A-8B	83902267	ATRAUMAT.GRASP.FORCEPS Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 754.33
A-8B	83902277	HOOK SCISSORS MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 699.42
A-8B	83902287	PYLORUS SPREADER MONO Ø 3.5MM BNDL - 3 part, SL 240mm	\$ 806.83
A-9	8390.2554	BABCOCK FORCEPS MONO Ø 3.5MM BNDL - 2 part, SL 240mm	\$ 825.93
A-9	8391.0143	HOOK SCISSORS MONO Ø 3.5MM BNDL - 2 part, SL 310mm	\$ 830.78
A-9	8391.2044	ATRAUMAT.GRASP.FORCEPS MONO Ø 3.5MM BNDL - 2 part, SL 310mm	\$ 813.57
A-8B	83912077	DISSECTION FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 790.67
A-8B	83912087	ATRAUMAT.GRASP.FORCEPS Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 754.33
A-8B	83912097	UNIV. GRASPING FORCEPS Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 754.33
A-9	83912107	BABCOCK FORCEPS Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 754.33
A-8B	83912157	METZENBAUM SCISSORS MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 790.67

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	83912167	DOUBLE SPOON FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 790.67
A-8B	83912177	FRIEDEN PUNCH MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 790.67
A-8B	83912187	ATRAUMAT.GRASP.FORCEPS Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 754.33
A-8B	83912197	GRASPING FORCEPS Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 754.33
A-8B	83912207	GRASPING FORCEPS Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 754.33
A-8B	83912217	DISSECTION FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 790.67
A-8B	83912227	DISSECTION FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 790.67
A-8B	83912237	DISSECTION FORCEPS MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 790.67
A-8B	83912247	METZENBAUM SCISSORS MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 708.30
A-8B	83912257	ATRAUMAT.GRASP.FORCEPS Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 754.33
A-8B	83912267	ATRAUMAT.GRASP.FORCEPS Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 754.33
A-8B	83912277	HOOK SCISSORS MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 708.30
A-8B	83912287	PYLORUS SPREADER MONO Ø 3.5MM BNDL - 3 part, SL 330mm	\$ 806.83
A-9	8391.2544	UNIV. GRASPING FORCEPS MONO Ø 3.5MM BNDL - 2 part, SL 310mm	\$ 816.30
A-9	8391.2554	BABCOCK FORCEPS MONO Ø 3.5MM BNDL - 2 part, SL 310mm	\$ 825.93
A-9	8391.4063	BIOPSY FORCEPS MONO Ø 3.5MM BNDL - 2 part, SL 310mm	\$ 657.64
A-9	83921811	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL	\$ 702.44
A-8B	83921817	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 260mm	\$ 703.46
A-8B	8393.0001	HANDLE PISTOL SHAPED - without locking mechanism, without HF-connection, for use with Moduline and RIWO-GRIP sheath tubes, reusable	\$ 131.05
A-8B	8393.0002	HANDLE PISTOL SHAPED - with locking mechanism, without HF-connection, for use with Moduline and RIWO-GRIP sheath tubes, reusable	\$ 245.77
A-9	8393.0003	HANDLE PISTOL SHAPED MONO - without locking mechanism, with monopolar HF connection, for use with Moduline and RIWO-GRIP sheath tubes, reusable	\$ 189.75

A-8B	8393.0004	HANDLE PISTOL SHAPED MONO - with locking mechanism, with monopolar HF connection, for use with Moduline and RIWO-GRIP sheath tubes, reusable	\$ 236.36
A-8B	8393.0005	HANDLE AXIAL MONO - with locking mechanism, non-rotatable, with monopolar HF connection, for use with Moduline and RIWO-GRIP sheath tubes, reusable	\$ 356.66
A-9	83930031	GRASP. FORCEPS INSERT Ø 5.5MM - single fenestration with cross toothing, jaw length 21mm, for SL 320mm, double action, reusable	\$ 773.70
A-9	83930032	MARYLAND DISSECTOR-INSERT Ø 5.5MM - jaw length 23mm, for SL 320mm, double action, reusable	\$ 728.34
A-9	83930033	DOLPHIN DISSECTOR INSERT Ø 5.5MM - jaw length 21mm, for SL 320mm, double action, reusable	\$ 770.94
A-9	83930034	GRASP. FORCEPS INSERT Ø 5.5MM - single fenestration with cross toothing, jaw length 23mm, for SL 320mm, double action, reusable	\$ 820.42
A-9	83930035	PREPARATION FORCEPS INSERT Ø 5.5MM - atraumatic, straight with atraumatic teeth, jaw length 19mm, for SL 330mm, double action, reusable	\$ 827.30
A-9	83930036	STERILIZATION FORCEPS INSERT Ø 5.5MM - by Hasskamp, straight with needle, jaw length 19mm, for SL 330mm, double action, reusable	\$ 853.40
A-9	83930041	METZENBAUM SCISSORS INSERT Ø 5.5MM - jaw length 22mm, for SL 320mm, double action, reusable	\$ 878.14
A-8B	83930072	HANDLE PISTOL SHAPED - with locking mechanism, without HF-connection, for use with all ERAGON outer sheath tubes, reusable	\$ 253.66
A-8B	83930073	HANDLE PISTOL SHAPED MONO - with monopolar HF connection, for use with all insulated ERAGON outer sheath tubes, reusable	\$ 163.54
A-8B	83930074	HANDLE PISTOL SHAPED MONO - with monopolar HF connection, for use with all insulated ERAGON outer sheath tubes, reusable	\$ 245.99
A-8B	83930082	HANDLE AXIAL - with locking mechanism, without HF-connection, for use with all ERAGON outer sheath tubes, reusable	\$ 324.82
A-8B	83930083	HANDLE AXIAL MONO - without locking mechanism, with monopolar HF connection, for use with all insulated ERAGON outer sheath tubes, reusable	\$ 279.45

A-8B	83930084	HANDLE AXIAL MONO - with monopolar HF connection, for use with all insulated ERAGON outer sheath tubes, reusable	\$ 324.82
A-8B	83930085	HANDLE AXIAL - with locking mechanism, non-rotatable, without HF-connection, for use with all ERAGON outer sheath tubes, reusable	\$ 324.82
A-8B	8393.0413	METZENBAUM SCISSORS Ø 5MM BNDL - 3 part, SL 310mm	\$ 613.66
A-8B	83930417	METZENBAUM SCISSORS Ø 5MM BNDL - 3 part, SL 330mm	\$ 684.36
A-8B	8393.0443	METZENBAUM MIC. SCISSORS Ø 5MM BNDL - 3 part, SL 310mm	\$ 678.26
A-8B	83930447	METZENBAUM MIC. SCISSORS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 751.70
A-8B	8393.0453	SCISSORS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 613.66
A-8B	83930457	SCISSORS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 684.36
A-8B	8393.0813	HOOK SCISSORS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 613.66
A-8B	83930817	HOOK SCISSORS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 684.36
A-8B	8393.0913	BIOPSY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 613.66
A-8B	83930917	BIOPSY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 684.36
A-9	83930921	SHEATH TUBE INSULATED Ø 5.5MM SL 320MM - Compatible with all ERAGONbipolar inserts in the respective sheath length, along with ERAGONbipolar handles, reusable	\$ 203.40
A-8B	8393.0923	BIOPSY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 678.26
A-8B	83930927	BIOPSY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 916.62
A-8B	8393.0933	BIOPSY FORCEPS Ø 5MM BNDL - 3 part, SL 310mm	\$ 678.26
A-8B	83930937	BIOPSY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 751.70
A-8B	8393.1814	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 725.63
A-8B	83931817	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 766.82
A-8B	8393.1824	PLATE SHAPE GRAS.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 817.05
A-8B	83931827	PLATE SHAPE GRAS.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 923.49
A-8B	8393.1833	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 613.66
A-8B	83931837	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 853.40

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8393.1844	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 783.34
A-8B	83931847	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 737.38
A-8B	8393.1854	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 783.34
A-8B	83931857	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 827.30
A-8B	8393.1862	BABCOCK FORCEPS Ø 5MM BNDL - 3 part, SL 310mm	\$ 735.17
A-8B	83931867	BABCOCK FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 807.64
A-8B	8393.1872	BABCOCK FORCEPS Ø 5MM BNDL - 3 part, SL 310mm	\$ 795.57
A-8B	83931877	BABCOCK FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 834.16
A-8B	83931887	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 880.87
A-8B	83931897	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 880.87
A-8B	83931907	DEBAKEY FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 834.16
A-8B	83931917	DEBAKEY FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 834.16
A-9	83931927	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83931937	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83931947	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-8B	8393.1953	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 613.66
A-8B	83931957	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 684.36
A-9	83931977	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83931987	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83931997	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932007	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932107	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932207	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	83932237	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932297	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932307	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932407	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	8393.2419	DISSECTOR/GRASP FORCEPS Ø 5MM WL 320MM - reusable	\$ 522.05
A-9	83932427	BABCOCK FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932437	METZENBAUM SCISSORS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932467	SCISSORS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932487	SCISSORS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932497	INTEST. GRASP. FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932507	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932537	GASTRIC BAND MANIPULATOR Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932567	DEBAKEY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-9	83932587	DEBAKEY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-8B	8393.2813	FORCEPS, MARYLAND DISSECTOR, - MODULINE STYLE, 5 MM, 310 MM WL, COMPLETE INSTRUMENT INCLUDES: 8393.281 INSERT, 8393.913 SHEATH, 8393.0003 HANDLE	\$ 551.91
A-8B	8393.2814	MARYLAND DISS. FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 725.63
A-8B	83932817	MARYLAND DISS. FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 674.38
A-8B	8393.2824	PETELIN DISSECT. FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 790.20
A-8B	83932827	PETELIN DISSECT. FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 834.16
A-8B	8393.2834	MIXTER DISSECT.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 894.63
A-8B	83932837	MIXTER DISSECT.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 969.85
A-8B	8393.2853	DOLPHIN DISSECT. FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 613.66
A-8B	83932857	DOLPHIN DISSECT. FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 684.36

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8393.2873	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 613.66
A-8B	83932877	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 684.36
A-8B	8393.2884	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 842.42
A-8B	83932887	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 910.74
A-8B	8393.2894	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 725.63
A-8B	83932897	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 765.46
A-8B	8393.2912	DEBAKEY FORCEPS Ø 5MM BNDL - 3 part, SL 310mm	\$ 835.48
A-8B	83932917	DEBAKEY FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 934.47
A-9	8393.2922	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 310mm	\$ 726.85
A-8B	83932925	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 821.79
A-9	8393.2932	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 310mm	\$ 950.85
A-8B	83932935	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 993.56
A-8B	8393.3451	KNOT PUSHER Ø 5MM BNDL - 3 part, SL 310mm	\$ 670.80
A-9	83933457	KNOT PUSHER Ø 5MM BNDL - 3 part, SL 330mm	\$ 1,004.62
A-8B	8393.4814	UNIV. GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 725.63
A-8B	83934817	UNIV. GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 766.82
A-8B	8393.4822	UNIV. GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 730.97
A-8B	83934827	UNIV. GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 766.82
A-8B	8393.4834	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 725.63
A-8B	83934837	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 937.23
A-8B	8393.4854	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 725.63
A-8B	83934857	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 766.82
A-8B	8393.4864	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 725.63
A-8B	83934867	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 766.82

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8393.4874	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 310mm	\$ 725.63
A-8B	83934877	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 330mm	\$ 766.82
A-8B	8393.4882	MYOM-GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 310mm	\$ 730.97
A-8B	83934887	MYOM-GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 676.80
A-8B	8393.4902	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 310mm	\$ 795.57
A-8B	83934907	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 834.16
A-8B	8393.4942	FORCEPS, CLAW GRASPER, - MODULE LINE STYLE, 5MM, 310MM WL, COMPLETE INSTRUMENT INCLUDES: 8393.494 INSERT, 8393.913 SHEATH, 8393.0002 HANDLE	\$ 919.24
A-8B	83934945	CLAW GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 330mm	\$ 961.96
A-8B	8394.0413	METZENBAUM SCISSORS MONO Ø 5MM BNDL - 3 part, SL 430mm	\$ 613.66
A-8B	83940417	METZENBAUM SCISSORS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 698.11
A-8B	83940817	HOOK SCISSORS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 698.11
A-9	83940917	BIOPSY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 786.36
A-8B	8394.0923	BIOPSY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 430mm	\$ 678.26
A-8B	83940927	BIOPSY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 920.73
A-8B	8394.1814	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 430mm	\$ 725.63
A-8B	83941817	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 780.57
A-8B	8394.1844	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 430mm	\$ 725.63
A-8B	83941847	GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 862.84
A-8B	83941877	BABCOCK FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 847.91
A-8B	83941897	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 894.62
A-9	83941927	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83941937	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	83941947	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-8B	8394.1953	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 430mm	\$ 613.66
A-8B	83941957	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 698.11
A-9	83941977	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83941987	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83941997	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942007	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942207	ATRAUMAT.GRASP.FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942237	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942297	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942307	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942407	DISSECTION FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942427	ERAGON MODULAR FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942437	METZENBAUM SCISSORS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942467	SCISSORS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942487	SCISSORS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942497	INTEST. GRASP. FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942507	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942537	GASTRIC BAND MANIPULATOR Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-9	83942587	DEBAKEY FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-8B	8394.2813	FORCEPS, MARYLAND DISSECTOR, - MODULINE STYLE, 5 MM, 430 MM WL, COMPLETE INSTRUMENT INCLUDES: 8394.281 INSERT, 8394.913 SHEATH, 8393.0003 HANDLE	\$ 556.08
A-8B	8394.2814	MARYLAND DISS. FORCEPS MONO Ø 5MM BNDL - 3 part, SL 430mm	\$ 725.63
A-8B	83942817	MARYLAND DISS. FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 780.57

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8394.2922	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 430mm	\$ 726.07
A-8B	83942925	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 768.90
A-9	8394.2932	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 430mm	\$ 950.85
A-8B	83942935	ATRAUMAT.GRASP.FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,007.31
A-9	83943457	KNOT PUSHER Ø 5MM BNDL - 3 part, SL 450mm	\$ 1,142.51
A-8B	83944907	GRASPING FORCEPS Ø 5MM BNDL - 3 part, SL 450mm	\$ 847.91
A-9	83946217	TEM GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 887.40
A-9	83946227	TEM GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 887.40
A-9	83946237	TEM GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 887.40
A-9	83946247	TEM GRASPING FORCEPS MONO Ø 5MM BNDL - 3 part, SL 450mm	\$ 887.40
A-8B	8395.1872	BABCOCK FORCEPS Ø 10MM BNDL - 3 part, SL 310mm	\$ 823.96
A-9	83951877	BABCOCK FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 936.86
A-9	8395.2042	GRASPING FORCEPS Ø 10MM BNDL - 3 part, SL 310mm	\$ 774.37
A-9	8395.2047	CLAW FORCEPS Ø 10MM WL 320MM - reusable	\$ 558.49
A-9	83952048	GRASPING FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 936.86
A-9	8395.2142	BABCOCK FORCEPS Ø 10MM BNDL - 3 part, SL 310mm	\$ 765.96
A-9	8395.2147	BABCOCK FORCEPS Ø 10MM WL 320MM - reusable	\$ 558.72
A-9	83952148	BABCOCK FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 936.86
A-9	83952155	ATRAUMATIC INTESTINE GRASP. FORCEPS SET	\$ 1,004.62
A-9	8395.2252	MARYLAND DISS. FORCEPS Ø 10MM BNDL - 3 part, SL 310mm	\$ 833.55
A-9	83952257	MARYLAND DISS. FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 936.86
A-9	8395.2262	DISSECTION FORCEPS Ø 10MM BNDL - 3 part, SL 310mm	\$ 736.12
A-9	8395.2267	RIGHT ANGLE FORCEPS Ø 10MM WL 310MM - reusable	\$ 564.15
A-9	83952268	DISSECTION FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 936.86
A-9	8395.2342	PLATE SHAPE GRAS.FORCEPS Ø 10MM BNDL - 3 part, SL 310mm	\$ 768.88

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	83952347	PLATE SHAPE GRAS.FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 936.86
A-9	8395.2362	GRASPING FORCEPS Ø 10MM BNDL - 3 part, SL 310mm	\$ 768.88
A-9	8395.2367	TENACULUM FORCEPS Ø 10MM WL 310MM - reusable	\$ 559.40
A-9	83952368	GRASPING FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 936.86
A-9	8395.2442	SPOON FORCEPS Ø 10MM BNDL - 3 part, SL 310mm	\$ 817.71
A-9	8395.2447	SPOON FORCEPS Ø 10MM WL 320MM - reusable	\$ 559.19
A-9	83952448	SPOON FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 936.86
A-9	83954897	CLAW GRASPING FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 1,035.39
A-9	83954907	CLAW GRASPING FORCEPS Ø 10MM BNDL - 3 part, SL 330mm	\$ 1,035.39
A-9	83961877	BABCOCK FORCEPS Ø 10MM BNDL - 3 part, SL 450mm	\$ 1,022.74
A-9	83962047	GRASPING FORCEPS Ø 10MM BNDL - 3 part, SL 450mm	\$ 936.86
A-9	83962157	BABCOCK FORCEPS Ø 10MM BNDL - 3 part, SL 450mm	\$ 936.86
A-9	83962257	MARYLAND DISS. FORCEPS Ø 10MM BNDL - 3 part, SL 450mm	\$ 936.86
A-9	83962267	DISSECTION FORCEPS Ø 10MM BNDL - 3 part, SL 450mm	\$ 936.86
A-9	83962347	PLATE SHAPE GRAS.FORCEPS Ø 10MM BNDL - 3 part, SL 450mm	\$ 936.86
A-9	83962367	GRASPING FORCEPS Ø 10MM BNDL - 3 part, SL 450mm	\$ 1,022.74
A-9	8397.6557	GASTRIC BAND INTRODUCER Ø 8MM WL 330MM - reusable	\$ 209.82
A-9	83976558	STAPLER-HEAD-GRASP. FORCEPS Ø 10MM BNDL - 3 part, SL 380mm	\$ 1,035.39
A-8B	83993010	MIXTER DISSECT.FORCEPS MONO Ø 5.8MM BNDL - 3 part, SL 400mm	\$ 3,088.41
A-8B	83993011	GRASPING FORCEPS MONO Ø 5.8MM BNDL - 3 part, SL 400mm	\$ 3,088.41
A-8B	83993012	MARYLAND DISS. FORCEPS MONO Ø 5.8MM BNDL - 3 part, SL 400mm	\$ 3,088.41
A-8B	83993013	METZENBAUM SCISSORS MONO Ø 5.8MM BNDL - 3 part, SL 400mm	\$ 3,088.41
A-8B	83994010	MIXTER DISSECT.FORCEPS MONO Ø 5.8MM BNDL - 3 part, SL 400mm	\$ 2,801.70
A-8B	83994011	GRASPING FORCEPS MONO Ø 5.8MM BNDL - 3 part, SL 400mm	\$ 2,801.70
A-8B	83994012	MARYLAND DISS. FORCEPS MONO Ø 5.8MM BNDL - 3 part, SL 400mm	\$ 2,801.70

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	83994013	METZENBAUM SCISSORS MONO Ø 5.8MM BNDL - 3 part, SL 400mm	\$ 2,801.70
A-41	8416.0105	COAG ELECTRODE 11.5FR MONO 0° - for single use	\$ 417.01
A-41	8416.0305	CUTTING ELECTRODE 11.5FR MONO 0° - for single use	\$ 451.05
A-7A	8416.0905	HOOK ELECTRODE 11.5FR MONO 0° - for single use	\$ 433.58
A-9	8416.9945	COAG ELECTRODE 11.5FR MONO 0° - for single use	\$ 531.47
A-9	8418.0310	CUTTING ELECTRODE 16FR MONO 0° - for single use	\$ 1,326.38
A-9	8422.1310	CUTTING ELECTRODE 22FR MONO 12/30° - for single use	\$ 567.72
A-9	8422.3510	CUTTING ELECTRODE 22FR MONO 12/30° - for single use	\$ 567.72
A-9	8422.4355	COAG ELECTRODE 22-26FR MONO 12/30° - for single use	\$ 485.58
A-9	8423.0205	COAG ELECTRODE 22-25FR MONO 12/30° - for single use	\$ 528.57
A-9	8423.0215	COAG ELECTRODE 22-25FR MONO 12/30° - for single use	\$ 578.56
A-9	8423.0235	COAG ELECTRODE 22-26FR MONO 12/30° - for single use	\$ 524.63
A-41	8423.0315	EVAP ELECTRODE 22-26FR MONO 12/30° - for single use	\$ 558.26
A-9	8423.0405	ELECTRODE, 22/24 FR STRAIGHT - CUTTING, 5/BX, STERILE SINGLE PATIENT USE ONLY	\$ 421.65
A-9	8423.0905	HOOK ELECTRODE 22-25FR MONO 12/30° - for single use	\$ 464.82
A-9	8423.1905	KNIFE ELECTRODE 22-25FR MONO 12/30° - for single use	\$ 404.44
A-9	8424.1310	CUTTING ELECTRODE 24FR MONO 12/30° - for single use	\$ 567.72
A-9	8424.1410	CUTTING ELECTRODE 24FR MONO 12/30° - for single use	\$ 567.72
A-9	8424.1510	WING ELECTRODE 24FR MONO 12/30° - for single use	\$ 944.50
A-9	8424.3510	ELECTRODE, 24 FR. OVAL CUTTING - LOOP, 0.35 MM WIRE.10/BX STERILE, SINGLE PATIENT USE ONLY	\$ 888.51
A-7A	8426.1320	CUTTING ELECTRODE 26FR MONO 12/30° - for single use	\$ 421.35
A-41	8426.1420	CUTTING ELECTRODE 26FR MONO 12/30° - for single use	\$ 420.99
A-9	8426.1510	WING ELECTRODE 26FR MONO 12/30° - for single use	\$ 959.95
A-9	8427.0225	COAG ELECTRODE 26FR MONO 12/30° - for single use	\$ 569.05
A-9	84561015	LARYNGOSCOPE, PEDIATRIC	\$ 1,121.38

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8457.0111	LARYNGOSKOPE BNDL - by Pototschnig	\$ 4,191.64
A-8B	8458.0111	LARYNGOSKOPE BNDL - for children	\$ 1,177.72
A-9	85261144	LENS F 14MM - C-Mount, Snap-On lock	\$ 1,742.65
A-9	85261.242	LENS F 24MM - C-Mount, lock mechanism	\$ 1,503.02
A-9	85261244	LENS F 24MM - C-Mount, Snap-On lock	\$ 1,742.65
A-8B	85261.501	ZOOM LENS F 21-36MM - C-Mount, lock mechanism	\$ 2,986.70
A-9	85261504	ZOOM LENS F 13-29MM - C-Mount, Snap-On lock	\$ 2,730.10
A-9	85269991	REPAIR-SET SNAP-ON LOCK	\$ 442.03
A-9	85269993	REPAIR-SET SNAP-ON LOCK - Snap-On lock with reduced clamping force	\$ 398.23
A-9	85520.851	CAMERA HEAD CABLE 2.6M - for CCD-Endoscopes, removable, autoclave, to be connected to Endocam 5520, length: 2600 mm	\$ 2,058.05
A-9	85525902	LOGIC HD CAMERA HEAD CABLE 3M - C-Mount, 1 chip, 2 camera-head buttons, Sensor size: 1/3"	\$ 7,586.15
A-9	85525922	LOGIC HD CAMERA HEAD CABLE 3M - C-Mount, 3 chip, 2 camera-head buttons, Sensor size: 1/3"	\$ 13,415.72
A-8B	8570.9205	ENDOSCOPE PROTECTOR WL 200MM PLASTIC - reusable	\$ 121.82
A-8B	8570.9325	ENDOSCOPE PROTECTOR WL 320MM PLASTIC - reusable	\$ 134.92
A-9	85850302	FLEX ENDOSCOPE TRAY METAL - reusable	\$ 764.79
A-8B	8642.6002	GRASPING FORCEPS BNDL	\$ 445.26
A-8B	8642.6008	GRASP. FORCEPS INSERT 10.5FR WL 340MM - double action, WL 350mm, take-apart, reusable	\$ 196.52
A-8B	8642.6312	BIOPSY FORCEPS BNDL	\$ 452.12
A-8B	8642.6318	BIOPSY FORCEPS INSERT SHEATH 5FR 340MM - punch, single action, WL 340mm, with irrigation connection, take-apart, reusable	\$ 196.52
A-8B	8642.6502	GRASPING FORCEPS BNDL	\$ 405.57
A-8B	8642.6508	GRASP. FORCEPS INSERT 5FR WL 340MM - pike-mouth, double action, WL 340mm, with irrigation connection, take-apart, reusable	\$ 196.52
A-8B	8642.6812	SCISSORS BNDL	\$ 404.07
A-8B	8642.6818	SCISSORS INSERT WITH SHEATH 5FR WL 340MM - micro scissors, single action, WL 340mm, with irrigation connection, take-apart, reusable	\$ 196.52
A-8B	8645.6002	BIOPSY FORCEPS BNDL	\$ 496.11
A-8B	8645.6008	BIOPSY FORCEPS INSERT SHEATH 7FR 340MM - double action, WL 340mm, with irrigation connection, take-apart, reusable	\$ 240.50
A-8B	8645.6502	GRASPING FORCEPS BNDL	\$ 482.37
A-8B	8645.6508	GRASP. FORCEPS INSERT 7FR - pike-mouth, double action, WL 325mm, with irrigation connection, take-apart, reusable	\$ 233.63

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8650.0141	SHEATH FOR CYSTOSCOPE 16FR - color code yellow, SL 231mm, oval, with Obturator, slanted distal end, capacity for instruments up to 5Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, r	\$ 780.57
A-8B	8650.0145	SHEATH FOR CYSTOSCOPE 16FR - color code yellow, SL 231mm, oval, slanted distal end, capacity for instruments up to 5Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusable	\$ 632.14
A-8B	8650.0147	OBTURATOR FOR CYSTOSCOPE 16FR - color code yellow, WL 249mm, oval, rounded distal end, compatible with sheath 86500145, reusable	\$ 148.42
A-8B	8650.0241	SHEATH FOR CYSTOSCOPE 17.5FR - color code green, SL 231mm, oval, with Obturator, slanted distal end, capacity for instruments up to 5Fr or 2x4Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, qui	\$ 786.07
A-8B	8650.0245	SHEATH FOR CYSTOSCOPE 17.5FR - color code green, SL 231mm, oval, slanted distal end, capacity for instruments up to 5Fr or 2x4Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusabl	\$ 632.14
A-9	8650.0247	OBTURATOR FOR CYSTOSCOPE 17.5FR - color code green, WL 249mm, oval, rounded distal end, compatible with sheath 86500245, reusable	\$ 153.91
A-8B	8650.0341	SHEATH FOR CYSTOSCOPE 19.5FR - color code red, SL 231mm, oval, with Obturator, slanted distal end, capacity for instruments up to 7Fr or 2x 5Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quic	\$ 786.07
A-8B	8650.0345	SHEATH FOR CYSTOSCOPE 19.5FR - color code red, SL 231mm, oval, slanted distal end, capacity for instruments up to 7Fr or 2x 5Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusable	\$ 632.14
A-8B	8650.0347	OBTURATOR FOR CYSTOSCOPE 19.5FR - color code red, SL 251mm, oval, rounded distal end, compatible with sheath 86500345, reusable	\$ 148.42

A-8B	8650.0441	SHEATH FOR CYSTOSCOPE 21FR - color code blue, SL 231mm, oval, with Obturator, slanted distal end, capacity for instruments up to 10Fr or 2x 6Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quic	\$ 786.07
A-8B	8650.0445	SHEATH FOR CYSTOSCOPE 21FR - color code blue, SL 231mm, oval, slanted distal end, capacity for instruments up to 10Fr or 2x 6Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusable	\$ 632.14
A-9	8650.0447	OBTURATOR FOR CYSTOSCOPE 21FR - color code blue, WL 249mm, oval, rounded distal end, compatible with sheath 86500445, reusable	\$ 153.91
A-8B	8650.0541	SHEATH FOR CYSTOSCOPE 23FR - color code white, SL 231mm, oval, with Obturator, slanted distal end, capacity for instruments up to 12Fr or 2x7Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quic	\$ 786.07
A-8B	8650.0545	SHEATH FOR CYSTOSCOPE 23FR - color code white, SL 231mm, oval, slanted distal end, capacity for instruments up to 12Fr or 2x7Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusable	\$ 632.14
A-9	8650.0547	OBTURATOR FOR CYSTOSCOPE 23FR - color code white, WL 249mm, oval, rounded distal end, compatible with sheath 86500545, reusable	\$ 153.91
A-8B	8650.0641	SHEATH FOR CYSTOSCOPE 25FR - color code black, SL 231mm, oval, with Obturator, slanted distal end, capacity for instruments up to 15Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, r	\$ 786.07
A-8B	8650.0645	SHEATH FOR CYSTOSCOPE 25FR - color code black, SL 231mm, oval, slanted distal end, capacity for instruments up to 15Fr, compatible with attachments 8650254, 8650264, 8650.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusable	\$ 632.14
A-9	8650.0647	OBTURATOR FOR CYSTOSCOPE 25FR - color code black, WL 249mm, oval, rounded distal end, compatible with sheath 86500645, reusable	\$ 153.91

A-8B	8652.0141	SHEATH FOR CYSTOSCOPE 16FR - color code yellow, SL 209mm, oval, with Obturator, slanted distal end, capacity for instruments up to 5Fr, compatible with attachments 8652254, 8652264, 8652.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, r	\$ 783.32
A-9	8652.0145	SHEATH FOR CYSTOSCOPE 16FR - color code yellow, SL 209mm, oval, slanted distal end, capacity for instruments up to 5Fr, compatible with attachments 8652254, 8652264, 8652.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusable	\$ 724.90
A-9	8652.0147	OBTURATOR FOR CYSTOSCOPE 16FR - color code yellow, WL 230mm, oval, rounded distal end, compatible with sheath 86520145, reusable	\$ 177.29
A-9	8652.0241	SHEATH FOR CYSTOSCOPE 17.5FR - color code green, SL 209mm, oval, with Obturator, slanted distal end, capacity for instruments up to 5Fr or 2x4Fr, compatible with attachments 8652254, 8652264, 8652.284, and telescopes Ø 4mm, with 2 flushing ports, qui	\$ 813.56
A-9	8652.0245	SHEATH FOR CYSTOSCOPE 17.5FR - color code green, SL 209mm, oval, slanted distal end, capacity for instruments up to 5Fr or 2x4Fr, compatible with attachments 8652254, 8652264, 8652.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusabl	\$ 724.90
A-9	8652.0247	OBTURATOR FOR CYSTOSCOPE 17.5FR - color code green, WL 230mm, oval, rounded distal end, compatible with sheath 86520245, reusable	\$ 177.29
A-9	8652.0341	SHEATH FOR CYSTOSCOPE 19.5FR - color code red, SL 209mm, oval, with Obturator, slanted distal end, capacity for instruments up to 7Fr or 2x 5Fr, compatible with attachments 8652254, 8652264, 8652.284, and telescopes Ø 4mm, with 2 flushing ports, quic	\$ 813.56
A-9	8652.0345	SHEATH FOR CYSTOSCOPE 19.5FR - color code red, SL 209mm, oval, slanted distal end, capacity for instruments up to 7Fr or 2x 5Fr, compatible with attachments 8652254, 8652264, 8652.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusable	\$ 724.90
A-9	8652.0347	OBTURATOR FOR CYSTOSCOPE 19.5FR - color code red, WL 230mm, oval, rounded distal end, compatible with sheath 86520345, reusable	\$ 177.29

A-9	8652.0441	SHEATH FOR CYSTOSCOPE 21FR - color code blue, SL 209mm, oval, with Obturator, slanted distal end, capacity for instruments up to 10Fr or 2x 6Fr, compatible with attachments 8652254, 8652264, 8652.284, and telescopes Ø 4mm, with 2 flushing ports, quic	\$ 813.56
A-9	8652.0445	SHEATH FOR CYSTOSCOPE 21FR - color code blue, SL 209mm, oval, slanted distal end, capacity for instruments up to 10Fr or 2x 6Fr, compatible with attachments 8652254, 8652264, 8652.284, and telescopes Ø 4mm, with 2 flushing ports, quick-lock, reusable	\$ 724.90
A-9	8652.0447	OBTURATOR FOR CYSTOSCOPE 21FR - color code blue, WL 230mm, oval, rounded distal end, compatible with sheath 86520446, reusable	\$ 177.29
A-8B	8652.7775	INJECTION NEEDLE Ø 22G - for single use	\$ 331.68
A-8B	86530191	INNER SHEATH RESECTOSCOPE 19FR - color code black, SL 203mm, round, rotatable, distal end straight, compatible with Princess resectoscope sheaths 21Fr with continuous irrigation, and telescopes Ø 2.7mm, 12° and 30°, with Luer connection, E-Line quick	\$ 676.28
A-8B	86533643	ROTABLE ADAPTER RESECTOSCOPE - color code black, rotatable, compatible with rotatable Princess Resectoscope sheaths 21Fr with continuous irrigation, reusable	\$ 329.82
A-8B	8654.2055	WORKING ELEMENT ACTIVE MONO 12/30° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,449.82
A-8B	8654.2245	WORKING ELEMENT PASSIVE MONO 12/30° - open, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,550.14
A-9	8654.2255	WORKING ELEMENT PASSIVE MONO 12/30° - closed, compatible with telescopes Ø 4mm, bayonet-cap, reusable	\$ 1,869.68
A-8B	8654.3642	CONNECTING PART RESECTOSCOPE 22.5FR - color code green, TL 22mm, rotatable, compatible with 22.5Fr E-Line sheaths, quick-lock, reusable	\$ 424.64
A-9	8654.3742	CONNECTING PART RESECTOSCOPE 24FR - color code yellow, TL 22mm, rotatable, compatible with 24Fr E-Line sheaths, quick-lock, reusable	\$ 420.51
A-9	8654.3842	CONNECTING PART RESECTOSCOPE 26FR - color code black, TL 22mm, rotatable, compatible with 26Fr E-Line sheaths, quick-lock, reusable	\$ 437.01

A-8B	8655.3441	INTERNAL SHEATH RESECTOSCOPE 24.5FR - color code green, SL 203mm, round, non-rotatable, distal end straight, continuous irrigation, compatible with outer sheath 8655334, and telescopes Ø 4mm, 0°/12°/30°, with irrigation stopcock, reusable	\$ 677.50
A-9	8655.3841	INTERNAL SHEATH RESECTOSCOPE 26FR - color code yellow, SL 204mm, round, non-rotatable, distal end straight, continuous irrigation, compatible with outer sheath 8655374, and telescopes Ø 4mm, 0°/12°/30°, with irrigation stopcock, reusable	\$ 696.73
A-8B	8655.3941	INTERNAL SHEATH RESECTOSCOPE 28FR - color code black, SL 204mm, round, non-rotatable, distal end straight, continuous irrigation, compatible with outer sheath 8655393, and telescopes Ø 4mm, 0°/12°/30°, with irrigation stopcock, reusable	\$ 696.73
A-9	86592351	WORKING ELEMENT PASSIVE MONO/BIPO - compatible Resection Master resectoscope 27Fr with integrated chip suction, and telescopes Ø 3.3mm, bayonet-cap, reusable	\$ 3,226.70
A-9	86604251	TELESCOPE 70° Ø 3.3MM WL 309MM - rigid, TL 363mm, rod lens system	\$ 4,727.64
A-9	8661.3741	SHEATH RESECTOSCOPE 24FR - color code yellow, SL 205mm, round, straight distal end, ceramic, intermittent flushing, for E-Line sheath 8661374, with irrigation stopcock, reusable	\$ 956.47
A-9	8661.3841	SHEATH RESECTOSCOPE 26FR - color code black, SL 205mm, round, straight distal end, ceramic, intermittent flushing, for E-Line sheath 8661384, with irrigation stopcock, reusable	\$ 922.11
A-9	8672.0141	SHEATH FOR CYSTOSCOPE 11FR - only for diagnostics, color code red, SL 149mm, round, with Obturator, slanted distal end, compatible with telescopes Ø 2.7mm, with 2 flushing ports, bayonet-cap, reusable	\$ 799.81
A-9	8672.0145	SHEATH FOR CYSTOSCOPE 11FR - color code red, SL 149mm, round, slanted distal end, compatible with telescopes Ø 2.7mm, with 2 flushing ports, bayonet-cap, reusable	\$ 645.88
A-9	8672.0147	OBTURATOR FOR CYSTOSCOPE 11FR - color code red, WL 184mm, round, rounded distal end, compatible with sheath 86720145, reusable	\$ 153.91
A-9	8672.0241	SHEATH FOR CYSTOSCOPE 12FR - color code green, SL 150mm, round, with Obturator, slanted distal end, capacity for instruments up to 4Fr, compatible with telescopes Ø 2.7mm, with 2 flushing ports and 1 guide port, bayonet-cap, reusable	\$ 963.35

A-9	8672.0245	SHEATH FOR CYSTOSCOPE 12FR - color code green, SL 150mm, round, slanted distal end, compatible with telescopes Ø 2.7mm, with 2 flushing ports and 1 guide port, bayonet-cap, reusable	\$ 809.42
A-9	8672.0247	OBTURATOR FOR CYSTOSCOPE 12FR - color code green, WL 184mm, round, rounded distal end, compatible with sheath 86720245, reusable	\$ 153.91
A-8B	86720251	SHEATH FOR CYSTOSCOPE 12.5FR - color code green, SL 193mm, oval, with Obturator, slanted distal end, capacity for instruments up to 5Fr, compatible with attachment 8672265, and telescopes Ø 2.7mm, with 2 flushing ports, quick-lock, reusable	\$ 967.55
A-8B	86720255	SHEATH FOR CYSTOSCOPE 12.5FR - color code green, SL 193mm, oval, slanted distal end, compatible with attachment 8672265, and telescopes Ø 2.7mm, with 2 flushing ports, quick-lock, reusable	\$ 900.12
A-8B	86720257	OBTURATOR FOR CYSTOSCOPE 12.5FR - color code green, WL 211mm, oval, rounded distal end, compatible with sheath 86720255, reusable	\$ 156.67
A-9	8672.0341	SHEATH FOR CYSTOSCOPE 13FR - color code blue, SL 149mm, round, with Obturator, slanted distal end, capacity for instruments up to 5Fr or 2x4Fr, compatible with attachment 8672265, compatible with telescopes Ø 2.7mm, with 2 flushing ports and 2 guide	\$ 957.84
A-9	8672.0345	SHEATH FOR CYSTOSCOPE 13FR - color code blue, SL 149mm, round, slanted distal end, compatible with telescopes Ø 2.7mm, with 2 flushing ports and 2 guide ports, quick-lock, reusable	\$ 809.42
A-8B	8672.0347	OBTURATOR FOR CYSTOSCOPE 13FR - color code blue, WL 184mm, round, rounded distal end, compatible with sheath 86720345, reusable	\$ 148.42
A-9	8672.0441	SHEATH FOR CYSTOSCOPE 14FR - color code white, SL 119mm, oval, with Obturator, slanted distal end, capacity for instruments up to 5Fr or 2x4Fr, compatible with attachments 8672264, 8672214, 8692224, compatible with telescopes Ø 2.7mm, with 2 flushing	\$ 963.35
A-9	8672.0445	SHEATH FOR CYSTOSCOPE 14FR - color code white, SL 119mm, oval, slanted distal end, compatible with telescopes Ø 2.7mm, with 2 flushing ports, quick-lock, reusable	\$ 809.42
A-9	8672.0447	OBTURATOR FOR CYSTOSCOPE 14FR - color code white, WL 137mm, oval, rounded distal end, compatible with sheath 86720445, reusable	\$ 153.91

A-8B	86720451	SHEATH FOR CYSTOSCOPE 14.5FR - color code white, SL 194mm, oval, with Obturator, slanted distal end, capacity for instruments up to 7Fr, compatible with attachment 8672265, and telescopes Ø 2.7mm, with 2 flushing ports, quick-lock, reusable	\$ 1,044.02
A-8B	86720455	SHEATH FOR CYSTOSCOPE 14.5FR - color code white, SL 194mm, oval, slanted distal end, compatible with attachment 8672265, and telescopes Ø 2.7mm, with 2 flushing ports, quick-lock, reusable	\$ 904.24
A-8B	86720457	OBTURATOR FOR CYSTOSCOPE 14.5FR - color code white, WL 211mm, oval, rounded distal end, compatible with sheath 86720455, reusable	\$ 156.67
A-9	86753225	INNER SHEATH RESECTOSCOPE 22FR	\$ 1,385.97
A-9	86753245	INNER SHEATH RESECTOSCOPE 24FR	\$ 1,385.97
A-9	86754245	OUTER SHEATH RESECTOSCOPE 24FR	\$ 693.77
A-9	86754265	OUTER SHEATH RESECTOSCOPE 26FR	\$ 693.77
A-8B	8677.0141	SHEATH RESECTOSCOPE 11.5FR - color code yellow, SL 105mm, oval, with Obturator, slanted distal end, compatible with attachment 8677254, working element 8677224, and telescopes Ø 2.7mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 779.17
A-8B	8677.0145	SHEATH RESECTOSCOPE 11.5FR - color code yellow, SL 105mm, oval, slanted distal end, compatible with attachment 8677254, working element 8677224, and telescopes Ø 2.7mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 626.65
A-8B	8677.0147	OBTURATOR RESECTOSCOPE 11.5FR - color code yellow, WL 124mm, oval, rounded distal end, compatible with sheath 86770145, reusable	\$ 148.42
A-8B	86770151	SHEATH RESECTOSCOPE 14.5FR - color code white, SL 221mm, oval, with Obturator, slanted distal end, compatible with working element 8677224, and telescopes Ø 2.7mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 989.36
A-8B	86770155	SHEATH RESECTOSCOPE 14.5FR - color code white, SL 221mm, oval, slanted distal end, compatible with working element 8677224, and telescopes Ø 2.7mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 915.24
A-8B	86770157	OBTURATOR RESECTOSCOPE 14.5FR - color code white, WL 240mm, oval, rounded distal end, compatible with sheath 86770155, reusable	\$ 156.67

A-8B	8686.0141	SHEATH FOR CYSTOSCOPE 7.5FR - only for diagnostics, color code blue, SL 146mm, round, with Obturator, slanted distal end, compatible with telescopes Ø 1.9mm, 0°, with 2 flushing ports, quick-lock, reusable	\$ 706.46
A-8B	8686.0145	SHEATH FOR CYSTOSCOPE 7.5FR - color code blue, SL 146mm, round, slanted distal end, compatible with telescopes Ø 1.9mm, 0°, with 2 flushing ports, quick-lock, reusable	\$ 552.82
A-8B	8686.0147	SHEATH FOR CYSTOSCOPE 7.5FR - color code blue, SL 183mm, round, rounded distal end, compatible with sheath 86860145, reusable	\$ 148.42
A-8B	8686.0241	SHEATH FOR CYSTOSCOPE 8.5FR - color code red, SL 145mm, round, with Obturator, slanted distal end, capacity for instruments up to 3Fr, compatible with telescopes Ø 1.9mm, with 2 flushing ports and 1 guide port, quick-lock, reusable	\$ 868.51
A-8B	8686.0245	SHEATH FOR CYSTOSCOPE 8.5FR - color code red, SL 145mm, round, slanted distal end, compatible with telescopes Ø 1.9mm, with 2 flushing ports and 1 guide port, quick-lock, reusable	\$ 714.60
A-9	8686.0247	OBTURATOR FOR CYSTOSCOPE 8.5FR - color code red, WL 180mm, round, rounded distal end, compatible with sheath 86860245, reusable	\$ 153.91
A-8B	8686.0341	SHEATH FOR CYSTOSCOPE 9.5FR - color code yellow, SL 145mm, round, with Obturator, slanted distal end, capacity for instruments up to 4Fr, compatible with telescopes Ø 1.9mm, with 2 flushing ports and 1 guide port, quick-lock, reusable	\$ 866.96
A-8B	8686.0345	SHEATH FOR CYSTOSCOPE 9.5FR - color code yellow, SL 145mm, round, slanted distal end, compatible with telescopes Ø 1.9mm, with 2 flushing ports and 1 guide port, quick-lock, reusable	\$ 713.34
A-8B	8686.0347	OBTURATOR FOR CYSTOSCOPE 9.5FR - color code yellow, WL 180mm, round, rounded distal end, compatible with sheath 86860345, reusable	\$ 148.42
A-8B	8688.0141	SHEATH RESECTOSCOPE 9FR - color code white, SL 106mm, oval, with Obturator, slanted distal end, compatible with attachment 8688264, working element 8688224, and telescopes Ø 1.9mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 803.94
A-8B	8688.0145	SHEATH RESECTOSCOPE 9FR - color code white, SL 106mm, oval, slanted distal end, compatible with attachment 8688264, working element 8688224, and telescopes Ø 1.9mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 650.01

A-9	8688.0147	OBTURATOR RESECTOSCOPE 9FR - color code white, WL 123mm, oval, rounded distal end, compatible with sheath 86880145, reusable	\$ 153.91
A-8B	8688.9105	COAG ELECTRODE 9FR MONO 0° - for single use	\$ 447.49
A-8B	8688.9305	CUTTING ELECTRODE 9FR MONO 0° - for single use	\$ 424.73
A-9	8688.9505	HOOK ELECTRODE 9FR MONO 0° - for single use	\$ 521.61
A-9	8688.9945	COAG ELECTRODE 9FR MONO 0° - for single use	\$ 599.53
A-9	8693.0141	SHEATH FOR URETHROTOME 8.5FR - color code red, SL 105mm, round, with Obturator, slanted distal end, capacity for instruments up to 3Fr, and telescopes Ø 1.9mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 803.94
A-9	8693.0145	SHEATH FOR URETHROTOME 8.5FR - color code red, SL 105mm, round, slanted distal end, and telescopes Ø 1.9mm, 0°, with irrigation stopcock, quick-lock, reusable	\$ 650.01
A-9	8693.0147	OBTURATOR FOR URETHROTOME 8.5FR - color code red, WL 123mm, round, rounded distal end, reusable	\$ 153.91
A-8B	8784.4111	VIDEO-MEDIASTINOSCOPE BNDL	\$ 5,804.51
A-9	88090001	LUMBAR SPINE SURGERY TRAY METAL - reusable	\$ 1,217.37
A-9	88090009	SPINE SURGERY TRAY STENOSIS METAL - reusable	\$ 1,294.58
A-8B	8840.0311	TEM TUBE BNDL	\$ 1,336.54
A-8B	8840.2411	WORKING INSERT FOR TEM BNDL	\$ 2,363.82
A-9	88405131	INNER TUBE TEM Ø 11.5MM WL 282MM - WL 282mm, for 88045132 in combination with 10mm telescopes 8934432 (30°) and 8934433 (50°), reusable	\$ 598.20
A-9	88405132	OUTER TUBE TEM Ø 14MM WL 272MM - WL 272mm, for 88045131 in combination with 10mm telescopes 8934432 (30°) and 8934433 (50°), reusable	\$ 531.86
A-8B	8840.9721	U-SHAPED-MOUNTING ARM FOR TEM - with special clamping device, reusable	\$ 3,286.69
A-9	88409722	CLAMP SOCKET - insulated, for mounting to OP table (standard rail), reusable	\$ 504.84
A-8B	8905.3315	TROCAR TIP DULL SZ 5.5MM WL 80MM - distal tip ball-shaped blunt, reusable	\$ 84.80
A-8B	8905.3513	TROCAR TIP TRIANGULAR SZ 5.5MM WL 120MM - distal tip triangular, reusable	\$ 79.56
A-9	8905.3515	TROCAR TIP DULL SZ 5.5MM WL 120MM - distal tip ball-shaped blunt, reusable	\$ 85.20
A-9	89124025	TELESCOPE PANOVIEW PLUS OPERATING SET	\$ 5,599.89
A-9	8914.4021	PANOVIEW OPERATING TELESCOPE SET	\$ 5,762.20
A-9	8919.3311	TROCAR TIP DULL SZ 5.5MM WL 104MM - distal tip rounded-dull, reusable	\$ 90.45

A-8B	8919.3312	TROCAR TIP POINTED SZ 5.5MM WL 104MM - distal tip rounded -pointed, reusable	\$ 53.49
A-8B	8919.3313	TROCAR TIP TRIANGULAR SZ 5.5MM WL 104MM - distal tip triangular, reusable	\$ 47.04
A-9	8919.3511	TROCAR TIP DULL SZ 5.5MM WL 144MM - distal tip rounded-dull, reusable	\$ 90.45
A-9	8919.3512	TROCAR TIP POINTED SZ 5.5MM WL 144MM - distal tip rounded -pointed, reusable	\$ 93.77
A-8B	8919.3513	TROCAR TIP TRIANGULAR SZ 5.5MM WL 144MM - distal tip triangular, reusable	\$ 47.04
A-9	89204015	ENDOSCOPE, OPERATING, 5.5 MM,	\$ 5,747.79
A-9	89211315	TROCAR, SHIELDED,COMP: 5.5MM	\$ 328.06
A-9	89211335	TROCAR, SHIELDED, COMP: 5.5MM	\$ 380.04
A-9	89231315	TROCAR, SHIELDED, COMP: 10MM	\$ 350.81
A-9	89231335	TROCAR, SHIELDED,COMP: 10MM	\$ 401.14
A-9	89241335	TROCAR, SHIELDED COMP:12.5MM	\$ 401.14
A-9	89304221	TELESCOPE 30° Ø 3.5MM WL 300MM - rigid, TL 361mm, rod lens system	\$ 4,997.90
A-9	8934.4424	TELESCOPE 25° Ø 10MM WL 438MM - rigid, TL 507mm, rod lens system	\$ 4,028.21
A-9	8934.4434	TELESCOPE 50° Ø 10MM WL 447MM - rigid, TL 516mm, rod lens system	\$ 5,447.96
A-9	89354414	TELESCOPE 0° Ø 5.3MM WL 439MM - rigid, TL 508mm, rod lens system	\$ 4,227.37
A-9	89354415	TELESCOPE 0° Ø 5.7MM WL 495MM - rigid, TL 580mm, rod lens system	\$ 6,379.57
A-9	89354416	TELESCOPE Ø 5.5MM WL 430MM - reusable	\$ 3,713.17
A-9	89354424	TELESCOPE 30° Ø 5.3MM WL 439MM - rigid, TL 509mm, rod lens system	\$ 4,525.38
A-9	89354425	TELESCOPE 30° Ø 5.7MM WL 495MM - rigid, TL 580mm, rod lens system	\$ 6,379.57
A-9	89354426	TELESCOPE Ø 5.5MM WL 430MM - reusable	\$ 3,713.17
A-8B	8952.6002	BIOPSY FORCEPS BNDL	\$ 508.80
A-8B	8952.6008	BIOPSY FORCEPS INSERT SHEATH 5FR 550MM - double action, WL 550mm, with irrigation connection, take-apart, reusable	\$ 199.82
A-8B	8952.6112	GRASPING FORCEPS BNDL	\$ 476.38
A-8B	8952.6118	GRASP. FORCEPS INSERT 4FR WL 550MM - mouse tooth, double action, WL 550mm, with irrigation connection, take-apart, reusable	\$ 196.52
A-8B	8952.6212	GRASPING FORCEPS BNDL	\$ 476.38
A-8B	8952.6218	GRASP. FORCEPS INSERT 5FR - mouse tooth, double action, WL 550mm, with irrigation connection, take-apart, reusable	\$ 196.52
A-8B	8952.6502	GRASPING FORCEPS BNDL	\$ 469.14
A-8B	8952.6508	GRASP. FORCEPS INSERT 5FR - pike-mouth short, double action, WL 550mm, take-apart, reusable	\$ 199.82

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8952.6602	GRASPING FORCEPS BNDL	\$ 476.38
A-8B	8952.6608	GRASP. FORCEPS INSERT 5FR - Alligator, double action, WL 550mm, with irrigation connection, take-apart, reusable	\$ 196.52
A-8B	8954.6802	GRASPING FORCEPS BNDL	\$ 502.84
A-8B	8954.6808	GRASP. FORCEPS INSERT 5FR - pike-mouth long, double action, WL 550mm, with irrigation connection, take-apart, reusable	\$ 199.82
A-9	8959.6112	GRASPING FORCEPS BNDL	\$ 653.89
A-8B	8959.6118	GRASP. FORCEPS INSERT 4FR - mouse tooth, double action, WL 425mm, with irrigation connection, take-apart, reusable	\$ 199.82
A-8B	8959.6212	GRASPING FORCEPS BNDL	\$ 560.74
A-9	8959.6218	GRASP. FORCEPS INSERT 5FR - mouse tooth, double action, WL 425mm, with irrigation connection, take-apart, reusable	\$ 262.99
A-8B	8959.6802	GRASPING FORCEPS BNDL	\$ 560.74
A-9	8959.6808	GRASP. FORCEPS INSERT 5FR - pike-mouth, double action, WL 425mm, with irrigation connection, take-apart, reusable	\$ 262.99
A-8B	8962.6002	GRASPING FORCEPS BNDL	\$ 549.70
A-8B	8962.6008	GRASP. FORCEPS INSERT 10.5FR WL 350MM - pike-mouth, double action, WL 350mm, with irrigation connection, take-apart, reusable	\$ 206.75
A-8B	8962.6022	GRASPING FORCEPS BNDL	\$ 560.74
A-8B	8962.6028	GRASP. FORCEPS INSERT 9FR WL 355MM - pike-mouth, double action, WL 355mm, with irrigation connection, take-apart, reusable	\$ 240.50
A-8B	8962.6042	GRASPING FORCEPS BNDL	\$ 505.72
A-8B	8962.6048	GRASP. FORCEPS INSERT 12FR - pike-mouth, double action, WL 355mm, with irrigation connection, take-apart, reusable	\$ 250.11
A-8B	8962.6052	GRASPING FORCEPS BNDL	\$ 505.72
A-8B	8962.6058	GRASP. FORCEPS INSERT 12FR - mouse tooth, double action, WL 340mm, with irrigation connection, take-apart, reusable	\$ 250.11
A-8B	8962.6072	GRASPING FORCEPS BNDL	\$ 505.72
A-8B	8962.6078	GRASP. FORCEPS INSERT 12FR - Peanut Form, fine-toothed, double action, WL 340mm, with irrigation connection, take-apart, reusable	\$ 250.11
A-8B	8962.6102	GRASPING FORCEPS BNDL	\$ 496.11
A-8B	8962.6108	GRASP. FORCEPS INSERT 10.5FR WL 350MM - pike-mouth, double action, WL 350mm, with irrigation connection, take-apart, reusable	\$ 240.50
A-9	89664011	NEPHROSCOPE BNDL	\$ 4,320.86
A-8B	8970.0261	ADAPTER FOR MORCESCOPE - compatible with connection part 86543842, reusable	\$ 239.12

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	89704025	PANOVIEW OP-TELESCOPE SET	\$ 6,509.57
A-9	89743515	OPTIFLOW SET	\$ 1,418.29
A-9	89864015	5MM COMPACT HYSTEROSCOPE SET	\$ 6,267.28
A-8B	8992.6302	GRASPING FORCEPS BNDL	\$ 502.84
A-8B	8992.6308	GRASP. FORCEPS INSERT 7FR - pike-mouth, WL 310mm, double action, reusable	\$ 189.65
A-8B	8992.6402	HOOK SCISSORS BNDL	\$ 538.70
A-8B	8992.6408	HOOK SCISSORS INSERT 7FR - through cutting, WL 310mm, double action, reusable	\$ 309.21
A-9	150011909	LOCKING CASING (PACK= 10 PIECES)	\$ 406.85
A-9	150081761	IRRIGATION RING WITH 1 STOPCOCK	\$ 141.03
A-9	150691142	FIXED GRIP	\$ 110.69
A-9	154231088	OUTER TUBE CPL.	\$ 1,186.07
A-9	155562590	PROBE CHANNEL TUBE	\$ 62.48
A-8B	20951.0201	MOTOR CONTROL UNIT 20951 - for Orthopedics, Spine surgery and Micro surgery, for connection of motor handle M4. M5/0. M5/3. S1. M1 and High-Speed Motor X1, connection for two handpieces and a footswitch, Touch Screen color display, U: 100-115/230 VAC	\$ 9,951.86
A-8B	20951.0401	FOOTSWITCH 1 PEDAL+3 BUTTONS	\$ 1,548.24
A-9	321160135	RIWOMOBIL W/PREMIUM-ELECTR. 100-120V SET	\$ 7,087.52
A-8B	38310.0001	DISASSEMBLY TOOL - for new cock generation	\$ 25.66
A-9	40900.0201	CLIP-SET 12 PCS - for CombiDrive EN Motor Control Unit	\$ 49.39
A-9	40900.0401	HANDPIECE HOLDER - for CombiDrive EN Motor Control Unit	\$ 18.03
A-9	40900.1000	CLEAN SPRAY 500ML	\$ 51.74
A-8B	40900.1201	SPRAY ATTACHMENT - for CombiDrive EN Motor Control Unit, for Clean Spray for cleaning of handpieces	\$ 15.43
A-8B	40900.1202	SPRAY ATTACHMENT - for CombiDrive EN Motor Control Unit, for Clean Spray for cleaning of the micro motor	\$ 15.43
A-9	409001203	SPRAY ATTACHMENT FOR CLEAN SPRAY - reusable	\$ 24.23
A-8B	40990.0031	TRIGGER-FLEX BIPOLAR SYSTEM - Ø 2.5mm, WL 31cm, with fixed handle and cable, for single use, sterile	\$ 446.83
A-8B	40990.1045	RESECTOR Ø 4.5MM WL 220MM STRAIGHT - for single use	\$ 999.50
A-8B	40990.3730	BURR Ø 3MM WL 350MM ROUND - for single use	\$ 764.32
A-8B	40990.3930	DIAMOND BURR Ø 3MM WL 350MM ROUND - for single use	\$ 764.32
A-8B	40990.3940	DIAMOND BURR Ø 3.7MM WL 350MM ROUND - for single use	\$ 764.32
A-9	40990.4045	RESECTOR Ø 4.5MM WL 220MM CURVED - for single use	\$ 1,077.89

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	409960001	CABLE COAXIAL RGBHV TL 15FT - reusable	\$ 169.17
A-9	409960002	LUER CONNECTION ADAPTER - reusable	\$ 96.13
A-8B	409960004	USB STICK - reusable	\$ 15.42
A-9	409960006	CABLE HDMI TO HDMI TL 6FT - reusable	\$ 42.39
A-8B	409960016	CABLE HDMI TO DVI TL 6FT - reusable	\$ 30.02
A-9	409960100	CONDUCT OR BASE UNIT - reusable	\$ 12,867.62
A-9	409960101	DVI INPUT MODULE - reusable	\$ 511.59
A-9	409960102	3G/HD-SDI/SDI INPUT MODULE - reusable	\$ 685.85
A-9	409960111	DVI OUTPUT MODULE - reusable	\$ 511.59
A-9	409960112	3G/HD-SDI/SDI OUTPUT MODULE - reusable	\$ 685.85
A-9	409960113	DVI FOUR FIBER OUTPUT MODULE - reusable	\$ 1,113.12
A-8B	41065.5006	CABLE DVI TL 6FT - reusable	\$ 37.80
A-8B	41065.5015	CABLE DVI TL 15FT - reusable	\$ 56.69
A-8B	41065.5025	CABLE DVI TL 25FT - reusable	\$ 69.32
A-9	41066.3151	15 TOUCHSCREEN MONITOR - reusable	\$ 970.28
A-9	41371.6100	MONITOR STAND - reusable	\$ 333.17
A-9	42960.1450	BLADES FOR DERMATOME, sterile, 50 mm - (PACK=10 PCS)	\$ 182.65
A-9	42960.1475	BLADES FOR DERMATOME, sterile, 75 mm - (PACK=10 PCS)	\$ 200.68
A-8B	47220.7105	BI-TIP FLEXTRODE - Ø 2.0mm, WL 23cm, angled semi-flexible bipolar electrode incl. connection cable, for single use, sterile	\$ 390.39
A-8B	487501235	LASER FIBER Ø 230µM DISPOSABLE - Core Diameter 230µm, PACK=5 PCS, sterile, for single use	\$ 2,430.79
A-8B	487501365	LASER FIBER Ø 365µM DISPOSABLE - Core Diameter 365µm, PACK=5 PCS, sterile, for single use	\$ 2,587.67
A-8B	487501605	LASER FIBER Ø 600µM DISPOSABLE - Core Diameter 600µm, PACK=5 PCS, sterile, for single use	\$ 2,524.56
A-9	492201215	PUNCTURE NEEDLE SET 17G WL 250MM - PACK=10 PCS, sterile, for single use	\$ 337.82
A-8B	492206112	PUNCTURE NEEDLE SET 18G WL 90MM - PACK=10 PCS, sterile, for single use	\$ 309.65
A-9	49970.0410	SAW BLADE SAGITTAL CUT THICKNESS 0.7MM - PACK=5 PCS, WL 23mm, Blade thickness 0.4mm, Blade width 10.4mm, sheath flat, sterile, for single use	\$ 235.96
A-9	49970.0411	SAW BLADE SAGITTAL CUT THICKNESS 0.7MM - PACK=5 PCS, WL 11mm, Blade thickness 0.4mm, Blade width 10mm, sheath flat, sterile, for single use	\$ 261.05
A-9	49970.0412	SAW BLADE SAGITTAL CUT THICKNESS 0.7MM - PACK=5 PCS, WL 11mm, Blade thickness 0.4mm, Blade width 6.4mm, sheath flat, sterile, for single use	\$ 261.05

A-9	49970.0413	SAW BLADE SAGITTAL CUT THICKNESS 0.7MM - PACK=5 PCS, WL 11mm, Blade thickness 0.4mm, Blade width 6.4mm, sheath flat, sterile, for single use	\$ 235.96
A-9	49970.0414	SAW BLADE SAGITTAL CUT THICKNESS 0.7MM - PACK=5 PCS, WL 11mm, Blade thickness 0.4mm, Blade width 10mm, sheath flat, sterile, for single use	\$ 261.05
A-9	49970.0416	SAW BLADE SAGITTAL CUT THICKNESS 0.7MM - PACK=5 PCS, WL 44mm, Blade thickness 0.4mm, Blade width 19mm, sheath flat, sterile, for single use	\$ 261.05
A-9	49970.0418	SAW BLADE SAGITTAL CUT THICKNESS 0.7MM - PACK=5 PCS, WL 44mm, Blade thickness 0.4mm, Blade width 17mm, sheath flat, sterile, for single use	\$ 235.96
A-9	49970.0419	SAW BLADE SAGITTAL CUT THICKNESS 0.7MM - PACK=5 PCS, WL 33mm, Blade thickness 0.4mm, Blade width 10mm, sheath flat, sterile, for single use	\$ 235.96
A-9	49970.0710	SAW BLADE SAGITTAL CUT THICKNESS 1MM - PACK=5 PCS, WL 23mm, Blade thickness 0.7mm, Blade width 10.4mm, sheath flat, sterile, for single use	\$ 235.96
A-9	49970.0711	SAW BLADE SAGITTAL CUT THICKNESS 1MM - PACK=5 PCS, WL 23mm, Blade thickness 0.7mm, Blade width 10.4mm, sheath flat, sterile, for single use	\$ 235.96
A-9	49970.0712	SAW BLADE SAGITTAL CUT THICKNESS 1MM - PACK=5 PCS, WL 14mm, Blade thickness 0.7mm, Blade width 6.4mm, sheath flat, sterile, for single use	\$ 235.96
A-9	49970.0713	SAW BLADE SAGITTAL CUT THICKNESS 1MM - PACK=5 PCS, WL 11mm, Blade thickness 0.7mm, Blade width 6.4mm, sheath flat, sterile, for single use	\$ 235.96
A-9	49970.1501	DRILL Ø 1.5MM - PACK=5 PCS, WL 70mm, sterile, for single use	\$ 402.93
A-9	49970.1611	SAW BLADE RECIPROCAL CUT WIDTH 16MM - PACK=5 PCS, Blade thickness 0.64mm, Blade width 3.9mm, sheath round, sterile, for single use	\$ 570.69
A-9	49971.0032	RESECTOR TOOTHED Ø 2MM - color code ochre, PACK=5 PCS, WL 45mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 543.28

A-9	49971.0033	RESECTOR TOOTHED Ø 3.5MM - color code ochre, PACK=5 PCS, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 543.28
A-9	49971.0113	RESECTOR OVAL Ø 3.5MM - color code white, PACK=5 PCS, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49971.0254	RESECTOR CONVEX CURVED SMOOTH Ø 4.5MM - color code canary yellow, PACK=5 PCS, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 708.92
A-8B	49971.0264	RESECTOR CONCAVE CURVED SMOOTH Ø 4.5MM - color code canary yellow, PACK=5 PCS, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 708.92
A-8B	49971.0503	BURR ROUND Ø 3MM - color code golf blue, PACK=5 PCS, WL 80mm, with lateral protection, for use with motor handpiece S1, for extraction of bony structures, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49971.0553	BURR OVAL Ø 3.5MM - color code violet, PACK=5 PCS, WL 130mm, with lateral protection, for use with motor handpiece S1, for extraction of bony structures, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49975.0003	RESECTOR SMOOTH Ø 3.5MM - color code canary yellow, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49975.0004	RESECTOR SMOOTH Ø 4.5MM - color code canary yellow, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49975.0005	RESECTOR SMOOTH Ø 5.5MM - color code canary yellow, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49975.0033	RESECTOR TOOTHED Ø 3.5MM - color code ochre, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49975.0034	RESECTOR TOOTHED Ø 4.5MM - color code ochre, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99

A-8B	49975.0035	RESECTOR TOOTHED Ø 5.5MM - color code ochre, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99
A-9	49975.0113	RESECTOR OVAL Ø 3.5MM - color code white, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 734.92
A-9	49975.0114	RESECTOR OVAL Ø 4.5MM - color code white, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 734.92
A-9	49975.0115	RESECTOR OVAL Ø 5.5MM - color code white, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 734.92
A-8B	49975.0254	RESECTOR CONVEX CURVED SMOOTH Ø 4.5MM - color code canary yellow, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 656.96
A-9	49975.0255	RESECTOR CONVEX CURVED SMOOTH Ø 5.5MM - color code canary yellow, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 656.96
A-8B	49975.0264	RESECTOR CONCAVE CURVED SMOOTH Ø 4.5MM - color code canary yellow, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 656.96
A-9	49975.0265	RESECTOR CONCAVE CURVED SMOOTH Ø 5.5MM - color code canary yellow, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 656.96
A-8B	49975.0333	RESECTOR AGGRESSIVE Ø 3.5MM - color code red, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49975.0334	RESECTOR AGGRESSIVE Ø 4.5MM - color code red, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99

A-8B	49975.0335	RESECTOR AGGRESSIVE Ø 5.5MM - color code red, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49975.0494	END CUTTER Ø 4.5MM - color code black, PACK=5 PCS, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, sterile, for single use	\$ 656.96
A-8B	49975.0504	BURR ROUND Ø 4.5MM - color code golf blue, PACK=5 PCS, WL 130mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49975.0516	BURR ROUND Ø 6MM - color code golf blue, PACK=5 PCS, WL 130mm, without protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, sterile, for single use	\$ 604.99
A-8B	49975.0553	ACROMIONIZER Ø 3.5MM - color code violet, PACK=5 PCS, WL 130mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, sterile, for single use	\$ 656.96
A-8B	49975.0555	ACROMIONIZER Ø 5.5MM - color code violet, PACK=5 PCS, WL 130mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, sterile, for single use	\$ 656.96
A-9	499751005	NUCLEUS RESECTOR ARTICULATING Ø 5.5MM - PACK=3 PCS, WL 350mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in endoscopic spine surgery, sterile, for single use	\$ 1,171.96
A-9	499751045	NUCLEUS RESECTOR Ø 4.5MM - color code red, PACK=5 PCS, WL 240mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in endoscopic spine surgery, sterile, for single use	\$ 858.39
A-9	499751245	NUCLEUS RESECTOR CURVED Ø 4.5MM - color code red, PACK=5 PCS, WL 240mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in endoscopic spine surgery, sterile, for single use	\$ 936.78
A-8B	499751704	BURR INSERT ROUND Ø 3.5MM - PACK=5 PCS, for use with the articulating TipControl burr, for extraction of bony structures, in endoscopic spine surgery, sterile, for single use	\$ 1,250.35

A-9	537160045	ZERO WIRE ULTRA TRANSMITTER/RECEIVER SET	\$ 5,232.40
A-9	552510815	ENDOCAM LOGIC HD CONTROLLER SET	\$ 19,304.52
A-9	559109911	SCALEOR DVI INPUT WITHOUT GLASS FIBER - Medical video converter / Video scaler with several simultaneous HD video output formats - OSD menu functionality for the output format and other extended function. - Universal video format conversion Input mod	\$ 1,720.70
A-9	559109922	SCALEOR SDI INPUT WITHOUT GLASS FIBER - Medical video converter / Video scaler with several simultaneous HD video output formats - OSD menu functionality for the output format and other extended function # Universal video format conversion Input modu	\$ 2,034.27
A-9	643301142	EQUIPMENT PACK FOR "FLEXION-PORT"	\$ 43.12
A-9	644204101	PACKING CPL. 420 X 80	\$ 27.44
A-9	730500111	FIBER-CYSTOSCOPE BNDL	\$ 7,874.47
A-9	730500155	FIBER-URETHRO-CYSTOSCOPE SET	\$ 7,874.47
A-9	730500611	FIBER-CYSTOSCOPE BNDL	\$ 9,039.89
A-9	730500655	FIBER-URETHRO-CYSTOSCOPE SET	\$ 8,667.34
A-9	732607111	FIBER-URETERORENOSCOPE BNDL	\$ 10,186.70
A-9	732607611	FIBER-URETERORENOSCOPE BNDL	\$ 10,441.38
A-9	806550301	FIBER LIGHT CABLE BNDL - reusable	\$ 611.27
A-9	806616301	FIBER LIGHT CABLE BNDL	\$ 425.46
A-9	806625301	FIBER LIGHT CABLE BNDL	\$ 425.46
A-9	806635301	FIBER LIGHT CABLE BNDL	\$ 425.46
A-9	80900.0000	TRIPOD - for irrigation container	\$ 36.84
A-8B	80951.0002	ELECTRONIC MOTOR MAX. 40000RPM - for use with rotation morcellators, control by footswitch, reusable	\$ 1,844.56
A-8B	80951.0202	CABLE - Cable for electronicmotor, medium, 3 m	\$ 609.67
A-8B	82420.0000	OP-LARYNGOSCOPE WL 147MM - by Pototschnig-Remacle adjustable, dilation prox. min. / max. 32x12.5/ 32x27.5mm, dilation dist. min. / max. 16x13.5/ 16x73mm, TL 200mm, distal upwards curved blade, with contusion protection of soft tissue, outer light car	\$ 4,383.80
A-9	824201000	OP-LARYNGOSCOPE WL 142MM - by Remacle, outer dimension prox. 25.5x18mm, outer dimension dist. 12mm, TL 170mm, outer or inner light carrier and insufflation-suction tube, with universal handle for all support and mounting systems, reusable	\$ 638.96
A-9	824201001	LIGHT CARRIER FOR LARYNGOSCOPE - Lying outside, for Operating Laryngoscopes 82420.3000/ .4000	\$ 328.44

A-8B	824201002	INSUFFLATION / SUCTION TUBE TL 145MM - external, for use with OP laryngoscopes 824203000 / 824204000, reusable	\$ 197.87
A-8B	824201012	INSUFFLATION / SUCTION TUBE TL 102MM - internal, for use with OP laryngoscopes 824201000, reusable	\$ 207.14
A-9	824202000	OP-LARYNGOSCOPE WL 123MM - by Remacle, outer dimension prox. 39x24mm, outer dimension dist. 17.5mm, TL 150mm, outer or inner light carrier and insufflation-suction tube, with universal handle for all support and mounting systems, reusable	\$ 682.98
A-9	824202001	LIGHT CARRIER FOR LARYNGOSCOPE - Lying outside, for Operating Laryngoscopes 824202000	\$ 328.44
A-8B	824202002	INSUFFLATION / SUCTION TUBE TL 109MM - external, for use with OP laryngoscopes 824202000, reusable	\$ 197.87
A-8B	824202011	LIGHT CARRIER FOR LARYNGOSCOPE - Lying inside, for Operating Laryngoscopes 824202000	\$ 375.87
A-8B	824202012	INSUFFLATION / SUCTION TUBE TL 97MM - internal, for use with OP laryngoscopes 824202000, reusable	\$ 207.14
A-9	824203000	OP-LARYNGOSCOPE WL 152MM - by Remacle, outer dimension prox. 39x23mm, outer dimension dist. 13.5mm, TL 180mm, outer or inner light carrier and insufflation-suction tube, with universal handle for all support and mounting systems, reusable	\$ 682.98
A-8B	824203012	INSUFFLATION / SUCTION TUBE TL 133MM - internal, for use with OP laryngoscopes 824203000 / 824204000, reusable	\$ 207.14
A-8B	824204000	OP-LARYNGOSCOPE WL 149MM - by Remacle, outer dimension prox. 28x24.5mm, outer dimension dist. Ø 16.5mm, TL 180mm, outer or inner light carrier and insufflation-suction tube, with universal handle for all support and mounting systems, reusable	\$ 658.25
A-8B	824220070	OP-LARYNGOSCOPE WL 68MM - by Nicolai-Mantel, inner dimension prox. 10x19mm, TL 98mm, light curved blade side slit, with graduation, with integrated light carrier, with universal handle for all support and mounting systems, reusable	\$ 1,549.70
A-8B	824220100	OP-LARYNGOSCOPE WL 97MM - by Nicolai-Mantel, inner dimension prox. 12x20mm, TL 127mm, light curved blade side slit, with graduation, with integrated light carrier, with universal handle for all support and mounting systems, reusable	\$ 1,549.70

A-8B	824220120	OP-LARYNGOSCOPE WL 116MM - by Nicolai-Mantel, inner dimension prox. 12x20mm, TL 146mm, light curved blade side slit, with graduation, with integrated light carrier, with universal handle for all support and mounting systems, reusable	\$ 957.83
A-8B	824220140	OP-LARYNGOSCOPE WL 142MM - by Nicolai-Mantel, inner dimension prox. 19x22.5mm, TL 172mm, light curved blade side slit, with graduation, with integrated light carrier, with universal handle for all support and mounting systems, reusable	\$ 1,111.12
A-8B	824251000	LARYNGEAL FISSURE RETRACTOR TL 75MM - by Sittel, blade, reusable	\$ 493.47
A-9	824251010	SPATULA WL 10MM - by Sittel, blade, reusable	\$ 246.33
A-9	824251015	SPATULA WL 15MM - by Sittel, blade, reusable	\$ 246.33
A-9	824251210	SPATULA WL 10MM - by Sittel, 2-pronged, reusable	\$ 246.33
A-9	824251215	SPATULA WL 15MM - by Sittel, 2-pronged, reusable	\$ 246.33
A-9	824251513	SPATULA WL 13MM - by Sittel, blade, reusable	\$ 246.33
A-9	824251518	SPATULA WL 18MM - by Sittel, blade, reusable	\$ 246.33
A-9	824251526	SPATULA WL 26MM - by Sittel, blade, reusable	\$ 246.33
A-8B	824252000	LARYNGEAL FISSURE RETRACTOR BNDL	\$ 987.74
A-8B	82430.1601	GRASPING FORCEPS WL 230MM - by Remacle, jaw curved 45° right, with integrated suction channel, atraumatic, reusable	\$ 827.83
A-8B	82430.1602	GRASPING FORCEPS WL 230MM - by Remacle, jaw curved 45° left, with integrated suction channel, atraumatic, reusable	\$ 827.83
A-8B	82430.1801	GRASPING FORCEPS WL 240MM - by Remacle, right curved, with integrated suction channel, atraumatic, reusable	\$ 537.74
A-8B	82430.1802	GRASPING FORCEPS WL 240MM - by Remacle, left curved, with integrated suction channel, atraumatic, reusable	\$ 537.74
A-8B	82460.0000	HANDLE - handle for hand instruments Forhand instruments with diameter until 4,5 mm	\$ 126.68
A-8B	82510.0011	LASER GUIDE TUBE ID 0.8MM WL 450MM - reusable	\$ 984.51
A-8B	82510.1400	TELESCOPE 17° W 4.4MM H 2MM WL 314MM - semi-rigid, with lateral ocular lens, with integrated lens irrigation and protection sheath, for using with bronchoscope tubes 82520.0641, 85520.1441, TL 465mm, fiber image carrier	\$ 6,721.96
A-9	825101401	OPTIC ELEMENT SET - F/TEXAS SYSTEM, KIT INCL: BRONCHOSCOPE W/PROTECTIVE SLEEVE 82510.1400; JET VENTILATION CONNECTOR W/LUER LOCK 8238.502 AND 15401.071; SEALING CAP 88.00 PACK OF 10; SEALING RINGS FOR JET VENTILATOR 5/PKG, 9500.071; SEALING RINGS FOR	\$ 6,662.21

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	82510.3016	BRONCHOSCOPE-TUBE ID 3.2MM - by Nicolai-Mantel, OD 3.8mm, TL 160mm, without proximal light connection, without distal viewing window, reusable	\$ 666.82
A-9	82510.3028	BRONCHOSCOPE-TUBE ID 3.2MM - by Nicolai-Mantel, OD 3.8mm, TL 280mm, without proximal light connection, without distal viewing window, reusable	\$ 641.77
A-8B	82510.3520	BRONCHOSCOPE-TUBE ID 3.7MM - by Nicolai-Mantel, OD 4.3mm, TL 200mm, without proximal light connection, without distal viewing window, reusable	\$ 666.82
A-8B	82510.3528	BRONCHOSCOPE-TUBE ID 3.7MM - by Nicolai-Mantel, OD 4.3mm, TL 280mm, without proximal light connection, without distal viewing window, reusable	\$ 685.75
A-8B	82510.4025	BRONCHOSCOPE-TUBE ID 4.4MM - by Nicolai-Mantel, OD 5mm, TL 250mm, without proximal light connection, without distal viewing window, reusable	\$ 666.82
A-8B	82510.4030	BRONCHOSCOPE-TUBE ID 4.4MM - by Nicolai-Mantel, OD 5mm, TL 300mm, without proximal light connection, without distal viewing window, reusable	\$ 692.15
A-9	82510.4524	TRACHEAL SCOPE-TUBE ID 4.7MM - by Nicolai-Mantel, OD 5.3mm, TL 250mm, without proximal light connection, without distal viewing window, reusable	\$ 743.84
A-8B	82510.4525	BRONCHOSCOPE-TUBE ID 4.7MM - by Nicolai-Mantel, OD 5.3mm, TL 250mm, without proximal light connection, without distal viewing window, reusable	\$ 685.75
A-8B	82510.4530	BRONCHOSCOPE-TUBE ID 4.7MM - by Nicolai-Mantel, OD 5.3mm, TL 300mm, without proximal light connection, without distal viewing window, reusable	\$ 684.52
A-8B	82510.5025	BRONCHOSCOPE-TUBE ID 5.2MM - by Nicolai-Mantel, OD 5.8mm, TL 250mm, without proximal light connection, without distal viewing window, reusable	\$ 666.82
A-8B	82510.5030	BRONCHOSCOPE-TUBE ID 5.2MM - by Nicolai-Mantel, OD 5.8mm, TL 300mm, without proximal light connection, without distal viewing window, reusable	\$ 685.75

A-8B	82510.5530	BRONCHOSCOPE-TUBE ID 5.7MM - by Nicolai-Mantel, OD 6.3mm, TL 300mm, without proximal light connection, without distal viewing window, reusable	\$ 666.82
A-8B	82510.6035	BRONCHOSCOPE-TUBE ID 6.2MM - by Nicolai-Mantel, OD 6.8mm, TL 350mm, without proximal light connection, without distal viewing window, reusable	\$ 685.75
A-8B	82510.6535	BRONCHOSCOPE-TUBE ID 6.7MM - by Nicolai-Mantel, OD 7.3mm, TL 350mm, without proximal light connection, without distal viewing window, reusable	\$ 685.75
A-9	82514.2716	BRONCHOSCOPE-TUBE ID 2.8MM - Munich model, OD 3.4mm, TL 160mm, with proximal light connection, without distal viewing window, reusable	\$ 625.27
A-9	82514.3520	BRONCHOSCOPE-TUBE ID 3.7MM - Munich model, OD 4.3mm, TL 200mm, with proximal light connection, without distal viewing window, reusable	\$ 712.34
A-9	82514.3528	BRONCHOSCOPE-TUBE ID 3.7MM - Munich model, OD 4.3mm, TL 280mm, with proximal light connection, without distal viewing window, reusable	\$ 754.25
A-9	82514.4025	BRONCHOSCOPE-TUBE ID 4.4MM - Munich model, OD 5mm, TL 250mm, with proximal light connection, without distal viewing window, reusable	\$ 776.94
A-9	82514.4030	BRONCHOSCOPE-TUBE ID 4.4MM - Munich model, OD 5mm, TL 300mm, with proximal light connection, without distal viewing window, reusable	\$ 628.03
A-9	82514.4524	BRONCHOSCOPE-TUBE ID 4.7MM - Munich model, OD 5.3mm, TL 250mm, with proximal light connection, without distal viewing window, reusable	\$ 754.25
A-9	82514.4525	BRONCHOSCOPE-TUBE ID 4.7MM - Munich model, OD 5.3mm, TL 250mm, with proximal light connection, without distal viewing window, reusable	\$ 712.34
A-9	82514.4530	BRONCHOSCOPE-TUBE ID 4.7MM - Munich model, OD 5.3mm, TL 300mm, with proximal light connection, without distal viewing window, reusable	\$ 754.25

A-9	82514.5030	BRONCHOSCOPE-TUBE ID 5.2MM - Munich model, OD 5.8mm, TL 300mm, with proximal light connection, without distal viewing window, reusable	\$ 628.03
A-9	82514.6030	BRONCHOSCOPE-TUBE ID 6.2MM - Munich model, OD 6.8mm, TL 300mm, with proximal light connection, without distal viewing window, reusable	\$ 625.27
A-9	82514.6535	BRONCHOSCOPE-TUBE ID 6.7MM - Munich model, OD 7.3mm, TL 350mm, with proximal light connection, without distal viewing window, reusable	\$ 754.25
A-8B	82520.0641	BRONCHOSCOPE-TUBE ID 9.2MM - OD 11.4mm, TL 357mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, with distal viewing window, graduated, reusable	\$ 1,346.49
A-8B	82520.0841	BRONCHOSCOPE-TUBE ID 11MM - OD 13.2mm, TL 351mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, with distal viewing window, graduated, reusable	\$ 1,346.49
A-8B	82520.0842	BRONCHOSCOPE-TUBE ID 11MM - OD 13.2mm, TL 351mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, with distal viewing window, graduated, reusable	\$ 1,223.13
A-8B	82520.1041	BRONCHOSCOPE-TUBE ID 13MM - OD 15.2mm, TL 354mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, with distal viewing window, graduated, reusable	\$ 1,346.49
A-8B	82520.1241	TRACHEAL SCOPE-TUBE ID 15MM - OD 17.2mm, TL 357mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, with distal viewing window, graduated, reusable	\$ 1,346.49
A-8B	82520.1441	TRACHEAL SCOPE-TUBE ID 17.1MM - OD 19.3mm, TL 360mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, with distal viewing window, graduated, reusable	\$ 1,346.49
A-9	825210830	TRACHEAL SCOPE-TUBE ID 11MM - OD 13.2mm, TL 338mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, without distal viewing window, graduated, reusable	\$ 987.29

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	825211030	TRACHEAL SCOPE-TUBE ID 13MM - OD 15.2mm, TL 338mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, without distal viewing window, graduated, reusable	\$ 987.29
A-9	825211230	TRACHEAL SCOPE-TUBE ID 15MM - OD 17mm, TL 337mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, without distal viewing window, graduated, reusable	\$ 1,391.50
A-9	825211430	TRACHEAL SCOPE-TUBE ID 17MM - OD 19mm, TL 337mm, for use with the optical element 82510.1400 and head systems 825101100 and 825101200, without distal viewing window, graduated, reusable	\$ 1,391.50
A-8B	82530.0404	OPT. GRASPING FORCEPS WL 358MM - jaw straight, for telescope 0° Ø 3.4mm, TL 422mm, reusable	\$ 828.56
A-8B	82530.0405	OPT. UNIVERSAL FORCEPS WL 358MM - jaw curved upwards, for telescope 0° Ø 3.4mm, TL 422mm, reusable	\$ 901.51
A-8B	82530.0601	OPT. BIOPSY FORCEPS WL 462MM - jaw curved upwards, for telescope 0° Ø 5.5mm, TL 526mm, reusable	\$ 901.51
A-8B	82530.0602	OPT. BIOPSY FORCEPS WL 462MM - jaw retrograde and curved upwards, for telescope 0° Ø 5.5mm, TL 526mm, reusable	\$ 901.51
A-8B	82530.0604	OPT. GRASPING FORCEPS WL 469MM - jaw straight, for telescope 0° Ø 5.5mm, TL 535mm, reusable	\$ 799.81
A-8B	82530.0605	OPT. UNIVERSAL FORCEPS WL 464MM - jaw curved upwards, for telescope 0° Ø 5.5mm, TL 530mm, reusable	\$ 799.81
A-8B	82530.0701	OPT. BIOPSY FORCEPS WL 500MM - jaw curved upwards, for telescope 0° Ø 4mm, TL 564mm, reusable	\$ 832.01
A-8B	82530.0702	OPT. BIOPSY FORCEPS WL 498MM - jaw retrograde and curved upwards, for telescope 0° Ø 4mm, TL 562mm, reusable	\$ 832.01
A-8B	82530.0703	OPT. GRASPING FORCEPS WL 500MM - jaw curved upwards, for telescope 0° Ø 4mm, TL 564mm, reusable	\$ 832.01
A-8B	82530.0704	OPT. GRASPING FORCEPS WL 504MM - jaw straight, for telescope 0° Ø 4mm, TL 568mm, reusable	\$ 715.97
A-8B	82530.0705	OPT. GRASPING FORCEPS WL 500MM - jaw curved upwards, for telescope 0° Ø 4mm, TL 564mm, reusable	\$ 832.01
A-9	825511030	STENT LOADING SYSTEM - for silicone stents up to size 15, blue color coding	\$ 1,256.76

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	825511230	STENT LOADING SYSTEM - for silicone stents from size 15, green color coding	\$ 1,256.76
A-9	82900.0023	DRILL STAND - for CombiDrive EN Motor Control Unit, for 16 handpiece instruments	\$ 274.37
A-9	82930.0019	TWEEZERS DULL BIPO TL 190MM - reusable	\$ 340.73
A-9	82930.0816	TWEEZERS DULL BIPO TL 165MM - reusable	\$ 306.33
A-9	82930.0819	TWEEZERS DULL BIPO TL 190MM - reusable	\$ 295.62
A-9	82930.1019	TWEEZERS DULL BIPO TL 190MM - reusable	\$ 340.73
A-9	82930.1416	TWEEZERS DULL BIPO TL 165MM - reusable	\$ 317.45
A-9	82930.1419	TWEEZERS DULL BIPO TL 190MM - reusable	\$ 343.56
A-9	82930.1619	TWEEZERS DULL BIPO TL 190MM - reusable	\$ 392.01
A-9	82930.2018	TWEEZERS DULL BIPO TL 180MM - reusable	\$ 327.07
A-9	82950.1202	ANGLED HANDPIECE MAX. 40000RPM - with intra-interface, for tools with length 90mm and sheath Ø 2.35mm, reusable	\$ 1,540.40
A-8B	82950.1301	ANGLED HANDPIECE MAX. 20000RPM - with intra-interface, for endoscopic tools with length 350mm and sheath Ø 2.35mm, reusable	\$ 1,540.40
A-9	82950.2650	DERMATOME 50 MM	\$ 2,689.58
A-9	82960.2208	KIRSCHNER ALIGNMENT WIRE Ø 0.8MM - PACK=1 PC, triangular grinding, TL 70mm, reusable	\$ 96.42
A-9	82960.2210	KIRSCHNER ALIGNMENT WIRE Ø 1MM - PACK=1 PC, triangular grinding, TL 70mm, reusable	\$ 96.42
A-9	82960.2408	KIRSCHNER ALIGNMENT WIRE Ø 0.8MM - PACK=1 PC, triangular grinding, TL 150mm, reusable	\$ 96.42
A-9	82960.2410	KIRSCHNER ALIGNMENT WIRE Ø 1MM - PACK=1 PC, triangular grinding, TL 150mm, reusable	\$ 100.69
A-9	82960.2412	KIRSCHNER ALIGNMENT WIRE Ø 1.2MM - PACK=1 PC, triangular grinding, TL 150mm, reusable	\$ 96.42
A-9	82960.2415	KIRSCHNER ALIGNMENT WIRE Ø 1.5MM - PACK=1 PC, triangular grinding, TL 150mm, reusable	\$ 96.42
A-9	82960.3410	BURR Ø 4.1MM WL 70MM - 1,0 mm Diameter, tungsten carbide	\$ 215.58
A-9	82960.3460	BURR Ø 6MM WL 70MM - 6,0 mm diameter, tungsten carbide	\$ 929.73
A-8B	82960.3730	BURR ROUND Ø 3MM - PACK=3 PCS, WL 353.5mm, for use with the angled handpiece for endoscopic high-speed tools, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 1,093.57
A-9	82960.3831	DIAMOND BURR Ø 3.1MM WL 70MM - 3,1 mm diameter, diamond	\$ 930.51
A-8B	82960.3930	DIAMOND BURR ROUND Ø 3MM - PACK=3 PCS, WL 353.5mm, for use with the angled handpiece for endoscopic high-speed tools, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 1,093.57

A-8B	82960.3940	DIAMOND BURR ROUND Ø 4MM - PACK=3 PCS, WL 355mm, for use with the angled handpiece for endoscopic high-speed tools, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 1,093.57
A-8B	82970.1330	SHEATH TUBE Ø 4MM - for endoscopic high speed tools with WL 350mm, reusable	\$ 218.44
A-8B	82970.1340	SHEATH TUBE WITH DISTAL GUARD Ø 4MM - for endoscopic high speed tools with WL 350mm, reusable	\$ 218.44
A-9	839300102	HANDLE PISTOL SHAPED BIPO - without locking mechanism, with bipolar HF-connection, for use with all bipolar ERAGON outer sheath tubes, reusable	\$ 349.05
A-9	839300312	GRASPING FORCEPS BIPO Ø 5.5MM BNDL - 3 part, SL 320mm	\$ 1,269.79
A-9	839300322	MARYLAND DISSECTOR BIPO Ø 5.5MM BNDL - 3 part, SL 320mm	\$ 1,199.71
A-9	839300332	DOLPHIN DISSECTOR BIPO Ø 5.5MM BNDL - 3 part, SL 320mm	\$ 1,239.57
A-9	839300342	GRASPING FORCEPS BIPO Ø 5.5MM BNDL - 3 part, SL 320mm	\$ 1,284.91
A-9	839300352	PREPARATION FORCEPS BIPO Ø 5.5MM BNDL - 3 part, SL 320mm	\$ 1,291.78
A-9	839300362	STERILIZATION FORCEPS BIPO Ø 5.5MM BNDL - 3 part, SL 320mm	\$ 1,316.51
A-9	839300412	METZENBAUM SCISSORS BIPO Ø 5.5MM BNDL - 3 part, SL 320mm	\$ 1,339.87
A-9	84043.0500	SCISSORS INSERT MONO Ø 3.5MM - reusable	\$ 688.10
A-8B	84043.0503	HOOK SCISSORS BNDL	\$ 709.86
A-9	84043.1100	PUNCH INSERT WITH SHEATH Ø 3.5MM - by Friedel, WL 246mm, single action, insulated sheath with flushing port, reusable	\$ 691.41
A-8B	84043.1103	FRIEDEN PUNCH Ø 3.5MM BNDL - 2 part, SL 240mm	\$ 712.61
A-9	84043.2400	BIOPSY FORCEPS INSERT SHEATH Ø 3.5MM - spoon-shaped, WL 252mm, double action, insulated sheath with flushing port, reusable	\$ 737.72
A-8B	84043.2403	HÜRTGEN BIOPSY FORCEPS Ø 3.5MM BNDL - 2 part, SL 240mm	\$ 752.45
A-9	84044.0400	SCISSORS INSERT MONO Ø 5.0MM - reusable	\$ 613.66
A-8B	84044.0403	SCISSORS BNDL	\$ 645.27
A-9	84044.2100	BABCOCK INSERT MONO Ø 5.0MM - reusable	\$ 747.63
A-8B	84044.2104	BABCOCK CLAMP BNDL	\$ 872.65
A-9	84044.2200	GRASP. FORCEPS INSERT MONO Ø 5.0MM - reusable	\$ 693.07
A-8B	84044.2204	GRASPING FORCEPS BNDL	\$ 825.93

A-9	84044.2300	GRASP. FORCEPS INSERT MONO Ø 5.0MM - reusable	\$ 737.72
A-8B	84044.2304	OVERHOLT GRASP. FORCEPS BNDL	\$ 864.42
A-9	84044.2700	GRASP. FORCEPS INSERT MONO Ø 5.0MM - reusable	\$ 679.84
A-8B	84044.2704	GRASPING/ EXTRACTION FORCEPS BNDL	\$ 813.57
A-9	84044.2800	GRASP. FORCEPS INSERT MONO Ø 5.0MM - reusable	\$ 823.74
A-8B	84044.2804	SPOON HOLDER 5 MM, HF MONOP.	\$ 937.25
A-8B	84044.5300	BABCOCK INSERT Ø 5.0MM - reusable	\$ 717.34
A-8B	84044.5304	BABCOCK FORCEPS BNDL	\$ 946.86
A-9	84044.5400	GRASP. FORCEPS INSERT MONO Ø 5.0MM - reusable	\$ 764.16
A-8B	84044.5404	TUMOR GRASP FORCEPS 5 MM, HF MONOP. BNDL	\$ 886.40
A-9	84400.1700	U-SHAPED-MOUNTING ARM - universally applicable, take-apart, for use with universal mounting block for attachment to OP tables (standard rail) 8840.9722, reusable	\$ 2,503.13
A-8B	84400.2010	FORK MOUNT - for mounting video mediastinoscope (8783.412 / 8784.411) to mounting arm 84400.1700, reusable	\$ 136.17
A-9	84420.0005	MUSHROOM ELECTRODE MONO Ø 7MM WL 335MM - reusable	\$ 338.40
A-8B	84420.2105	HF COAG. SUCTION TUBE OD 5.2MM WL 240MM - with bipolar HF-connection, reusable	\$ 1,070.12
A-8B	84420.2107	HF COAG. SUCTION TUBE OD 5.2MM WL 240MM - with bipolar HF-connection, reusable	\$ 1,070.12
A-8B	844202110	HF COAG. SUCTION TUBE OD 5.2MM WL 460MM - with bipolar HF-connection, reusable	\$ 1,856.76
A-9	871540155	ENDOSCOPE, CYSTO-URETHROSCOPE BNDL	\$ 6,573.95
A-8B	880100000	MORCE POWER PLUS TRAY METAL - reusable	\$ 1,427.10
A-9	880434240	VIDEO MEDIASTINOSCOPE WL 158MM - reusable	\$ 8,200.74
A-9	880434241	VIDEO MEDIASTINOSCOPE, - DISASSEMBLING,W/ PARALLEL & DISTAL BLADES, INCL: 880434240 ENDOSCOPE, 8783.721 SUCTION IRRIGA- TION TUBE, 9500119 DIS- ASSEMBLY WRENCH X 2.	\$ 8,519.70
A-8B	88090.0007	SPINE SURGERY TRAY METAL - reusable	\$ 516.95
A-9	880900012	ENDOCAM TRAY PLASTIC - reusable	\$ 385.31
A-9	880900015	UNIVERSAL TRAY METAL - reusable	\$ 369.55
A-9	880900016	INSERT METAL - reusable	\$ 296.40
A-9	881001206	KERRISON PUNCH HANDLE - reusable	\$ 317.49
A-8B	881001234	KERRISON PUNCH COLLAR - reusable	\$ 772.16
A-8B	88100.1340	OUTER TUBE Ø 4 SHORT - reusable	\$ 231.26
A-9	881001404	KERRISON PUNCH Ø 4MM WL 360MM - reusable	\$ 811.36
A-9	881001406	KERRISON PUNCH Ø 5.7MM WL 210MM - reusable	\$ 1,348.34
A-9	881001904	KERRISON PUNCH Ø 4MM WL 360MM - reusable	\$ 811.36
A-9	881002406	KERRISON PUNCH Ø 5.7MM WL 210MM - reusable	\$ 1,348.34

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	88100.3007	WORKING SLEEVE ID 6MM OD 7MM WL 120MM - reusable	\$ 293.97
A-9	881003404	KERRISON PUNCH Ø 4MM WL 290MM - reusable	\$ 811.36
A-9	881003904	KERRISON PUNCH Ø 4MM WL 290MM - reusable	\$ 811.36
A-8B	88100.7017	SLEEVE ID 6MM OD 7MM TL 110MM - reusable	\$ 293.97
A-8B	89101.0000	SEALING PART FOR SHEATH - reusable	\$ 96.63
A-9	891134030	TELESCOPE 30° Ø 4MM SL 248MM - rigid, TL 311mm, rod lens system	\$ 4,035.96
A-9	891134070	TELESCOPE 70° Ø 4MM SL 251MM - rigid, TL 312mm, rod lens system	\$ 4,083.66
A-8B	89121.0260	SHEATH FOR ARTHROSCOPE OD 6MM - WL 132mm, distal end beveled, compatible with telescopes Ø 4mm, with two stopcocks, non-rotatable, click-connection, reusable	\$ 578.19
A-8B	89121.0540	OBTURATOR FOR ARTHROSCOPE OD 5.5/6/6.3MM - WL 177mm, conical-dull, reusable	\$ 170.53
A-8B	89121.0542	OBTURATOR FOR ARTHROSCOPE OD 5.5/6/6.3MM - WL 175mm, semi-dull, reusable	\$ 170.53
A-8B	89121.0544	OBTURATOR FOR ARTHROSCOPE OD 5.5/6/6.3MM - WL 175mm, dull, reusable	\$ 170.53
A-8B	89121.0640	TROCAR TIP TRIANGULAR SZ 4MM WL 176MM - distal tip triangular, reusable	\$ 119.55
A-8B	89121.1260	SHEATH FOR ARTHROSCOPE OD 6MM - WL 131mm, distal end beveled, compatible with telescopes Ø 4mm, with two stopcocks, rotatable, click-connection, reusable	\$ 578.19
A-8B	89121.1263	SHEATH FOR ARTHROSCOPE OD 6.3MM - WL 131mm, distal end beveled, compatible with telescopes Ø 4mm, with two stopcocks, rotatable, click-connection, reusable	\$ 578.19
A-8B	891220124	SHEATH FOR ARTHROSCOPE OD 2.4MM - WL 40mm, distal end beveled, compatible with telescopes Ø 1.9mm, with one stopcock, non-rotatable, click-connection, reusable	\$ 578.19
A-8B	891220128	SHEATH FOR ARTHROSCOPE OD 2.8MM - WL 40mm, distal end beveled, compatible with telescopes Ø 1.9mm, with one stopcock, non-rotatable, click-connection, reusable	\$ 578.19
A-8B	891220132	SHEATH FOR ARTHROSCOPE OD 3.2MM - WL 60mm, distal end beveled, compatible with telescopes Ø 2.4mm, with one stopcock, non-rotatable, click-connection, reusable	\$ 578.19
A-8B	891221232	SHEATH FOR ARTHROSCOPE OD 3.2MM - WL 60mm, distal end beveled, compatible with telescopes Ø 2.4mm, with two stopcocks, rotatable, click-connection, reusable	\$ 604.99

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	891221235	SHEATH FOR ARTHROSCOPE OD 3.5MM - WL 60mm, distal end beveled, compatible with telescopes Ø 2.7mm, with two stopcocks, rotatable, click-connection, reusable	\$ 604.99
A-8B	891221241	SHEATH FOR ARTHROSCOPE OD 4.1MM - WL 77mm, distal end beveled, compatible with telescopes Ø 2.7mm, with two stopcocks, rotatable, click-connection, reusable	\$ 578.19
A-9	891221255	SHEATH FOR ARTHROSCOPE OD 5.5MM - WL 130mm, distal end beveled, compatible with telescopes Ø 4mm, with two stopcocks, rotatable, click-connection, reusable	\$ 551.39
A-8B	891221952	OBTURATOR FOR ARTHROSCOPE OD 2.4/2.8MM - WL 65mm, semi-dull, reusable	\$ 170.53
A-8B	891221962	OBTURATOR FOR ARTHROSCOPE OD 2.4/2.8MM - WL 65mm, conical-pointed, reusable	\$ 170.53
A-8B	891222452	OBTURATOR FOR ARTHROSCOPE OD 3.2/3.5MM - WL 101mm, semi-dull, reusable	\$ 170.53
A-8B	891222462	OBTURATOR FOR ARTHROSCOPE OD 3.2/3.5MM - WL 102mm, conical-pointed, reusable	\$ 170.53
A-8B	891222750	OBTURATOR FOR ARTHROSCOPE OD 4.1MM - WL 107mm, conical-dull, reusable	\$ 170.53
A-8B	891222754	OBTURATOR FOR ARTHROSCOPE OD 4.1MM - WL 106mm, dull, reusable	\$ 170.53
A-8B	891222762	OBTURATOR FOR ARTHROSCOPE OD 4.1MM - WL 107mm, conical-pointed, reusable	\$ 170.53
A-9	891232070	OBTURATOR FOR GUIDE TUBE - color code blue, WL 142mm, cannulated, reusable	\$ 150.23
A-9	891234052	OBTURATOR FOR ARTHROSCOPE OD 5.3/6MM - WL 176mm, semi-dull, reusable	\$ 150.23
A-9	891234073	OBTURATOR FOR ARTHROSCOPE OD 6/6.3MM - color code yellow, WL 175mm, cannulated, reusable	\$ 178.65
A-9	891234077	OBTURATOR FOR ARTHROSCOPE OD 6MM - color code yellow, WL 255mm, cannulated, reusable	\$ 178.65
A-9	891237012	GUIDE SHEATH SLITTED WL 120MM SZ 7MM - reusable	\$ 257.42
A-8B	891303300	SUTURE GRASPING FORCEPS Ø 3.3MM - jaw straight, sheath straight, WL 160mm, reusable	\$ 1,256.27
A-9	89140.0027	SUCTION PUNCH Ø 2.7MM - with integrated suction channel, WL 110mm, take-apart, reusable	\$ 1,820.65
A-9	89140.0045	SUCTION PUNCH Ø 4.5MM - with integrated suction channel, WL 110mm, take-apart, reusable	\$ 1,733.76
A-9	89140.0101	PUNCH W 5.5MM H 1.6MM - jaw curved upwards, flexible toothed jaw, sheath left curved, WL 120mm, reusable	\$ 1,559.18

A-9	89140.0102	PUNCH W 4.6MM H 1.6MM - jaw curved upwards, flexible toothed jaw, sheath straight, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0103	PUNCH W 5.5MM H 1.6MM - jaw curved upwards, flexible toothed jaw, sheath right curved, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0105	PUNCH W 4.6MM H 1.6MM - jaw straight, flexible toothed jaw, sheath straight, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0122	PUNCH W 4.6MM H 1.6MM - jaw straight, flexible toothed jaw, sheath curved upwards, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0202	HOOK PUNCH W 3MM H 1.6MM - jaw curved upwards, sheath straight, WL 120mm, reusable	\$ 1,603.03
A-9	89140.0205	HOOK PUNCH W 3MM H 1.6MM - jaw straight, sheath straight, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0302	BASKET PUNCH W 6.5MM H 2.1MM - jaw oval and curved upwards, flexible toothed jaw, sheath straight, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0305	BASKET PUNCH W 6.5MM H 2.1MM - jaw oval and straight, flexible toothed jaw, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0402	HOOK PUNCH W 4MM H 2.1MM - jaw curved upwards, sheath straight, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0405	HOOK PUNCH W 4MM H 2.1MM - jaw straight, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0502	SCISSORS PUNCH W 2.4MM H 2.1MM - jaw 15° curved upwards, sheath straight, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0505	SCISSORS PUNCH W 2.4MM H 2.1MM - jaw straight, sheath straight, WL 120mm, reusable	\$ 1,559.18
A-9	89140.0602	PUNCH W 5.7MM H 4MM - jaw retrograde, right-cutting, sheath straight, WL 120mm, reusable	\$ 2,167.42
A-9	89140.0605	PUNCH W 5.7MM H 4MM - jaw retrograde, left-cutting, sheath straight, WL 120mm, reusable	\$ 2,254.30
A-8B	89140.0704	BASKET PUNCH W 4.2MM - jaw curved 90° left, lateral cutting, cross section 2.2x2.1mm, sheath straight, WL 120mm, reusable	\$ 1,698.03
A-8B	89140.0706	BASKET PUNCH W 4.2MM - jaw curved 90° right, lateral cutting, cross section 2.2x2.1mm, sheath straight, WL 120mm, reusable	\$ 1,698.03
A-8B	89140.0804	BASKET PUNCH W 5.2MM - jaw curved 90° left, lateral cutting, cross section 3.2x2.1mm, sheath straight, WL 120mm, reusable	\$ 1,698.03
A-8B	89140.0806	BASKET PUNCH W 5.2MM - jaw curved 90° right, lateral cutting, cross section 3.2x2.1mm, sheath straight, WL 120mm, reusable	\$ 1,698.03

A-9	89160.1009	CURETTE ROUND Ø 9MM WL 95MM - one side sharp, angled and curved upwards, cutting on push, reusable	\$ 235.96
A-8B	89160.1011	CURETTE ROUND Ø 11MM WL 95MM - one side sharp, angled and curved upwards, cutting on push, reusable	\$ 254.77
A-9	891607001	OPT. DISSECTOR WL 158MM - for nerve decompression, graduated, reusable	\$ 1,201.75
A-9	891607002	SPECULUM W. REMOVABLE LIGHT ROD WL 55MM - reusable	\$ 522.87
A-8B	891631255	CURETTE ROUND Ø 4.8MM WL 170MM - both sides sharp, angled and curved upwards, reusable	\$ 265.55
A-9	891631270	CURETTE ROUND Ø 6.3MM WL 170MM - both sides sharp, angled and curved upwards, reusable	\$ 261.05
A-9	891631521	MICROFRACTOR WL 170MM 15° - curved, reusable	\$ 256.61
A-9	891632245	CURETTE CORNERED Ø 4.5MM WL 170MM - both sides sharp, angled and curved upwards, reusable	\$ 261.05
A-9	891632260	CURETTE CORNERED Ø 5MM WL 170MM - both sides sharp, angled and curved upwards, reusable	\$ 261.05
A-9	891633021	MICROFRACTOR WL 170MM 30° - curved, reusable	\$ 256.61
A-9	891633522	MICROFRACTOR WL 170MM 35° - curved, reusable	\$ 256.61
A-9	891634521	MICROFRACTOR WL 170MM 45° - curved, reusable	\$ 261.05
A-8B	891636021	MICROFRACTOR WL 170MM 60° - curved, reusable	\$ 265.55
A-9	891636022	MICROFRACTOR WL 170MM 60° - curved, reusable	\$ 256.61
A-9	891638021	MICROFRACTOR WL 170MM 80° - curved, reusable	\$ 256.61
A-8B	89200.1007	HANDLE ATTACHM.WORK.CHANNEL OD 7MM - reusable	\$ 623.22
A-8B	89200.1008	HANDLE ATTACHM.WORK.CHANNEL OD 8MM - reusable	\$ 623.22
A-9	892006000	ENDOSCOPE ADAPTOR	\$ 536.98
A-9	892006038	HANDLE ATTACHM.WORK.CHANNEL OD 14MM - reusable	\$ 450.75
A-9	892006041	HANDLE ATTACHM.WORK.CHANNEL OD 14MM - reusable	\$ 450.75
A-9	892006120	T-HANDLE - reusable	\$ 685.93
A-8B	892009000	ENDOSCOPE ADAPTOR	\$ 819.20
A-9	892009070	SUPPORT ARM ADAPTOR	\$ 599.70
A-8B	89210.1253	DISCOSCOPE 25° Ø 5.9MM SL 207MM - rigid, with lateral ocular lens, working channel Ø 3.1mm, irrigation channel Ø 1.2mm, TL 321mm, rod lens system	\$ 9,481.51
A-8B	89210.1254	DISCOSCOPE 25° Ø 6.9MM SL 207MM - rigid, with lateral ocular lens, working channel Ø 4.1mm, irrigation channel Ø 1.3mm, TL 321mm, rod lens system	\$ 10,030.25

A-8B	89210.3253	DISCOSCOPE 25° Ø 5.9MM SL 165MM - rigid, with lateral ocular lens, working channel Ø 3.1mm, irrigation channel Ø 1.2mm, TL 279mm, rod lens system	\$ 10,030.25
A-8B	89210.3254	DISCOSCOPE 25° Ø 6.9MM SL 165MM - rigid, with lateral ocular lens, working channel Ø 4.1mm, irrigation channel Ø 1.3mm, TL 279mm, rod lens system	\$ 10,030.25
A-9	892106250	DISCOSCOPE 30° Ø 2.7MM SL 150MM - rigid, with lateral ocular lens, irrigation channel Ø 0.8mm, TL 253mm, rod lens system	\$ 8,619.20
A-9	892107253	DISCOSCOPE 25° Ø 5.9MM SL 122MM - rigid, with lateral ocular lens, working channel Ø 3.1mm, irrigation channel Ø 1.2mm, TL 236mm, rod lens system	\$ 9,481.51
A-8B	892109205	DISCOSCOPE 20° Ø 9.3MM SL 177MM - rigid, with lateral ocular lens, working channel Ø 5.6mm, irrigation channel Ø 2x 1.4mm, TL 293mm, rod lens system	\$ 10,187.04
A-9	89220.1007	WORKING SLEEVE ID 6MM OD 7MM TL 166MM - TL 166mm, fenestrated distal end for foraminoplasty, graduated, reusable	\$ 293.97
A-9	89220.1017	WORKING SLEEVE ID 6MM OD 7MM TL 146MM - TL 146mm, fenestrated distal end for foraminoplasty, graduated, reusable	\$ 293.97
A-9	89220.1018	WORKING SLEEVE ID 7MM OD 8MM TL 146MM - TL 146mm, fenestrated distal end for foraminoplasty, graduated, reusable	\$ 293.97
A-9	89220.1027	WORKING SLEEVE ID 6MM OD 7MM TL 186MM - TL 186mm, double fenestrated distal end, graduated, reusable	\$ 293.97
A-9	89220.1028	WORKING SLEEVE ID 7MM OD 8MM TL 186MM - TL 186mm, double fenestrated distal end, graduated, reusable	\$ 293.97
A-9	89220.1037	WORKING SLEEVE ID 6MM OD 7MM TL 186MM - TL 186mm, distal end with 45° fenestration, graduated, reusable	\$ 293.97
A-9	89220.1038	WORKING SLEEVE ID 7MM OD 8MM TL 186MM - TL 186mm, distal end with 45° fenestration, graduated, reusable	\$ 293.97
A-9	89220.1047	WORKING SLEEVE ID 6MM OD 7MM TL 186MM - TL 186mm, distal end beveled, graduated, reusable	\$ 293.97
A-9	89220.1057	WORKING SLEEVE ID 6MM OD 7MM TL 146MM - TL 146mm, distal end straight, graduated, reusable	\$ 293.97
A-9	89220.1068	WORKING SLEEVE ID 7MM OD 8MM TL 166MM - TL 166mm, distal end with long elevator tip, graduated, reusable	\$ 293.97

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	89220.1078	WORKING SLEEVE ID 7MM OD 8MM TL 186MM - TL 186mm, distal end beveled, graduated, reusable	\$ 293.97
A-9	89220.1087	WORKING SLEEVE ID 6MM OD 7MM TL 166MM - TL 166mm, distal end with long fenestration, graduated, reusable	\$ 293.97
A-9	89220.1088	WORKING SLEEVE ID 7MM OD 8MM TL 186MM - TL 186mm, distal end with elevator tip, graduated, reusable	\$ 293.97
A-9	89220.1098	WORKING SLEEVE ID 7MM OD 8MM TL 186MM - TL 186mm, distal end with long elevator tip, graduated, reusable	\$ 293.97
A-9	89220.1117	WORKING SLEEVE ID 6MM OD 7MM TL 166MM - TL 166mm, distal end with long elevator tip, graduated, reusable	\$ 293.97
A-9	89220.1137	WORKING SLEEVE ID 6MM OD 7MM TL 166MM - TL 166mm, closed distal fenestration, graduated, reusable	\$ 293.97
A-9	89220.1147	WORKING SLEEVE ID 6MM OD 7MM TL 186MM - TL 186mm, fenestrated distal end, graduated, reusable	\$ 293.97
A-9	89220.1157	WORKING SLEEVE ID 6MM OD 7MM TL 186MM - TL 186mm, distal end with elevator tip, graduated, reusable	\$ 293.97
A-9	89220.1167	WORKING SLEEVE ID 6MM OD 7MM TL 186MM - TL 186mm, distal end with long elevator tip, graduated, reusable	\$ 293.97
A-8B	89220.1307	FLUSHING ADAPTER WORK. SLEEVE OD 7MM - reusable	\$ 536.98
A-8B	89220.1308	FLUSHING ADAPTER WORK. SLEEVE OD 8MM - reusable	\$ 536.98
A-9	89220.1407	EXTENSION SLEEVE ID 6.1MM OD 7.1MM - TL 155mm, distal end straight, reusable	\$ 293.97
A-9	89220.1408	EXTENSION SLEEVE ID 7MM OD 8MM - TL 155mm, distal end straight, reusable	\$ 293.97
A-8B	89220.1507	SPONGIOSA-PLUNGER Ø 5.9MM WL 200MM - one ended, reusable	\$ 278.29
A-8B	89220.1508	DILATOR ID 1.3MM OD 6.9MM - for single-stage dilatation, TL 235mm, reusable	\$ 427.24
A-8B	89220.1517	SPONGIOSA FUNNEL SMALL CHANNEL OD 7MM - reusable	\$ 152.86
A-8B	89220.1527	SPONGIOSA FUNNEL LARGE CHANNEL OD 7MM - reusable	\$ 152.86
A-9	89220.3007	WORKING SLEEVE ID 6MM OD 7MM TL 120MM - TL 120mm, distal end beveled, graduated, reusable	\$ 293.97
A-9	89220.3008	WORKING SLEEVE ID 7MM OD 8MM TL 120MM - TL 120mm, distal end beveled, graduated, reusable	\$ 293.97

A-9	892206038	WORKING SLEEVE ID 3X5.4MM - OD 3.8x6.2mm, TL 127mm, distal end straight, graduated, reusable	\$ 317.49
A-9	892206041	WORKING SLEEVE ID 3.4X5.9MM - OD 4.1x6.7mm, TL 127mm, distal end straight, graduated, reusable	\$ 317.49
A-9	892206118	GUIDE CANNULA Ø 1.8MM WL 184MM - reusable	\$ 176.38
A-9	892206318	GUIDE ROD Ø 1.8MM WL 200MM - reusable	\$ 176.38
A-9	892206438	DILATOR ID 1.9MM OD 2.9X5.25MM - for single-stage dilatation, TL 153mm, reusable	\$ 317.49
A-9	892206441	DILATOR ID 1.9MM OD 3.2X5.75MM - for single-stage dilatation, TL 154mm, reusable	\$ 317.49
A-9	892206500	DILATOR BNDL - threepart	\$ 599.70
A-9	892206538	DILATOR ID 1.9MM OD 2.9X5.25MM - for single-stage dilatation, TL 150mm, reusable	\$ 317.49
A-9	892206541	DILATOR ID 1.9MM OD 3.2X5.75MM - for single-stage dilatation, TL 150mm, reusable	\$ 317.49
A-8B	892207007	WORKING SLEEVE ID 6MM OD 7MM TL 93MM - TL 93mm, distal end beveled, graduated, reusable	\$ 277.72
A-9	892207017	WORKING SLEEVE ID 6MM OD 7MM TL 112MM - TL 112mm, distal end beveled, graduated, reusable	\$ 277.72
A-9	892209010	WORKING SLEEVE ID 9.5MM OD 10.5MM - TL 120, distal end beveled, graduated, reusable	\$ 348.84
A-8B	892209310	FLUSHING ADAPTER WORK. SLEEVE OD 10.5MM - reusable	\$ 544.82
A-9	892209505	DILATOR ID 1.1MM OD 3.9MM - for multi-step dilatation, TL 310mm, reusable	\$ 215.58
A-9	892209507	DILATOR ID 4MM OD 5.9MM - for multi-step dilatation, TL 285mm, reusable	\$ 215.58
A-9	892209508	DILATOR ID 6MM OD 6.9MM - for multi-step dilatation, TL 260mm, reusable	\$ 215.58
A-8B	892209510	DILATOR ID 1.1MM OD 9.4MM - for single-stage dilatation, TL 235mm, reusable	\$ 505.63
A-9	892209515	DILATOR ID 7MM OD 9.4MM - for multi-step dilatation, TL 235mm, reusable	\$ 215.58
A-9	89230.0000	X-TRACTOR BNDL - for extraction of cylindrical Instruments (working sleeves)	\$ 780.00
A-8B	89230.0003	EXTRACTION CLAMP - for diameter 4.5-6.0mm, reusable	\$ 137.19
A-8B	89230.0004	EXTRACTION CLAMP - for diameter 6.0-8.5mm, reusable	\$ 137.19
A-8B	89230.0008	EXTRACTION FORCEPS - reusable	\$ 544.82
A-8B	89230.1003	NUCLEUS GRASP. FORCEPS Ø 3MM WL 360MM - color code red, TL 457mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89230.1004	NUCLEUS GRASP. FORCEPS Ø 4MM WL 360MM - color code yellow, TL 470mm, with irrigation connection, reusable	\$ 1,556.08

A-8B	89230.1125	NUCLEUS GRASP. FORCEPS Ø 2.6MM WL 360MM - color code orange, TL 457mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89230.1803	SPREAD DISSECTOR Ø 3MM WL 360MM - color code red, TL 457mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1003	RONGEUR Ø 3MM WL 360MM - color code red, TL 457mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1004	RONGEUR Ø 4MM WL 360MM - color code yellow, TL 470mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1013	RONGEUR Ø 3MM WL 360MM - color code red, double action, TL 457mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1014	RONGEUR Ø 4MM WL 360MM - color code yellow, double action, TL 470mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1023	PUNCH Ø 3MM WL 360MM - color code red, TL 457mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1024	PUNCH Ø 4MM WL 360MM - color code yellow, TL 470mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1034	PUNCH Ø 2.5MM WL 360MM - color code yellow, fits through 4mm working channel, TL 457mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1044	RONGEUR Ø 2.5MM WL 360MM - color code yellow, fits through 4mm working channel, TL 457mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1052	INTRADISC FORCEPS Ø 5.2MM WL 240MM - color code white, articulating, TL 389mm, with irrigation connection, reusable	\$ 2,614.37
A-8B	89240.1624	RONGEUR Ø 4MM WL 340MM - color code yellow, articulating, TL 500mm, with irrigation connection, reusable	\$ 2,974.97
A-8B	89240.1703	SCISSORS Ø 3MM WL 360MM - color code red, TL 457mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.1903	SHEATH TUBE PUNCH Ø 3MM WL 360MM - color code red, TL 450mm, with irrigation connection, dismantling sheath, reusable	\$ 1,430.65
A-8B	89240.1904	SHEATH TUBE PUNCH Ø 4MM WL 357MM - color code yellow, TL 500mm, with irrigation connection, dismantling sheath, reusable	\$ 1,799.10
A-8B	89240.2025	RONGEUR Ø 2.6MM WL 290MM - color code orange, TL 388mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.2225	PUNCH Ø 2.6MM WL 290MM - color code orange, TL 388mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.2325	PUNCH Ø 2.5MM WL 290MM - color code orange, TL 382mm, with irrigation connection, reusable	\$ 1,399.30

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	89240.3003	RONGEUR Ø 3MM WL 290MM - color code red, TL 388mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.3004	RONGEUR Ø 4MM WL 290MM - color code yellow, TL 400mm, with irrigation connection, reusable	\$ 1,556.08
A-9	89240.3013	RONGEUR Ø 3MM WL 290MM - color code red, TL 388mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.3014	RONGEUR Ø 4MM WL 290MM - color code yellow, TL 400mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.3023	PUNCH Ø 3MM WL 290MM - color code red, TL 388mm, with irrigation connection, reusable	\$ 1,556.08
A-9	89240.3024	PUNCH Ø 4MM WL 290MM - color code yellow, TL 400mm, with irrigation connection, reusable	\$ 1,556.08
A-8B	89240.3903	SHEATH TUBE PUNCH Ø 3MM WL 290MM - color code red, TL 380mm, with irrigation connection, dismantling sheath, reusable	\$ 1,556.08
A-8B	89240.3904	SHEATH TUBE PUNCH Ø 4MM WL 290MM - color code yellow, TL 441mm, with irrigation connection, dismantling sheath, reusable	\$ 1,799.10
A-8B	892406002	RONGEUR Ø 2.0MM WL 290MM - toothed jaws, GL: 390mm / WL: 290mm, OD: 2,0mm	\$ 1,556.08
A-8B	892406025	RONGEUR Ø 2.5MM WL 290MM - toothed jaws, GL: 390mm / WL: 290mm, OD: 2,5mm	\$ 1,556.08
A-8B	892406202	PUNCH Ø 2.0MM WL 290MM - GL: 390mm / WL: 290mm, OD: 2,0mm	\$ 1,556.08
A-9	892409020	PUNCH Ø 5.4MM WL 340MM - TL 490mm, with irrigation connection, reusable	\$ 2,112.66
A-9	892409035	PUNCH Ø 5.4MM WL 340MM - TL 490mm, with irrigation connection, reusable	\$ 2,112.66
A-8B	892409445	KERRISON PUNCH 5.5X4.5MM WL 380MM - 60°, TL 460mm, hinged pushrod, reusable	\$ 1,955.88
A-8B	892409945	KERRISON PUNCH 5.5X4.5MM WL 380MM - TL 460mm, hinged pushrod, reusable	\$ 1,955.88
A-9	892500600	SPRING HANDLE - without HF-connection, combinable with TipControl probe inserts, reusable	\$ 803.52
A-8B	89250.1003	DISSECTOR Ø 3MM WL 350MM - atraumatic, reusable	\$ 215.58
A-8B	89250.1004	DISSECTOR Ø 4MM WL 350MM - atraumatic, reusable	\$ 215.58
A-9	892501625	PROBE INSERT Ø 2MM - atraumatic, for SL 350mm, flexible, reusable	\$ 231.26
A-9	892501925	PROBE WITH FLEXIBLE TIP BNDL	\$ 1,140.60
A-8B	89250.2025	ELEVATOR Ø 2.5MM WL 290MM - atraumatic, reusable	\$ 215.58
A-9	892506003	PALPATION HOOK Ø 2MM WL 290MM - atraumatic, reusable	\$ 325.33
A-9	892506625	PROBE INSERT Ø 2MM - atraumatic, for SL 290mm, flexible, reusable	\$ 231.26

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	892506925	PROBE WITH FLEXIBLE TIP BNDL	\$ 1,140.60
A-8B	89260.1108	TREPHINE Ø 6.9MM WL 210MM - sharp, reusable	\$ 309.65
A-8B	89260.1113	FACE MILLER Ø 3MM WL 350MM - sharp, reusable	\$ 427.24
A-8B	89260.1114	FACE MILLER Ø 4MM WL 350MM - sharp, reusable	\$ 427.24
A-9	892606004	TREPHINE Ø 4MM WL 100MM - sharp, reusable	\$ 199.90
A-9	892606036	TREPHINE Ø 3.6MM WL 100MM - sharp, reusable	\$ 199.90
A-9	89270.2025	SUCTION TUBE Ø 2.5MM SL 290MM - reusable	\$ 176.38
A-9	898004717	SUPPORT ARM UNIVERSAL	\$ 2,347.84
A-9	899364100	RF ELECTRODE HANDLE US 2 PIN BIPO - integrated connection cable WL 3m with device plug to US 2-PIN, combinable with RF hollow ball electrodes 899364X00, reusable	\$ 725.13
A-9	899364200	RF ELECT. HANDLE 2 PIN INTERNAL BIPO - integrated connection cable WL 3m with device plug to 2 PIN international, combinable with RF hollow ball electrodes 899364X01, reusable	\$ 725.13
A-9	899364300	RF HOLLOW BALL EL. BIPO Ø 2.9MM SL 330MM - for endoscopic spine surgery, combinable with VERTEBRIS RF electrode handle 899364X00, for single use	\$ 427.24
A-9	899364400	RF HOLLOW BALL EL. BIPO Ø 3.4MM SL 330MM - for endoscopic spine surgery, combinable with VERTEBRIS RF electrode handle 899364X00, for single use	\$ 427.24
A-8B	89950.0000	MOTOR HANDPIECE MAX. 1000RPM - for use with drill and saw attachments, with two function button, reusable	\$ 10,940.21
A-8B	89950.0100	SAW ATTACHMENT RECIPROCAL MAX. 12000RPM - incl. Socket wrench 899800100, reusable	\$ 3,730.65
A-9	89950.0200	SAW ATTACHMENT SAGITTAL MAX. 13000RPM - incl. Screw driver 899800200, reusable	\$ 3,520.58
A-8B	89950.0300	KEYLESS DRILL CHUCK MAX. 1000RPM - for drills with sheath diameter 0-6.35mm, reusable	\$ 1,907.56
A-9	89950.0400	DRILL CHUCK KIRSCHNER MAX. 1000RPM - with quick connection, for guide wires Kirschner Ø 1.8-3.2mm, incl. Drill protection sleeve 899800400, reusable	\$ 3,432.78
A-9	89950.0500	DRILL CHUCK KIRSCHNER MAX. 1000RPM - with quick connection, for guide wires Kirschner Ø 0.6-1.6mm, incl. Drill protection sleeve 899800400, reusable	\$ 3,432.78
A-9	89950.0600	DRILL CHUCK JAKOBS MAX. 1000RPM - for drills with sheath diameter 0-4mm, incl. Drill chuck key 899800600, reusable	\$ 1,054.37

A-9	89951.0001	MOTOR HANDPIECE MAX. 3000RPM - with fixed connection cable, for use with rotation tools, with one function button, control optional by footswitch, reusable	\$ 6,741.80
A-8B	89955.0000	MOTOR HANDPIECE MAX. 16000RPM - for use with rotation tools, control by footswitch, reusable	\$ 8,015.94
A-8B	89955.0003	MOTOR HANDPIECE MAX. 16000RPM - for use with rotation tools, with three function buttons, control optional by footswitch, reusable	\$ 7,845.41
A-9	89960.1010	HEAD DRILL Ø 10MM - cannulated Ø 2.65mm, PACK=1 PC, TIN coating, WL 145mm, reusable	\$ 526.01
A-9	89960.1011	HEAD DRILL Ø 11MM - cannulated Ø 2.65mm, PACK=1 PC, TIN coating, WL 145mm, reusable	\$ 526.01
A-9	89960.1025	KIRSCHNER ALIGNMENT WIRE Ø 2.5MM - PACK=1 PC, spiral-formed grinding, TL 310mm, reusable	\$ 163.84
A-9	89960.1065	HEAD DRILL Ø 6.5MM - cannulated Ø 2.65mm, PACK=1 PC, TIN coating, WL 145mm, reusable	\$ 526.01
A-9	89960.1070	HEAD DRILL Ø 7MM - cannulated Ø 2.65mm, PACK=1 PC, TIN coating, WL 145mm, reusable	\$ 526.01
A-9	89960.1075	HEAD DRILL Ø 7.5MM - cannulated Ø 2.65mm, PACK=1 PC, TIN coating, WL 145mm, reusable	\$ 526.01
A-9	89960.1090	HEAD DRILL Ø 9MM - cannulated Ø 2.65mm, PACK=1 PC, TIN coating, WL 145mm, reusable	\$ 526.01
A-9	89960.1125	KIRSCHNER ALIGNMENT WIRE Ø 2.5MM - PACK=1 PC, spiral-formed grinding, TL 430mm, reusable	\$ 163.84
A-8B	89970.1003	NUCLEUS RESECTOR SMOOTH Ø 3MM - PACK=1 PC, WL 350mm, for use with the motor handpiece M4, for soft tissue extraction, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	89970.1004	NUCLEUS RESECTOR SMOOTH Ø 4MM - PACK=1 PC, WL 350mm, for use with the motor handpiece M4, for soft tissue extraction, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	89970.1503	BURR OVAL Ø 3MM - PACK=1 PC, WL 350mm, with lateral protection, for use with the motor handpiece M4, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	89970.1504	BURR OVAL Ø 4MM - PACK=1 PC, WL 350mm, with lateral protection, for use with the motor handpiece M4, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	89970.1513	BURR OVAL Ø 3MM - PACK=1 PC, WL 350mm, with front guard, for use with the motor handpiece M4, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13

A-8B	89970.1514	BURR OVAL Ø 4MM - PACK=1 PC, WL 350mm, with front guard, for use with the motor handpiece M4, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	899701754	ARTICULATING BURR Ø 4MM - PACK=1 PC, WL 350mm, combinable with TipControl burr insert, for use with the motor handpiece M4, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 3,131.76
A-8B	899701794	ARTICULATING BONE BURR BNDL	\$ 4,464.42
A-8B	899703754	ARTICULATING BURR Ø 4MM - PACK=1 PC, WL 290mm, combinable with TipControl burr insert, for use with the motor handpiece M4, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 3,131.76
A-8B	899703794	ARTICULATING BONE BURR BNDL	\$ 4,464.42
A-9	89971.0032	RESECTOR TOOTHED Ø 2MM - color code ochre, PACK=1 PC, WL 45mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, reusable	\$ 235.96
A-9	89971.0033	RESECTOR TOOTHED Ø 3.5MM - color code ochre, PACK=1 PC, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, reusable	\$ 235.96
A-9	89971.0034	RESECTOR TOOTHED Ø 4.5MM - color code ochre, PACK=1 PC, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, reusable	\$ 235.96
A-9	89971.0113	RESECTOR OVAL Ø 3.5MM - color code white, PACK=1 PC, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05
A-9	89971.0114	RESECTOR OVAL Ø 4.5MM - color code white, PACK=1 PC, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05
A-9	89971.0254	RESECTOR CONVEX CURVED SMOOTH Ø 4.5MM - color code canary yellow, PACK=1 PC, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05
A-9	89971.0264	RESECTOR CONCAVE CURVED SMOOTH Ø 4.5MM - color code canary yellow, PACK=1 PC, WL 130mm, for use with motor handpiece S1, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05

A-8B	89971.0503	BURR ROUND Ø 3MM - color code golf blue, PACK=1 PC, WL 80mm, with lateral protection, for use with motor handpiece S1, for extraction of bony structures, in Arthroscopy, reusable	\$ 256.61
A-9	89975.0032	RESECTOR TOOTHED Ø 2MM - color code ochre, PACK=1 PC, WL 45mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0033	RESECTOR TOOTHED Ø 3.5MM - color code ochre, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0034	RESECTOR TOOTHED Ø 4.5MM - color code ochre, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0035	RESECTOR TOOTHED Ø 5.5MM - color code ochre, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0113	RESECTOR OVAL Ø 3.5MM - color code white, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 279.08
A-9	89975.0114	RESECTOR OVAL Ø 4.5MM - color code white, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 279.08
A-9	89975.0115	RESECTOR OVAL Ø 5.5MM - color code white, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 279.08
A-9	89975.0253	RESECTOR CONVEX CURVED SMOOTH Ø 3.5MM - color code canary yellow, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 279.08
A-9	89975.0254	RESECTOR CONVEX CURVED SMOOTH Ø 4.5MM - color code canary yellow, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 279.08
A-9	89975.0255	RESECTOR CONVEX CURVED SMOOTH Ø 5.5MM - color code canary yellow, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 279.08

A-9	89975.0263	RESECTOR CONCAVE CURVED SMOOTH Ø 3.5MM - color code canary yellow, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 279.08
A-9	89975.0264	RESECTOR CONCAVE CURVED SMOOTH Ø 4.5MM - color code canary yellow, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 279.08
A-9	89975.0265	RESECTOR CONCAVE CURVED SMOOTH Ø 5.5MM - color code canary yellow, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 279.08
A-9	89975.0333	RESECTOR AGGRESS Ø 3.7MM - color code red, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0334	RESECTOR AGGRESS Ø 4.7MM - color code red, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0493	END CUTTER Ø 3.5MM - color code black, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 296.32
A-9	89975.0494	END CUTTER Ø 4.5MM - color code black, PACK=1 PC, WL 130mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in Arthroscopy, reusable	\$ 296.32
A-9	89975.0503	BURR ROUND Ø 3MM - color code golf blue, PACK=1 PC, WL 80mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0504	BURR ROUND Ø 4.5MM - color code golf blue, PACK=1 PC, WL 130mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0505	BURR ROUND Ø 5.5MM - color code golf blue, PACK=1 PC, WL 130mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, reusable	\$ 261.05

A-9	89975.0516	BURR ROUND Ø 6MM - color code royal blue, PACK=1 PC, WL 130mm, without protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0553	ACROMIONIZER Ø 3.5MM - color code violet, PACK=1 PC, WL 130mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, reusable	\$ 261.05
A-9	89975.0555	ACROMIONIZER Ø 5.5MM - color code violet, PACK=1 PC, WL 130mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in Arthroscopy, reusable	\$ 279.08
A-8B	899751003	NUCLEUS RESECTOR SMOOTH Ø 3MM - color code canary yellow, PACK=1 PC, WL 350mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	899751004	NUCLEUS RESECTOR SMOOTH Ø 4MM - color code canary yellow, PACK=1 PC, WL 350mm, for use with motor handpieces M5/0 and M5/3, for soft tissue extraction, in endoscopic spine surgery, reusable	\$ 725.13
A-9	899751302	BURR ROUND Ø 2.5MM - color code royal blue, PACK=1 PC, WL 350mm, without protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	899751303	BURR ROUND Ø 3MM - color code royal blue, PACK=1 PC, WL 350mm, without protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	899751304	BURR ROUND Ø 4MM - color code royal blue, PACK=1 PC, WL 350mm, without protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-9	899751305	BURR ROUND Ø 5.5MM - color code royal blue, PACK=1 PC, WL 290mm, without protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13

A-9	899751405	DIAMOND BURR ROUND Ø 5.5MM - color code light turquoise, PACK=1 PC, WL 290mm, without protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-9	899751502	BURR OVAL Ø 2.5MM - color code violet, PACK=1 PC, WL 350mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-9	899751503	BURR OVAL Ø 3MM - color code violet, PACK=1 PC, WL 350mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	899751504	BURR OVAL Ø 4MM - color code violet, PACK=1 PC, WL 350mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-9	899751505	BURR OVAL Ø 5.5MM - color code violet, PACK=1 PC, WL 290mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-9	899751512	BURR OVAL Ø 2.5MM - color code violet, PACK=1 PC, WL 350mm, with front guard, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	899751513	BURR OVAL Ø 3MM - color code violet, PACK=1 PC, WL 350mm, with front guard, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-8B	899751514	BURR OVAL Ø 4MM - color code violet, PACK=1 PC, WL 350mm, with front guard, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13
A-9	899751555	OFF-CENTER BURR OVAL Ø 5.5MM - color code violet, PACK=1 PC, WL 290mm, with lateral protection, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 725.13

A-8B	899751754	ARTICULATING BURR Ø 4MM - PACK=1 PC, WL 350mm, combinable with TipControl burr insert, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 3,131.76
A-8B	899751794	ARTICULATING BONE BURR BNDL	\$ 4,464.42
A-8B	899753754	ARTICULATING BURR Ø 4MM - PACK=1 PC, WL 290mm, combinable with TipControl burr insert, for use with motor handpieces M5/0 and M5/3, for extraction of bony structures, in endoscopic spine surgery, reusable	\$ 3,131.76
A-8B	899753794	ARTICULATING BONE BURR BNDL	\$ 4,464.42
A-9	4104000040	3W LED ROVER IV LIGHTSOURCE	\$ 544.82
A-9	4104000045	LED ROVER IV LIGHTSOURCE BNDL	\$ 623.22
A-9	4256104463	RESECTOR Ø 4.5MM WL 460MM CURVED - for single use	\$ 869.10
A-9	4256204463	RESECTOR Ø 4.5MM WL 460MM CURVED - for single use	\$ 869.10
A-9	4256305463	RESECTOR Ø 5.5MM WL 460MM STRAIGHT - for single use	\$ 869.10
A-9	4256405463	SECRETION REMOVER Ø 5.5MM WL 460MM - for single use	\$ 869.10
A-8B	82510.30161	BRONCHOSCOPE-TUBE BNDL	\$ 713.15
A-8B	82510.30281	BRONCHOSCOPE-TUBE BNDL	\$ 663.08
A-8B	82510.35201	BRONCHOSCOPE-TUBE BNDL	\$ 713.15
A-8B	82510.35281	BRONCHOSCOPE-TUBE BNDL	\$ 713.50
A-8B	82510.40251	BRONCHOSCOPE-TUBE BNDL	\$ 713.50
A-8B	82510.40301	BRONCHOSCOPE-TUBE BNDL	\$ 713.15
A-8B	82510.45241	BRONCHOSCOPE-TUBE BNDL	\$ 773.72
A-8B	82510.45251	BRONCHOSCOPE-TUBE BNDL	\$ 713.50
A-8B	82510.45301	BRONCHOSCOPE-TUBE BNDL	\$ 773.72
A-8B	82510.50251	BRONCHOSCOPE-TUBE BNDL	\$ 713.15
A-8B	82510.50301	BRONCHOSCOPE-TUBE BNDL	\$ 713.50
A-8B	82510.55301	BRONCHOSCOPE-TUBE BNDL	\$ 713.50
A-8B	82510.60351	BRONCHOSCOPE-TUBE BNDL	\$ 712.22
A-8B	82510.65351	BRONCHOSCOPE-TUBE BNDL	\$ 713.50
A-8B	82514.27161	BRONCHOSCOPE-TUBE BNDL	\$ 687.13
A-8B	82514.35201	BRONCHOSCOPE-TUBE BNDL	\$ 685.89
A-8B	82514.35281	BRONCHOSCOPE-TUBE BNDL	\$ 685.89
A-8B	82514.40251	BRONCHOSCOPE-TUBE BNDL	\$ 687.13
A-8B	82514.40301	BRONCHOSCOPE-TUBE BNDL	\$ 754.33
A-8B	82514.45241	BRONCHOSCOPE-TUBE BNDL	\$ 687.13
A-8B	82514.45251	BRONCHOSCOPE-TUBE BNDL	\$ 687.13
A-8B	82514.45301	BRONCHOSCOPE-TUBE BNDL	\$ 687.13
A-8B	82514.50301	BRONCHOSCOPE-TUBE BNDL	\$ 687.13
A-8B	82514.60301	BRONCHOSCOPE-TUBE BNDL	\$ 685.89

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	82514.65351	BRONCHOSCOPE-TUBE BNDL	\$ 687.13
A-9	8912300633	OUTER SHEATH F. ARTHROSCOPE OD 6.3MM - WL 129mm, distal end straight, compatible with telescopes Ø 4mm, with two stopcocks, rotatable, reusable	\$ 271.23
A-9	8912312533	SHEATH FOR ARTHROSCOPE OD 5.3MM - color code yellow, WL 147mm, distal end beveled, compatible with telescopes Ø 4mm, click-connection, reusable	\$ 618.78
A-9	8912312603	SHEATH FOR ARTHROSCOPE OD 6MM - color code yellow, WL 145mm, distal end beveled, compatible with telescopes Ø 4mm, with two stopcocks, rotatable, click-connection, reusable	\$ 814.50
A-9	8912312607	SHEATH FOR ARTHROSCOPE OD 6MM - color code yellow, WL 215mm, distal end beveled, compatible with telescopes Ø 4mm, with two stopcocks, rotatable, click-connection, reusable	\$ 845.36
A-9	8916070021	SPECULUM WL 55MM - for use with light carrier 8916070022, reusable	\$ 301.81
A-9	8916070022	LIGHT CARRIER - for speculum 891607002, reusable	\$ 221.07
A-9	8922095000	STEP-DILATOR BNDL	\$ 858.39
A-9	1309A0-I	E-DAT MODUL COUPLER 180° CAT.6	\$ 23.52
A-9	154231078-O	COVER TUBING	\$ 1,340.50
A-9	154231086-O	COVER TUBING	\$ 1,351.48
A-9	20.SA65	SEALING ADAPTER	\$ 76.07
A-8B	2207.KIT	2207 SUCTION PUMP PACKAGED KIT	\$ 27,821.53
A-9	415-0051F	SPEAKER CABLE, 50M	\$ 152.86
A-9	600-0211	VEKTOR PLUS COAX CABLE 50,00M PUR	\$ 309.65
A-8B	7224001S02	FLEX. NASOPHARYNGO-LARYNGOS	\$ 7,002.22
A-9	8302.11M	OBTURATOR, CONICAL	\$ 108.81
A-9	8303.10M	TROCAR, PYRAMIDAL, 3.7MM	\$ 108.81
A-9	8303.11M	OBTURATOR, CONICAL, 3.7MM	\$ 108.81
A-9	8383.00M	SLEEVE, INSERTION, F/CANNULA	\$ 74.03
A-9	8383.72M	TUBE, SUCTION, 5 MM, 330 MM WL	\$ 72.84
A-9	8383.78M	APPLICATION FOR 'ETHIBINDER',	\$ 87.90
A-8B	8397.6542S01	GASTRIC BAND MANIPULATOR	\$ 929.61
A-9	83976545S01	GASTRIC BAND MANIPULATOR SET	\$ 1,004.62
A-8B	8397.654S01	GASTRIC BAND MANIPULATOR	\$ 455.55
A-89	8585.091M	FASCIAL CLOSURE TRAY	\$ 165.30
A-8B	864260S01	BIOPSY FORCEPS RIGID 5 FR.	\$ 549.70
A-8B	864265S02	GRASPING FORCEPS RIGID, 5 FR.	\$ 549.70
A-9	8642681S01	SCISSORS, RIGID, 5 FR.	\$ 549.70
A-8B	86500245S01	CYSTO-URETHROSKOP-SHEATH	\$ 734.95
A-8B	86500345S01	SHEATH FOR CYSTOSCOPE 19.5FR	\$ 734.95
A-8B	86500445S01	SHEATH FOR CYSTOSCOPE 21FR	\$ 734.95
A-8B	86500545S01	SHEATH FOR CYSTOSCOPE 23FR	\$ 734.95

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-8B	8880.543-O	ENDOSCOPE, 4MM OD, 30 DEGREE,	\$ 3,644.56
A-8B	8880.544-O	ENDOSCOPE, 45°, 4MM Ø	\$ 2,375.32
A-8B	8880.545-O	ENDOSCOPE, 4MM OD, 70 DEGREE	\$ 3,644.56
A-8B	89220.1117M01	WORKING SLEEVE, SPINE,	\$ 293.97
A-9	89230.0003S01	TENSION BAND	\$ 278.29
A-9	89230.0004S01	TENSION BAND	\$ 278.29
A-8B	8986.251M	HANDLE, ERGONOMIC, FOR HYSTERO	\$ 442.49
A-9	90R0056	RADIANCE G2 19", SC-SX19-A1511	\$ 4,787.40
A-9	90R0076	32 HD LCD MONITOR	\$ 7,485.43
A-9	90T0022	EXPAND OR STREAMING UNIT	\$ 3,151.76
A-9	AC-120MD	AC ADAPTOR	\$ 594.99
A-9	BLU 102	NETWORKED SIGNAL PROCESSOR	\$ 6,659.40
A-9	BNC-FP-HD	BNC-HDTV PATCH PANEL MOUNTING SOCKET	\$ 15.68
A-9	CD.00322.800	UNICART W/MECHANICAL HEIGHT ADJUSTMENT	\$ 1,723.84
A-9	DR41-C-VB	INDOOR DOME HOUSING	\$ 231.26
A-9	DZGR-0100-SW-GN	COAXIAL CABLE VEKTOR PLUS 1,00M	\$ 31.36
A-9	DZGR-0200-SW-GN	COAXIAL CABLE VEKTOR PLUS 2,00M	\$ 31.36
A-9	DZGR-0300-SW-GN	COAXIAL CABLE VEKTOR PLUS 3,00M	\$ 39.20
A-9	DZGR-1500-SW-GN	COAXIAL CABLE VEKTOR PLUS 15,00M	\$ 101.91
A-9	DZGR-2500-SW-GN	COAXIAL CABLE VEKTOR PLUS 25,00M	\$ 156.78
A-9	EXCITE IC5	2-WAY IN-CEILING SPEAKERS	\$ 321.41
A-9	GOCU-0050-SW	CABLE, MINI JACK TO MINI JACK, 0,5M	\$ 23.52
A-9	GOCU-1000-SW	CABLE, MINI JACK TO MINI JACK, 10M	\$ 39.20
A-9	HPU63A-111	SWITCHING POWER SUPPLY	\$ 117.59
A-9	I300216	INTELLIGENT AC CHARGER	\$ 39.20
A-9	I300218	18650 LITHIUM-ION RECHARGEABLE BATTERY	\$ 39.20
A-9	LMD-2760MD	27 HD LED MONITOR	\$ 5,189.55
A-9	LMD-2765NB	LCD MONITOR	\$ 5,909.55
A-9	MI 1005	MEDICAL ISOLATOR	\$ 250.85
A-9	NBNC75BWU13	BNC-HDTV REAR TWIST	\$ 15.68
A-9	NC3FXX	NEUTRIK XLR 3 POLE FEMALE CABLE CONNECTO	\$ 11.76
A-9	NC3MXX	NEUTRIK XLR 3 POLE MALE CABLE CONNECTOR	\$ 7.84
A-9	OKTT-0050	OPTICAL CABLE, TOSLINK TO TOSLINK, 0.5M	\$ 15.68
A-9	ON2A-1000-SW	MINI JACK TO RCA CABLE, 10M	\$ 58.79
A-9	PC1Z-0010-SW	Y ADAPTER AUDIO CABLE, JACK	\$ 39.20
A-9	POCW2111310E-T	POC-W211	\$ 4,154.77
A-9	RWF3000	RIWOMOBIL MINI VIDEO CART	\$ 2,359.88
A-9	RWF3600	REPLACEMENT CASTER	\$ 40.76
A-9	RWF3700	ADJUSTMENT KNOB	\$ 16.46
A-9	RWF3800	CO2 TANK HOLDER	\$ 177.17
A-9	RWM-284	HOSE ASSEMBLY	\$ 170.89

Richard Wolf Medical Instruments Corp., (800)323-WOLF(9653), www.richardwolfusa.com

A-9	VB-H43	NETWORK CAMERA	\$ 2,426.23
-----	--------	----------------	-------------